

GLYN – High-Tech Distribution



Lagerliste MCU Lighting Embedded World Displays Wireless



Producent	Part number	Opis	Magazyn
2J s.r.o. antenna concepor	2J010	SMA-male right angel antenna	43
2J s.r.o. antenna concepor	2J020	SMA-male straight antenna	15
2J s.r.o. antenna concepor	2J030	FME-female straight angel antenna	19
2J s.r.o. antenna concepor	2J040	FME-female right angel antenna	98
2J s.r.o. antenna concepor	2J050	SMA-male straight antenna	16
2J s.r.o. antenna concepor	2J200GP SMA	Wall mount antenna with 5m cable and SMA connector.	10
2J s.r.o. antenna concepor	2J300M MCX	Magnetique mount Antenna with MCXm connector, lenght=2.5m	21
2J s.r.o. antenna concepor	2J300M SMA	Magnetique mount Antenna with SMA connector, lenght=2.5m	100

2J s.r.o. antenna conceceptor	2J300M TNC	Magnetique mount Antenna with TNC male connector, lenght=2.5m	10
2J s.r.o. antenna conceceptor	2J470B SMA/SMA	Low profile GSM/GPS antenna for screwing, SMAM (GSM) + SMAM (GPS) connector. l=3m	5
2J s.r.o. antenna conceceptor	2J610B	GSM low profile body mount antenna with SMAM (GSM) connector. l=2.5m	12
2J s.r.o. antenna conceceptor	2J630P	GSM/GPS low profile patch antenna with SMAM (GSM) + MMCX (GPS) connector. l=3m	25
2J s.r.o. antenna conceceptor	2J660B	Low profile GSM/GPS antenna for screwing, FMEf (GSM) + SMAM(GPS) connector, l=3m	5
2J s.r.o. antenna conceceptor	2J664B	Low profile GSM antenna (70x15mm) for screwing, with FMEf connector. l=3m	10
2J s.r.o. antenna conceceptor	ADAPTER CABLE SMA 17	Antenna adapter SMA for Wavecom Quick modules	199
2J s.r.o. antenna conceceptor	ADAPTER Cable SMA/SMA 100	Adapter cable SMAf B/H to SMA/m with 1m RG174 cable	10
2J s.r.o. antenna conceceptor	ADAPTER Cable SMA/SMA 200	Adapter cable SMAf B/H to SMA/m with 2m RG174 cable	3
2J s.r.o. antenna conceceptor	ADAPTER MMCX/MMCX	Adapter cable MMCX male ra / MMCX male ra l=100mm (RG174)	60
2J s.r.o. antenna conceceptor	ADAPTER MMS/FME 15-1	Adapter cable MMS/FME with 150mm RG174 Cable	12
2J s.r.o. antenna conceceptor	ADAPTER MMS/MCX 15-1	Adapter cable MMS/MCX for Wavecom Q250 1B Modul	22
2J s.r.o. antenna conceceptor	ADAPTER MMS/SMA 15-1	Adapter cable MMS/SMA with 150mm RG174 Cable	6
2J s.r.o. antenna conceceptor	ADAPTER SMA/SMA 15-1	Adapter cable SMA/SMA with 150mm RG174 Cable	25
2J s.r.o. antenna conceceptor	ADAPTER UFL/FME 25	Adapter cable UFL/FME male bulkhead with 250mm cable	3
3M	7G24-B5A6-05	Dual push Eject system C-FAST Host Connector (RIGHT)	4

4d Systems Pty. Ltd.	μDRIVE-uSD-G1	Data storage device with a simple serial interface to any MC	2
4d Systems Pty. Ltd.	CB-96-G1	Carrier Board for OLED-96-G1	6
4d Systems Pty. Ltd.	OLED-μUSB-CE5	USB to RS-232 bridge converter	17
4d Systems Pty. Ltd.	OLED-μUSB-MB5	USB to RS-232 bridge converter soldering type	16
4d Systems Pty. Ltd.	OLED-32028-P1C	4D systems controller board for driving the 2.0", 2.4" & 2.8" OLEDs	10
4d Systems Pty. Ltd.	OLED-96-prop	μOLED, 96x64, 65kCol	1
4d Systems Pty. Ltd.	VGA-PICASO-MD1	PICASO graphic controller board QVGA upto SVGA	3
4d Systems Pty. Ltd.	VGA-PICASO-MD1-UB	Base Board Adaptor for □VGA-PICASO-MD1	6
A1W Elektronik GmbH	12V_PWM_DIMMER	3,5 A PWM Dimmer for use with DC Powersupply and LED bars from Harvatek	1
Aaeon	1700050207	USB Cable, Length 20cm	69
Aaeon	1700090106	Cable Touch Controller Connector TF-GENE-LN05 4-wire / 5-wire	8
Aaeon	1700090222	Cable Touch Controller Connector TF-GENE-9455	3
Aaeon	1701090150	COM Port Cable, 9P DB Male, Length 150mm	18
Aaeon	1701150201	Flat Cable, 15pol. D-Sub, 10-pol 2.0mm Length 20cm	4
Aaeon	1701260201	LPT Cable, 25P D-SUB Female, Length 20cm	4
Aaeon	1701340600	Floppy-Cable 2mm 2,54mm	5

Aaeon	1701440350	Flat Cable for 2,5" HDD, 350mm	1
Aaeon	1702031803	Power Cord.3P-250V 10A 180D.1.8M.VDE	1
Aaeon	1702031831	Power Cable.YP-22 3P.YC-14 3P.183cm.for European	4
Aaeon	1702040109	Power output Cable, lenght 100mm, IDE	2
Aaeon	1702150152	SATA Power Cable, Lenght 150mm	2
Aaeon	1702151200	(TF)Power Cable.4P 2.54mm Housing(F).15P SATA Conn(F).12cm	12
Aaeon	1709070500	SATA Cable, 7-pol..., 1,25mm lenght 500mm	12
Aaeon	1709100201	Double USB Cable.20cm2.0mm.W/Bracket	10
Aaeon	1757306004	Power Adapter 100/240V 12V.5A 60W DC With Lock	2
Aaeon	1757904005	Power Adapter.12V.3.33A.40W.FSP.FSP040 -DGAA1(A65003).	1
Aaeon	1757912001	AC Power Adapter for AEC-Series	4
Aaeon	AEC-6800-KIT	Boxed PC with AMD GX2 333MHz Fanless, 2ch CAN Bus	1
Aaeon	AP-CP14D4173003		1
Aaeon	AP-DR14D6A01G08	1GB DDRII SO-DIMM	4
Aaeon	AP-DR14D6A5122B	512MB.DDR DIMM.184Pin PC3200	48
Aaeon	AP-DR14D6A5123F	512MB DDR SO-DIMM PC333	2

Aaeon	AP-DR14D6B01G29	1GB.DDRII DIMM, 667MHz 240PIN	13
Aaeon	AP-DR14D6B02G26	2GB.DDRII.SO-DIMM 667MHz 200PIN SAMSUNG.K4T1G084QX	23
Aaeon	AP-HD9783545000	2,5" SATA HDD 250GB 5400 RPM 24/7	7
Aaeon	AP-SS968C102449	CF-Card 1GB Fixed Disk non DMA	17
Aaeon	AP-SS968C204853	CF-Card 2GB	3
Aaeon	AP-SS968C409674	4GB SATA DOM, horizontal	1
Aaeon	CAB-AAE-1703300356	LVDS Cable GENE-8310 to 7,6" OLED P0760WVLB-T	6
Aaeon	CAB-AAE-1703300501	LVDS Cable GENE-8310 to TX43D21V0CAA Length: 50 cm	7
Aaeon	CAB-AAE-1703310400	LVDS Cable GENE-5315 and GENE-8310 to G065VN01V0	8
Aaeon	CAB-AAE-1704300305	LVDS Cable AAEON Boards (5315, 9455, LN05...) to NEC-Displays	69
Aaeon	CAB-AAE-1704301600	LVDS 18bit & Backlight - Cable GENE-9455 / EPIC-9457 to G065VN01V2, 1600mm	10
Aaeon	CAB-AAE-T09701	LVDS Cable GENE-9310 incl. PER-T099 to M260J3 from CHI MEI 1920 x 1200	2
Aaeon	JAC-3408A	Cooler for BGA-CPU GENE-9310	2
Aaeon	OS-CE-500-540I	WinCE 5.0 for PFM-540I or GENE-5315	1
Aaeon	OS-XPE-SP2-5315-F	Windows XP Embedded for GENE-5315	17
Aaeon	R-TF-AEC-6800-0004	Customized Boxer AEC-6800-B1 + GENE-5315 + 2x CAN Bus Interface	1

Aaeon	R-TF-AEC-6911-A1-1010	Boxed PC with Intel Atom N270 1.6 GHz Fanless. 2PCI.DC 9-30V.1GB RAM	1
Aaeon	R-TF-AGP-3155-HTT-A1-1010	15" Rugged Touch Panel Computer with Intel i5, 250 Nits, 320GBHD, 2GBRAM, WIN7	1
Aaeon	R-TF-COM-945-0005	COM-945 Board with L2400 CPU and Legacy Free BIOS	1
Aaeon	R-TF-COM-945GSE-A10	Intel ATOM (N270) based COM Express board	3
Aaeon	R-TFCOM-965-0001	COM-Express Board with CPU L7500 Legacy Free BIOS	1
Aaeon	R-TF-EMB-9459T-0009	Mini-ITX.N270-1.6G.LCD-DVI-TV.DDRII.2GbE Audio6COM8USBCF.mPCIPCPCIE.DC12V	1
Aaeon	R-TF-GENE-9310-0041	TF-GENE-9310-A11.945GME. LCD CPU Intel L7400 BGA, 1,5GHz, Rev.A1.1	3
Aaeon	TF-AEC-6510-A1-1010	Embedded Controller.AMD LX800 500MHz IP-65	1
Aaeon	TF-AEC-6611-A2-1010	Boxed PC ATOM 1.6GHz fanless, USBx4, COMx4, with Mini PCI/Mini card, DC 12V	2
Aaeon	TF-AEC-6611-A2M-1010	Boxed PC ATOM 1.6GHz fanless, USBx4, COMx4, w.Mini card and Mini-PCI, DC 9-30V	2
Aaeon	TF-AEC-6611-A3-1010	Boxed PC ATOM 1.6GHz fanless, USBx2, COMx8, w.Mini card, DC 12V/ATX	2
Aaeon	TF-AEC-6612-A1M-1010	Atom D510.Fanless.2COM,2USB DC9-30V/ATX,2 Mini card slot	1
Aaeon	TF-AEC-6620-A1-1010	Boxed PC ATOM 1.6GHz fanless, 1xDDRII max.2GB, Gb Ethernetx2, USBx4, COMx2	1
Aaeon	TF-AEC-6710-KIT	Boxed PC with VIA Mark CPU IP67 Certified	1
Aaeon	TF-AHP-1070HTT-A1-1010	7" LCD with 300 nits B/L, R-TS, 256 MB ROM, 128 MB RAM	2
Aaeon	TF-AHP-1152HTT-A1-1010	Intel Atom D510 1,66GHz, 15" XGA, 250nits LED B/L, Fanless, 5 wire AR Touch	1

Aaeon	TF-AQ7-LN-A10	Q7 CPU Modul, Intel ATOM N450, 5VDC only, 8x USB2.0, Gb Ethernet, 1GB DDRII onboard	2
Aaeon	TF-AQ7-LN-B10	Q7 CPU Modul, Intel ATOM N450, 5VDC only, 8x USB2.0, GbLAN, 1GB DDRII + 4GB SSD	3
Aaeon	TF-COM-915-A10	COM Express basic module for Intel Pentium M / Celeron M CPU (Dothan)	3
Aaeon	TF-COM-945-A10	COM Express basic module for Intel Core Duo/ Core Solo/ Celeron M CPU	3
Aaeon	TF-COM-945GSE-A11	Intel ATOM (N270) based COM Express board	1
Aaeon	TF-ECB-901A-A10	ETX Carrier Board	1
Aaeon	TF-ECB-902M-A10	ETX Carrier BoardBoard.LANAUDIO. COM USB 2.0, PCI.ISA.AT/ATX.Rev A1.0	2
Aaeon	TF-ECB-930G-A10	Q7 Carrier Board 3,5", Dual Gigabit Ethernet, 2 COM (Winbond) USB, Mini Card, DC.	1
Aaeon	TF-EMB-9459T-A10	Mini-ITX.N270-1.6G.LCD-DVI-TV.DDRII.2GbE Audio6COM8USBCF.mPCIPCPCIE.DC12V	1
Aaeon	TF-EMB-9459T-B10	Mini-ITX.N270-1.6G.LCD-DVI-TV.DDRII.2GbE Audio, 24bit LVDS, CF.mPCIPCPCIE.DC12V	1
Aaeon	TF-EMB-945T-B10	Mini-ITX.S-478M.LCD-DVI-TV.DDRII.GbE.A	4
Aaeon	TF-EMB-LN9T-A10-04	mITX.D510.18bitLVDS2DIM.2GbEAUDIO.10COM,8USB,2SACF.mPCIPCIMinocard.DC12V	1
Aaeon	TF-EPIC-9457-A10	Intel ATOM N270 1,6GHz, 18Bit LVDS, GbE, 4 COM, 6USB, PCI-104, DVi, VGA	1
Aaeon	TF-EPIC-9457-A10-01	Intel ATOM N270 1,6GHz, 18Bit LVDS, GbE, 4 COM, 6USB, PCI-104, VGA	1
Aaeon	TF-ETX-700-B10	ETX-Board with AMD LX-800 TTL Interface	1
Aaeon	TF-ETX-945GSE-A10	ETX Board.N270.18-bit DC LVDS. SDVO DDRII, LANAUDIO,2COMUSB2.0.Rev.A1.0	1

Aaeon	TF-ETX-945GSE-A10-01	ETX Board.N270.124bit DC LVDS. SDVO DDRII, LANAudio,2COMUSB2.0.Rev.A1.0	2
Aaeon	TF-FES-6110-A10-01	Flexible Embedded System Box PC, ATOM	2
Aaeon	TF-FOX-120HTT-A2-KIT	Multi Purpose Waterproof Panel PC System Celeron M 600MHz	1
Aaeon	TF-FOX-120STT-A1-1110	12" Panel PC Celeron M 1,5GHz Fanless Complete IP-65 certification	1
Aaeon	TF-GENE-1270-B10-01	3,5" Risc Board with TTL CPU Intel / Marvell PXA270 2700G	2
Aaeon	TF-GENE-5315-A11-01	3,5" Board, LX800, 500 MHz, 18-bit LVDS 2x COM, Audio, PC/104	9
Aaeon	TF-GENE-6315-A10-01	3,5" Board with VIA Mark CPU 533MHz	1
Aaeon	TF-GENE-6350-A20-03	3,5" Board, Celeron M650, LCD-DVI	1
Aaeon	TF-GENE-8310-A12	3,5" Board with LVDS CPU Celeron M 600 MHz Fanless	18
Aaeon	TF-GENE-8315-A10	3,5" Board with LVDS, 3x LAN CPU Celeron M 600 GHz Fanless	1
Aaeon	TF-GENE-9310-A11	3.5 Board.945GME. S-478M.LCD-TV.DDRII. GbE.Audio.2COM.USB2.0.CF.M-PCI.ECX	1
Aaeon	TF-GENE-9315-A10	3,5" Board with LVDS, DDRII, 2GbE, 4 COM, LPT, USB2.0, CF, Intel ATOM N270	2
Aaeon	TF-GENE-9455-A11-04	3,5" Board with LVDS, CPU Intel ATOM N270 1,6GHz, wide DC, AT (fanless), TP contr., DVI	19
Aaeon	TF-GENE-9455-A11-05	3,5" Board with LVDS, CPU Intel ATOM N270 1,6GHz, 5Volt AT/ATX (fanless)	5
Aaeon	TF-GENE-9655-A10	3.5 Board.Socket-P.DDRII.DVI- I.2GbE.4COM.CF.M-PCI.M-Card.Rev.A1.0	1
Aaeon	TF-GENE-LN05-A10	3,5" Board.D510.2GbE.6COM.LPT.Touch. CF.M-Card.12V DC.Rev.A1.0	1

Aaeon	TF-GENE-QM57-A10	Socket-988.DDR3.DVI-I.LVDS.2GbE.USBx8 2COM.CF.PCI/104-E..Rev.A1.0	1
Aaeon	TF-HSB-813S-A11-VE	Half-size PCSIA, Socket 479, Pent.-M CPU Card, VGA/LVDS, 1LAN, 5USB, CF, Mini PCI	1
Aaeon	TF-PER-A021	Passive Heatsink for Socket CPU	6
Aaeon	TF-PER-A045	CPU Cooler.For XTX-915/945.On-board CPU.W/ 12V Fan	2
Aaeon	TF-PER-A047	Passive Heat-sink.For XTX-915/945.On-board CPU	11
Aaeon	TF-PER-A049	Heat Spreader Kit.For XTX-915/945.On-board CPU	3
Aaeon	TF-PER-A052	Passive Heatsink, For COM-965/ COM-45SP with Onboard CPU	1
Aaeon	TF-PER-A064		3
Aaeon	TF-PER-A066	Heat Spreader Kit for COM-965/COM45SP, Onboard CPU	1
Aaeon	TF-PER-A093	Passive Heatsink, for NANO COM U15 a2:0. On-board CPU	2
Aaeon	TF-PER-A095	Passive Heatsink, for AQ7-NL Boards Onboard CPU	1
Aaeon	TF-PER-A097	Heat Spreader, for AQ7-NL Boards Onboard CPU	1
Aaeon	TF-PER-Axxx	Passive Heatsink, For Gene9455, reduced with Onboard CPU	1
Aaeon	TF-PER-C10L-A10	Mini PCI.10/100 Base-Tx LAN Module.W/Realtek.8100C.Rev.A1.0	5
Aaeon	TF-PER-C10L-A10-01	Mini PCI AddOn Card Ethernet 10/100/1000 Base-Tx	1
Aaeon	TF-PER-T099-A10	ECX Extension Board.24Bit LVDS.PCI-E.2COM.Rev.A1.0	5

Aaeon	TF-PER-V03B-A10	Converter SDVO to DVI module.with Chronitel 7307C	1
Aaeon	TF-PER-V03B-A10-02	Converter SDVO to DVI module.with Chronitel 7307C	2
Aaeon	TF-PFM-945C-A10	PCI-104 CPU Module with Intel ATOM, 512MB DDRII onboard.	1
Aaeon	TF-PFM-T800-A10-01		1
Aaeon	TF-SKC-1350-003	3,5" Board, RISC00MHz.128MB-RAM,256MB-Flash.LAN,Audio.2COM,USB.WinCE6.0.	1
Aaeon	TF-XTX-945GSE-A11	XTX Module Intel ATOM N270 / 18 Bit LVDS	3
Aaeon	TF-XTX-945GSE-A11-01	XTX Module Intel ATOM N270 / 24 Bit LVDS	2
Adactus AB	M1203A RS232-CABLE5	RS232-Cable f. Fastrack Modem Length= 0.5m	8
Analog Devices	AD7247JRZ	DAC 12Bit AMP/BUFF 24SOIC	1015
Analog Devices	ADM3222AN	RS232 Transmitter/Receiver	69
Ansmann	PS-DPU-V	Power supply 100-240V AC 50Hz 9VDC, 3.0A	13
Asahi Chemical	AOFC100-500	LWL-Kabel 500m auf Rolle	505
Asahi Chemical	AOFC100ABSCHNITT	LWL-Kabel	383
Asahi Chemical	AOFC200ABSCHNITT	LWL-KABEL	206
Atmel	AT91SAM7SE512-AU	32-bit ARM7 MCU Flash 512K 128LQFP	360
Avago	HCNW3120-300E/ZK	Gate Drive Optocoupler Gull Wing	1090

Avalue	ACC-1756202800R	CPU-Cooler, 3pin/12V ECM5715 EMB9680 s eries	8
Avalue	ACC-1757205000R	AC/DC PW ADA FOR WAP-EX92, 50W	3
Avalue	ACC-2640HS-02	Fanless Head Sink ESM2640 C-M 400 & 65 0 MHz	10
Avalue	ACC-2643HS-04	Heat Spreader for ESM-2643-E8	2
Avalue	ACC-2646HS-01	Heat Spreader for ESM2646 800MHz & 1GH z	1
Avalue	ACC-2743HS-01R	Heatsink ESM-2740/2743 FANLESS 114x85x 24mm Module w/CNC	1
Avalue	ACC-56122-1R	Accessories for ECM-5612/13	6
Avalue	ACC-9754RBA000	CD-ROM Kit for EXP	2
Avalue	ACC-CFC-256 WIN.CE	128MB CF w/WIN CE.NET trial	2
Avalue	ACC-CFC-512 WIN.XP	512MB CF w/WIN XP Embedded trial versi on	1
Avalue	ACC-ECMLX800-01R	Accessory for ECMLX800	6
Avalue	ACC-EPC-DINRACK-1R	Accessories for EPC-3711 Mounting Rack	11
Avalue	ACC-EPM-PWM02-A1R	Power supply for ePC with ATX Con	4
Avalue	ACC-MEM-128-02R	DDR266 200pin 128MB TS16MSD64V6D5	2
Avalue	ASM-CX700-E05-A1-5R	25mm Slim Fanless Box PC, VIA Eden 500MHz CPU CX700 Chipset, 512MB RAM	3
Avalue	ASM-CX700-E05-A1R	25mm Slim Fanless Box PC, VIA Eden 500MHz CPU CX700 Chipset	1

Avalue	EAP-EX51	SOM Base Board 5,25"	2
Avalue	EAP-EX61	SOM Base Board Half Size-PISA	2
Avalue	ECB-663-E4	ePC w/ESP4000, 400MHz LVDS-36bit,	1
Avalue	ECM3512G04A1000R	ePC w/AMD GX466, 333MHz 18/24bit LVDS, CF,4xUSB,	8
Avalue	ECM3711E10A1000R	ePC w/VIA-V4 1GHz w/o FAN LVDS 18/24bit	5
Avalue	ECM3721E10A1T00R	ePC w/VIA-V4 1GHz, T-IF 18/24bit LVDS, SATA, USB2.0	1
Avalue	ECMLX800-A1R	ePC w/LX800, 500MHz, TTL/LVDS PC104/4x USB/CF, 0.9W	1
Avalue	EEV-EX01	Evaluation Board for ETX	1
Avalue	EMB9655L07A1000R	Mini-ITX w/AMD Geaode LX700 0.8W	5
Avalue	EPC-3711-E10-A1R	MicroBox w/VIA V4-1GHz 2xLAN,CF,1xSATA,3x USB2.0	5
Avalue	ESM2545L07A2000R	ETX CPU Geode LX-700 500MHz 0.8W, 24bi t	1
Avalue	ESM2545L08A1000R	ETX CPU Geode LX-800 500MHz 0.9W	2
Avalue	ESM2643E06A4S00R	ETX CPU VIA ESPO-6000-667MHz w/ Heat Sink	1
Avalue	ESM2743C06B4000R	ETX CPU MODUL w/CELERON M-600 512k	2
Avalue	EXC-2740-P11	ETX Micro PC w/Pent M.1.1	1
Avalue	MONITOR KIT 31157	ePC Monitor KIT 15" w/Touch	2

Avalue	REV-7820	RISC EVA-KIT w/Intel PXA255 64MB-SRAM & 64MB NOR Flash@	2
Avalue	RSC-7820	RISC MODUL Intel PXA255 400MHz 64MB SR AM & 64MB NOR FLASH	2
Avalue	SODIM-128MB-144PIN	128MB-SODIMM MEM.f ECM3610	9
AverLogic	AL240C-BF-PBF	TFBGA49 (5 x 5 mm) 2D TV DECODER, 8-BIT OUT, NTSC/PAL/SECAM, (DC 2008)	72
AverLogic	AL240C-QF-PBF	STQFP44, 2D TV DECODER, 8-BIT OUT,NTSC/PAL/SECAM	59
AverLogic	AL242C-LF-PBF	NTSC/PAL/SECAM 2D TV DECODER, 24 bit Componet IN, 8/16/22 bit OUT in LQFP64	57
AverLogic	AL244C-LF2-PBF	LQFP80, 4 in one NTSC/PAL/SECAM 2D TV DECODER BT656 (601)OUT	2
AverLogic	AL-250A-T-0-PBF	Video Scan Doubler, NTSC/PAL to analog RGB, QFP64	36
AverLogic	AL260C-HS-PBF	digital Video Input to VGA Output Processor, PQFP208	13
AverLogic	AL300B-PBF	PC or Video Input to LCD Output Processor, PQFP160	22
AverLogic	AL320C-LF-PBF	VGA or LCD-Panel Processor, digital IN, OSD, digital/analog LCD OUT, LQFP80	145
AverLogic	AL330B-LF-PBF	OLED/LCD-Panel Processor, digital IN, OSD, digital/analog LCD OUT, LQFP128	22
AverLogic	AL37204C-EVB-A2	EVB for AL37204C	1
AverLogic	AL37204C-LF-PBF	LQFP216, 4 Channel Video Surveillance processor, PIP, OSD (DC 2008)	40
AverLogic	AL440B-12-PBF	512K x 8, 3,3V, 80 MHz, TSOP118 44 PBF = PB free, with window mode	90
AverLogic	AL600C-HS-PBF	VGA or LCD-Panel Processor, digital IN, OSD, analog LCD OUT, LQFP208 (DC 2008)	94

AverLogic	AL700C-PBF	Quad Video Processor, digital IN, PIP, digital/analog LCD OUT, LQFP208	43
AverLogic	AL9M802B-LF-PBF	Compression Codec / Audio controller, 16 / 24 Bit, 96k, TQFP216 (DC 2008)	40
AverLogic	NVS-6000-DMB-A2	H.264 Network Video Server EVB, incl. Cables, Power and CD-ROM	1
AVX	1,09257E+14	Dual Sided 16 Way I/O Socket Connector for Wavecom IESM board	63
AVX	2,09257E+14	Dual Sided 16 Way I/O Plug Connector for Wavecom IESM board	84
AVX	24-5087-060-900-861	Fine Pitch SMT Board-to-Board Connector 0.5mm 60p Receptable	3075
Brilliance	BS62LV1027SIP55		45
Cando	PCMT-121	Touch 12,1" Projective-Capacitive-Multi	3
CEED Tec	USB-mPCIe-M1-EB	USB to miniPCIexpress cradle with SIM for UMTS modules	10
Chi Lin	LR084WA-KIT	TFT 8,4" 480x234, 300cd/m2,A/V WT	1
Chi Lin	YS-15MS01-KIT	TFT 15" XGA, 350cd/m2, LVDS	2
CMO	G104X1-L01	TFT, 10.4" XGA, 400cd/m², LVDS CR 1.200 : 1	2
CMO	YJA-110V14-Kit	DVB Kit for G104X1L01 incl. Inv & Cabs	2
Conitech	GALEP 96F348 M20	Prog. Adap. f. FUJ MB96F348 QFP100 M20 Gehäuse	1
Conitech	GALEP 96F348 M22	Prog. Adap. f. FUJ MB96F348 QFP100 M22 Gehäuse	1
Conitech	GALEP 96F386/387 M21	Prog. Adap. f.FUJ MB96F386/387 QFP120 M21 Gehäuse	1

Conitech	GALEP MB91F464A	Prog. Adap. f. FUJ MB91F464A QFP100	1
Conitech	GALEP MB91F465K	Prog. Adap. f. FUJ MB91F465K QFP120	1
Conitech	GALEP MB91F469G	Prog. Adap. f. FUJ MB91F469G BGA-320	1
Conitech	GALEP PROG100	Programmieradapter für Fujitsu 16lx MC Us, 16MHz	2
Conitech	GALEP PROG64	Programmieradapter	1
Conitech	GALEP SER ADAP	Serial MCU Flash Adapt. for Galep IV	1
Conitech	GALEP-5D 120PINS	Conitech Programmierge.compl. 120 Pin Drivers	1
CTI	7010-052-6-08	TQFP52 0.65 Test+Burnin Socket	10
Cyan Technology	CABLEKIT	Set of cables for Evalkit USB/Ethernet	4
Cyan Technology	DEVKIT1K	eCOG1K Development Kit with USB Programming Adapter	2
Cyan Technology	DEVKIT1X-14Z5-AUS	eCOG1X- Development-Board with Australian-Power-Supply	1
Cyan Technology	ECOG1K	16Bit Microcontroller,64KB- Flash,4KB- Ram, 128 PIN-LQFP	68
Cyan Technology	eCOG1X1A5L	16 Bit MCU 512K Flash 24K RAM 68QFN	420
Cyan Technology	ECOG1X4A5L	16 Bit MCU 68QFN 512KB FI. 24K RAM USB	190
Cyan Technology	ECOG1X5A5	16-Bit MCU 68QFN 512KB FLASH 24KB RAM USB ADC DAC	23
Cyan Technology	EVALKIT RF	ISM Band Networking solution	3

Cyan Technology	EVALKIT1K	eCOG1k Evaluation Kit with USB-Interface	5
Cyan Technology	EVALKIT1XE01A6	eCOG1XE01 Evaluation Kit with USB-Interface	4
Cyan Technology	EVALKIT-RF-1X-M1-8	RF-Solved 868MHz eval kit with eCOG1xMCU CyNet, Micrel MICRF610Z.	3
Cyan Technology	EVALKIT-UPE-1X-RCWMBB18	for mCOG-UPE-1X-RCWMB-B1-8	1
Cyan Technology	MCKIT1X9A5	Daughter Card for eCOG1X9A5	1
Cyan Technology	mCOG-RF-1X-M1-8	RF-Solved 868 Mhz module with 1X, CYNET, MICREL MICRF610Z	4
Cyan Technology	mCOG-UPE-1X-RCWMB-M1-8	Radiocrafts Wireless Meter Bus Gateway Module	5
Cyan Technology	SP5-eCOG1X1A5	16 Bit MCU 512K Flash 24K RAM 68QFN	4
Cyan Technology	USB Dongle	eCOG1 USB eICE Programming Adapter	8
Dallas	DS1302+	Time Keeping Chip 0/+70C Lead Free 300 mil PDIP8	200
Dallas	DS80C310ECG	8 Bit uC romless 44TQFP	143
Diehl AKO	TMPA900-CPU-BOARD-UBOOT-02	TMPA900CMXBG ARM9 CPU Modul SODIMM-144 preprogramed with u-boot	1327
Digital View	MAV-1280LM181	Videocontroller f. LM181 DISCONTINUED	1
Displaytech Ltd.	126P206W	LCD GLAS PIN reflective wide temp. range	1
Displaytech Ltd.	126P-212W	LCD 4 digits 7 Segm.. Pins, ext. Temp., top view	278
Displaytech Ltd.	128240C-FC-BW-3	LCD 240x128 COG white LED, Flex, ST7529	1

Displaytech Ltd.	128240D-FC-BW-3	LCD 240x128 COG white LED, Flex, ST7529	4
Displaytech Ltd.	161A-BA-BC	LCD 16x1 STN green reflective	57
Displaytech Ltd.	161A-BC-BC	LCD 16x1 STN green LED	313
Displaytech Ltd.	162A-FC-BW-4LP	LCD 16x2 FSTN ext.Temp. LED blue	1
Displaytech Ltd.	162B-BC-BC	LCD 16x2 STN green LED	348
Displaytech Ltd.	162C-BA-BC	LCD 16x2 STN green reflective	220
Displaytech Ltd.	162C-BC-BC	LCD 16x2 STN green LED	1320
Displaytech Ltd.	162C-CC-BC-3LP	LCD 16x2 STN BLUE NEGATIVE white LED B L	1
Displaytech Ltd.	162F-BC-BC	LCD 16x2 9,66mm STN green LED	325
Displaytech Ltd.	164A-BC-BC	LCD 16x4 STN green LED	21
Displaytech Ltd.	202A-BA-BC	LCD 20x2 STN green reflective	448
Displaytech Ltd.	204B-BC-BC	LCD 20x4 STN green LED	50
Displaytech Ltd.	204B-BC-BW	LCD 20x4 STN green LED ext.temperature range	400
Displaytech Ltd.	64128A-FC-BC-4LP	LCD 128x64 FSTN blue LED	72
Displaytech Ltd.	64128COG-CC-TW	64128COGCCTW	7
Displaytech Ltd.	64128E-FC-BC-6LP	LCD 128x64 FSTN amber LED	11

Displaytech Ltd.	64128G-BL-3	LED Backlight white for 64128COG-FC-BC	9
Displaytech Ltd.	64128K-FC-BW-6	128x64 COG, FSTN, amber LED, wide temp.	1
Displaytech Ltd.	64128KX-FC-BW-3	LCD 128x64 COG,FSTN, white LED, wide temp., FPC	4
Displaytech Ltd.	64128L-FC-BW-3	LCD 128x64 COG,FSTN, white LED, wide temp.	47
Displaytech Ltd.	64128LX-FC-BW-3	LCD 128x64 COG,FSTN, white LED, wide temp., FPC	3
Displaytech Ltd.	64128LX-FC-BW-RGB	LCD 128x64 COG,FSTN, RGB, wide temp., FPC	3
Displaytech Ltd.	64128MCOG-FA-BW	LCD 128x64 COG,FSTN, Glass only, wide temp., reflective	25
Displaytech Ltd.	64128MCOG-FC-BW	LCD 128x64 COG,FSTN, Glass only, wide temp.	47
Displaytech Ltd.	64128M-FC-BW-3	LCD 128x64 COG,FSTN, white LED, wide temp.	425
Displaytech Ltd.	64128M-FC-BW-3-TS	128x64 FSTN positive, white LED, with Touchscreen	2
Displaytech Ltd.	PM7926	LCD 16x2 FSTN ext.Temp. LED blue, Sitronix driver, black Bezel	1
Displaytech Ltd.	PM8117-RGB	LCD 128x64 COG + PCB + RGB BL	5
Displaytech Ltd.	PM8242	CUSTOM PCB (OnTap)	1
Diverse	9PM-SS-0003-02-248	PreciDip Connector	5
Diverse	A-DD-09-A-1	D-SUB,9Pol, Dualport, Male/Male Distance 15,88mm	3
Diverse	AK230	Buchse-Stecker 9Pol	36

Diverse	AK672/2-2,0	USB A-Connector /B-Connector	210
Diverse	AK673-A	USB A-Connector / Mini B-Connector	198
Diverse	ATSTB01	AT&S 51 Channel GPS Receiver (16.5 x 13 mm LGA footprint)	5
Diverse	CBL-030-3	USB-Cable 3,0m length A- and B-Connect or	12
Diverse	CONN-TH9000-250	Connector cable thermal head CAP9k LTP9k, GKP9x-series, 250mm lenght.	972
Diverse	D2 SIM Card 64K	Vodafone SIM Card 64K/ZHM	100
Diverse	DP8340 12V CABLE	Power Cable for Star DP83480 3poled connector to open leads	15
Diverse	Ferrit for Power Cable	Ferrit for power cable	30
Diverse	iWEM-1000	Ultra Low Power Consumption WiFi Modul	20
Diverse	iWEM-1000 DK	Development Kit for iWem- 100 (ultra Low Power Consumption WiFi Modul)	2
Diverse	JS8844GY	4 over 4 RJ45 harmonica,STP with LED`s green-yellow with LED`s green-green	3
Diverse	NT3225SA		20
Diverse	Power Supply 2	Power Supply 100-240V AC 50 Hz 12VDC, 1.5A, MOLEX 10pin connector	18
Dreyer System	GKP22-SP-H	Glyn Kiosk Printer, 2", 24V horizontal , with ACU	1
Dreyer System	GKP22-SP-V-100-C	Glyn Kiosk Printer 2", 24V vertical, with ACU, 100mm, curved roll holder	27
Dreyer System	GKP2xPowerCable	Power Cable for several kiosk printers, 100cm length, 2-pin connector.	20

Dreyer System	GKP92-S-V-100#03	Glyn Kiosk Printer 2", 24V, serial, vertical, with ACU, -20°C to 60°C	2
Dreyer System	GKP92-S-V-100#04	Glyn Kiosk Printer 2", 24V, serial, cable, Leporello-Sensor, roll holder & 12mm axis	8
Dreyer System	GKP92-S-V-200	Glyn Kiosk Printer 2", 24V, serial, vertical, with ACU, -20°C to 60°C	8
Dreyer System	GKP93-S-V-200	Glyn Kiosk Printer 3", 24V, serial, vertical, with ACU, -20°C - 60°C.	1
Dreyer System	GKP93-U-V-200	Glyn Kiosk Printer 2", 24V, USB, vertical, with ACU, -20°C to 60°C	1
Dreyer System	GKP94-S-V-12-100	Glyn Kiosk Printer 4", 10 to 15VDC, serial, vertical, with ACU, -20°C to 60°C.	2
Dreyer System	GKPD245-S-45-12-100	Glyn Kiosk Printer 58mm, 12V, serial, 45°, with ACU, -10°C to 50°C	2
Dreyer System	GKPD245-SH-12-100	Glyn Kiosk Printer 58mm, 12V, serial, horizontal, with ACU, -10°C to 50°C	1
Dreyer System	GKPD247-SH-100	Glyn Kiosk Printer 58mm, 24V, serial, horizontal, with ACU, -10°C to 50°C	2
Dreyer System	GKP-Serial cabel	Serial cable for Glyn Kiosk Printers GKP-series 50cm length, DSUB9 female.	4
Dreyer System	IF9000-S-24	Interface board for CAP9000, GKP9x, serial interface, 24VDC	6
EDT	EP0350M06	CTP 3.5", 2D Multi-Touch, FocalTech	388
EDT	EP0430M06	CTP 4.3", 2D Multi-Touch, FocalTech	257
EDT	EP0570M06	CTP 5.7", 2D Multi-Touch, FocalTech	367
EDT	EP0700M06	CTP 7.0", 2D Multi-Touch, FocalTech	341
EDT	ER0350A1NM6	CSTN 320 x 240, 3.5", white LED	1

EDT	ES13BA2FLW	LCD 128 x 64, FSTN positive, white LED Novatek NT75451	1
EDT	ES13BC0BMWU	LCD 128 x 64, STN blue, white LED Sitronix ST7565P, 12 o'clock	7
EDT	ET020006DMU	TFT 2.0" 176 x 220, 280cd/m ² LED, MCU interface	1
EDT	ET0280B0DMU	TFT 2.8" QVGA, 350cd/m ² LED MCU + RGB interface	1
EDT	ET0320A5DM9	TFT 3.2" QVGA, 350cd/m ² LED MCU interface	1
EDT	ET035009DH6	TFT 3.5" QVGA, 400cd/m ² LED touch-panel	1265
EDT	ET043005DM6	TFT 4.3" WQVGA, 400cd/m ² LED	30
EDT	ET057011DN6	TFT 5.7" QVGA, 500cd/m ² LED, 70k hours LED lifetime	2
EDT	ET070000DM6	TFT 7.0" WVGA, 400 cd/m ² LED	6
EDT	ETM035009ADH6	TFT 3,5" QVGA, LED, TTL, PolyTouch	50
EDT	ETM057010ADHU	TFT 5.7" VGA, LED, TTL, PolyTouch	48
EDT	ETM057011ADH6	TFT 5.7" QVGA, LED, TTL, PolyTouch	50
EDT	ETM070001ADH6	TFT 7.0" WVGA, LED, TTL, PolyTouch	43
EDT	EW13B10FLY	LCD 128 x 64, FSTN positive, yel/green LED	87
EDT	EW13D21GLY	LCD 128 x 128, STN yel/green LED Toshiba T6963	2
EDT	EW16291YLY	LCD 16 x 2, STN green, yel/green LED backlight pins swapped	1

EDT	EW16291YLY-E6	LCD 16 x 2, STN green, yel/green LED backlight pins swapped	2
EDT	EW32F90FLW	LCD 320 x 240, FSTN positive, white LED	6
EDT	EW50793FLWP	LCD 320 x 240 FSTN positive, white LED Epson S1D13700, DC/DC	461
EDT	EW50827FLYU-V1.1	Full custom design	2
EDT	EW50838FLWU	LCD 320 x 240, FSTN positive, white LED	2
EDT	G-ET0430G0DM6	TFT 4.3" WQVGA, 440cd/m ² LED, TTL	298
EDT	G-ET0700G0DN6	TFT 7.0" WVGA, 400 cd/m ² LED, TTL Enhanced Version	13
EDT	G-ET0700G0DQ6	TFT 7.0" WVGA, 350 cd/m ² LED, TTL Enhanced Version, touch	18
EDT	G-ET0700G1DH6	TFT 7.0" WVGA, 350cd/m ² LED, LVDS, touch, integrated USB touch controller	92
EDT	G-ET0700G1DM6	TFT 7.0" WVGA, 400cd/m ² LED, LVDS	100
EDT	G-ET0700G5DH6	TFT 7.0" WVGA, 350cd/m ² LED, LVDS, touch panel, no USB controller	54
EDT	G-ETQ570G0DH6	TFT 5.7" QVGA, 400cd/m ² LED, TTL, touch panel	363
EDT	G-ETQ570G0DN6	TFT 5.7" QVGA, 500cd/m ² LED, TTL Enhanced Version	19
EDT	G-ETQ570G0DQ6	TFT 5.7" QVGA, 400cd/m ² LED, TTL Enhanced Version, touch	20
EDT	G-ETQ570G2DH6	TFT 5.7" QVGA, 400cd/m ² LED, TTL with mounting lugs, touch panel	73
EDT	G-ETQ570G2DM6	TFT 5.7" QVGA, 500cd/m ² LED, TTL with mounting lugs	19

EDT	G-ETV570G0DMU	TFT 5.7" VGA, 450cd/m ² LED, TTL	258
EDT	G-ETV570G2DHU	TFT 5.7" VGA, 400cd/m ² LED, TTL, with mounting lugs, with touch panel	283
EDT	G-ETV570G2DMU	TFT 5.7" VGA, 450cd/m ² LED, TTL, with mounting lugs	79
EDT	G-ETV570G2DNU	TFT 5.7" VGA, 450cd/m ² LED, TTL Enhanced Version, mounting-lugs	19
EDT	G-ETV570G2DQU	TFT 5.7" VGA, 400cd/m ² LED, TTL Enhanced Version, touch, mounting-lugs	19
EDT	TOUCH-PANEL GET043	Touch-Panel for GET043	46
EDT	TOUCH-PANEL GET07	Touch-Panel for 7" family concept	2
EDT	TOUCH-PANEL GETV57	Touch-Panel for GETV57xxxxxx	19
Elektor	ELEKTOR-BOARD R8C/13	Application-Board for R8C/13	9
Embedded Antenna Design Ltd.	EAD Acara 15 UFL	ACARA 2.4 / 5.2GHz internal blade antenna with 150mm cable and U.FL	20
Embedded Antenna Design Ltd.	EAD BKR2100	2100 MHz 1/2 Wave SMA-male knuckle antenna SMA-Male connector	1
Embedded Antenna Design Ltd.	EAD BT-STUBBY RP-SMA	2,4GHZ STUBBY Antenna right angel with reverse SMA-female-connector	50
Embedded Antenna Design Ltd.	EAD BT-STUBBY SMA	2,4GHZ STUBBY Antenna with straight SMA-male-connector	2
Embedded Antenna Design Ltd.	EAD BT-STUBBY SMA-RA	2,4GHZ STUBBY Antenna with right angel SMA-male-connector	4
Embedded Antenna Design Ltd.	EAD CPO	CPO 870-960/1710-2170 MHz puck antenna with 2000mm cable and FMEf	5
Embedded Antenna Design Ltd.	EAD CPO SMA	CPO 870-960/1710-2170 MHz puck antenna with 2000mm cable and SMAm	9

Embedded Antenna Design Ltd.	EAD FCHC35113-XX-069C	Picotrack Chocolate Bar antenna with 5.5cm 1.13 cable and stripped end	30
Embedded Antenna Design Ltd.	EAD GPS 4100 MMS	Active patch antenna module for GPS	20
Embedded Antenna Design Ltd.	EAD GSM ISIS UFL	900/1800/1900 MHz internal Groundplane Antenna	5
Embedded Antenna Design Ltd.	EAD GSM MINI	900/1800 MHz Internal Ground- plane An tenna Design	4
Embedded Antenna Design Ltd.	EAD GSM MINI MMCX	900/1800/1900 MHz Internal Groundplane Antenna	5
Embedded Antenna Design Ltd.	EAD GSM MINI UFL	Internal groundplane dependent quadband antenna	8
Embedded Antenna Design Ltd.	EAD GSM NERIS	Internal Groundplane Antenna with 235mm RG178 cable, end stripped and tinned	12
Embedded Antenna Design Ltd.	EAD GSM NERIS UFL	900/1800/1900MHz Internal Groundplane Antenna	13
Embedded Antenna Design Ltd.	EAD GSM S-QUAD UFL	850/900/1800/1900 MHz internal Groundplane Antenna	16
Embedded Antenna Design Ltd.	EAD GSM WB-80 SMA	Fixed mount GSM/GPS antenna	4
Embedded Antenna Design Ltd.	EAD Morava UFL	868 MHz Internal PCB antenna with 150mm cable and UFL Connector	18
Embedded Antenna Design Ltd.	EAD PentaBlade SMA	EAD PentaBlade with fixed SMA-Male RA	26
Embedded Antenna Design Ltd.	EAD QUINTUS UFL	5 band (850/900/1800/1900/2100 MHz internal groundplane independent Antenna	6
Embedded Antenna Design Ltd.	EAD SW868	SW868 868 MHz Swivel antenna	18
Embedded Antenna Design Ltd.	EAD TARGAN FME-RIGHT	GSM Tri-band (900/1800/1900) FME-female right angel antenna	238
Embedded Antenna Design Ltd.	EAD TARGAN quad FME-RIGHT	GSM quadband (850/900/1800/1900) FME-female right angel antenna	140

Embedded Antenna Design Ltd.	EAD TARGAN quad SMA-RIGHT	GSM quadband (850/900/1800/1900) SMA-male right angel antenna	114
Embedded Antenna Design Ltd.	EAD WR433	WR433 433 Mhz Stuby antenna right angle	9
Embedded Antenna Design Ltd.	EAD WR868	WR868 868 Mhz Stuby antenna right angle	6
Embedded Antenna Design Ltd.	EAD WS433	WS433 433 Mhz Stuby antenna straight SMA male	25
Embedded Antenna Design Ltd.	EAD WS868	WS868 868 Mhz Stuby antenna straight SMA male	13
Enplas	FP-16-0.65-01A	SOP16 Test+Burnin Socket	3
Enplas	FP-28-1.27-07	SOP28 Test+Burnin Socket	1
Enplas	FPQ-32-0.8-01	QFP32 Test+Burnin Socket	3
Enplas	OTB-256-1.0-03	BGA 256 Test+Burnin Socket	1
Enplas	OTQ-44-0.8-03	QFP44 Test+Burnin Socket	1
Enplas	OTQ-44-0.8-04	QFP44 Test+Burnin Socket	1
Enplas	OTQ-52-0.65-03	TQFP52 Test+Burnin Socket	1
Enplas	OTQ-64-0.65-04	QFP 64 Test+Burnin Socket	3
Enplas	OTQ-64-0.8-04	QFP64 Test+Burnin Socket	1
Enplas	OTS-20(28)-1.27-04	SOP20 Test+Burnin Socket	2
Enplas	OTS-28-1.27-04	SOP28 Test+Burnin Socket	6

Enplas	OTS-30(34)-0.65-01	SOP30 Test+Burnin Socket	5
Enplas	OTS-54(56)-0.65-02	TSOP54 Test+Burnin Socket test	20
Enplas	QFN-24BT-0,65-01	24 lead QFN T/B socket, with ground pin	97
eRide Inc.	EMD1000K	compactRide OPUSI 32 Chanel GPS Recei- ver for Wavecom Q26 and WMP100 Series	15
eRide Inc.	EMD1100Z	OPUSI 32 Chanel GPS Receiver for Wavecom wireless Q26 and WMP100 Series	10
eRide Inc.	EMD3100T	OPUSIII 32 Chanel GPS Receiver for Wavecom wireless Q26 and WMP100 Series	25
eRide Inc.	emd3620	AT&S eRide 32 Chanel GPS/AGPS Receiver	40
eRide Inc.	EMD3622F	eRide 32 Chanel GPS Receiver, operating -40 to +85°C	4
eRide Inc.	GN-84E	Furuno 32 Chanel GPS Receiver based on eRide (16x11.35mm)	52
eRide Inc.	opus 5 EVAL Kit	Evaluation Kit for eRide OPUS 5	1
ES+S	ADA-FLEX-10P-050-SET	Adapter for 10pin 0.5mm foil cable Example: PolyTouch products from EDT	82
ES+S	Adapterkabel-02	Cable for cableset - Hirose female on both sides	52
ES+S	CAB-BL-TX26D12VM	CAB-BL-TX26D12VM	14
ES+S	CAB-DATA-LT070AC46000	LVDS cab one side open , L=500mm	4
ES+S	CABDATA-TMD-DF19G20S	Cab LVDS, L=500mm DF19G-20S-1C to DF13-30DS	16
ES+S	CAB-Data-TX26D12VM	CAB-Data-TX26D12VM	12

ES+S	CAB-INV-VNR104C11SCO	CAB for VNR104C11S-INV w/ Connector	27
ES+S	CAB-INV-VNR104C11SOP	CAB for VNR104C11S-INV	3
ES+S	CAB-LED510210600-0500FK	Cab LED, L=500mm, side 51021-0600 o.r.t. Crimp - one side open	5
ES+S	CAB-LED-SHR-06-0500LI	Cab LED, L=500mm, side Crimp - one side open	1
ES+S	CAB-LTD121C30S-open	Cab Data LTD121C30S / LTD121C31S	3
ES+S	CAB-TX17D01-LIME	CAB-TX17D01-LIME	40
ES+S	FFC0.50A40.106MM	Flex cable for Molex connector	203
ES+S	FFC0.50A40.106MM-AU	Flex cable for Molex connector L=106mm FFC cable, Pitch 0.50 mm, 40pin. Gold plating	194
ES+S	FFC0.50A40.150MM	Foil cable for ZIF connectors	184
ES+S	FFC0.50A40.258MM	Flex cable for Molex connector	158
ES+S	FFC0.50A40-0100L	FlatFoilCable 0.5pitch/40-pol/ L=106mm	27
ES+S	FFC0.50A40-0200L	FlatFoilCable 0.5pitch/40-pol/ L=~ 200mm	15
ES+S	FFC050A330292L440808	Flex cable	50
ES+S	FFC050A400072L440808SHI	Foliencable 80mm length shielded	585
ES+S	KAB-51021-0800-0500FK	Anschlusskabel Molex 5102-0800 8-polig	26
ES+S	KAB-51146-0500-0500FK	LED-BL cab for: G104SN02V2, G121SN01V4, G104VN01V1, G121XN01V0	1

ES+S	KAB-DF19-08S-0300LI-6		5
ES+S	KAB-GENE-5315NL8060BC21-0360RK	Kabelkonfektion kundenspezifisch	47
Foregain Systems Sdn. Bhd	TO-220 SIS (V2)	Tube with stopper for Toshiba TO-220(SIS) package	817
FSP Group	FSP025-1AD102	Power-Supply Unit U in: 230V,U out:5V, J: 5A	2
Fuji	1DI500A-030	BIP 300V 500Ax1	1
Fujitsu	MB90F568PMCR-GE1	16B.uC 128K Flash 4K Ram LQFP64 / 0,65 -40/+85°C 16 Mhz LX Familie	1931
Fujitsu	MB91F264APFV-GE1	32B.uC 256K Flash 8K Ram LQFP 100/0,5 -40/+85°C 33 Mhz FR Lite Core	5
Fujitsu	MB91F267NPMC-GE1	32B.uC 128K Flash 4K Ram LQFP 64/0,65 -40/+105°C 33 Mhz 1 x CAN FR Lite Core	6
Fujitsu	MB91F464AAPMCR-GSE2	32B.uC 416K Flash 16K Ram LQFP 100 / 0,5 -40/+105°C 80 Mhz 1 x CAN FR 70 Core	180
Fujitsu	MB91F467BAPMC-GSE2	32B.uC 1MB Flash 40K Ram LQFP 144 / 0,5 -40/+105°C 100 Mhz 6 x CAN FR 70 Core	236
Fujitsu	MB96F346ASBPMCR-GSE2	16B.uC 288KFlash 16K Ram LQFP100/0,5 -40/+125°C 56 Mhz 16FX Familie	998
Fujitsu	MB9BF506NPMC-ESE1	32B.uC 512K Flash 64K RAM LQFP100/0,5 -40/+85°C 80M Hz 2xCAN USB 8xSer. FM3	33
Fujitsu	MB9BF506NPMC-G-JNE1	32B.ARM uC 512KFlash 64KRAM LQFP100 -40/+85°C 80MHz 2xCAN USB 8xSer. FM3	227
Fujitsu	MB9BF506RPMC-GSE1	32B.uC 512K Flash 64K RAM LQFP120/0,5 -40/+85°C 80M Hz 2xCAN 1xUSB 8xSer. FM3	24
Fujitsu Components	N010-0510-T236	15 Zoll, 7 wire Touch Panel	1
Fujitsu Components	N010-0554-T043	TP 6,4" 4w Ana-Res	4

Fujitsu Components	N010-0554-T347A	TP 10,4" 4w, Ana-Res	2
Fujitsu Components	N0100554T511	TP 8,4" 4w Ana-Res	5
Fujitsu Components	N010-0554-T805	TP 12" 4w Ana-Res	3
Fujitsu Components	N01L-0536-0005	Demo cable f. touch controller N16B-0558-B270/B280, serial 4w/7w	3
Fujitsu Components	N01L-0536-0006	Demo cable f. touch controller N16B-0558-B730/B740, USB 4w/7w	2
Fujitsu Components	N16B-0558-B270	TP-Controller 4w RS232	4
Fujitsu Components	N16B-0558-B280	TP-Controller 7w RS232	2
Fujitsu Components	N16B-0558-B740	TP-Controller 7w USB	3
Future Technology Devices International Limited	C232HM-DDHSL-0	USB 2.0 Hi-Speed to MPSSE Cable	9
Future Technology Devices International Limited	DB9-USB-D5F	DB9 based RS232 connector interfaces to USB 2.0 5V F	10
Future Technology Devices International Limited	DB9-USB-RS232-F	DB9 based RS232 connector interfaces to USB 2.0	24
Future Technology Devices International Limited	DB9-USB-RS232-M	DB9 based RS232 connector interfaces to USB 2.0	4
Future Technology Devices International Limited	DLP-2232M-G	FT2232D 3rd generation Dual USB UART/FIFO	16
Future Technology Devices International Limited	DLP-245PB-G		8
Future Technology Devices International Limited	DLP-245PL-G	USB / Microcontroller Module	1
Future Technology Devices International Limited	DLP-USB232M-G	Integrated module featuring FTDI's FT232BL 2nd generation USB UART	10

Future Technology Devices International Limited	FT2232HL-R	High SPEED DUAL USB UART LQFN 64 Pin (Universal Serial Bus)	300
Future Technology Devices International Limited	FT2232HQ-TRAY	High speed dual USB to UART QFN 64-pin (Universal Serial Bus)	85
Future Technology Devices International Limited	FT232HL-REEL	Single Channel Hi-Speed USB to Multipurpose UART/FIFO IC 48 Pin LQFP	3000
Future Technology Devices International Limited	FT232HL-TRAY	Single Channel Hi-Speed USB to Multipurpose UART/FIFO IC 48 Pin LQFP	377
Future Technology Devices International Limited	FT232RQ-REEL	USB UART ultra-compact 5x5mm QFN-32 package	3936
Future Technology Devices International Limited	FT245BL-R	FIFO USB TO PARALLEL FIFO 32 LQFP	2154
Future Technology Devices International Limited	FT245RQ-REEL	USB UART ultra-compact 5x5mm QFN-32 package	92
Future Technology Devices International Limited	FT4232HL-R	Quad High Speed USB to Multipurpose UART/MPSSSE	1000
Future Technology Devices International Limited	FT4232HL-TRAY	Quad High Speed USB to Multipurpose UART/MPSSSE	65
Future Technology Devices International Limited	FT4232HQ-TRAY	Quad High Speed USB to Multipurpose UART/MPSSSE QFN package	183
Future Technology Devices International Limited	MM232R	USB-Serial UART Development Module	4
Future Technology Devices International Limited	SAMPLE-FT2232HL-R	Sample for ilgh SPEED DUAL USB UART LQFN 64 Pin	10
Future Technology Devices International Limited	TTL-232R-3V3	USB to TTL serial adapter cable	131
Future Technology Devices International Limited	TTL-232R-3V3-PCB	USB to TTL serial adapter	1
Future Technology Devices International Limited	TTL-232R-3V3-WE	USB to Serial (TTL level) converter cable	5
Future Technology Devices International Limited	TTL-232R-5V	USB to Serial (TTL level) converter cable	22

Future Technology Devices International Limited	TTL-232R-5V-AJ	USB to Serial (TTL level) converter cable	1
Future Technology Devices International Limited	TTL-232R-5V-PCB	USB to TTL serial adapter	7
Future Technology Devices International Limited	TTL-232RG-VREG1V8-WE	TTL to USB Serial Converter Generic Cables	8
Future Technology Devices International Limited	TTL-232RG-VSW3V3-WE	TTL to USB Serial Converter Generic Cables	8
Future Technology Devices International Limited	TTL-232RG-VSW5V-WE	TTL to USB Serial Converter Generic Cables	2
Future Technology Devices International Limited	UB232R	Development module for FT232RQ IC	7
Future Technology Devices International Limited	UM232H	Single Channel USB Hi-Speed FT232H Development Module	5
Future Technology Devices International Limited	UM232R	USB-Serial UART Development Module	31
Future Technology Devices International Limited	UM245R	USB to Parallel FIFO Development Module for FT245R	3
Future Technology Devices International Limited	USB-FPGA Morph-IC-II		1
Future Technology Devices International Limited	USB-NMC-2.5M	USB-USB Null Modem Cable	5
Future Technology Devices International Limited	USB-RS422-WE-1800-BT		1
Future Technology Devices International Limited	USB-RS485-WE-1800-BT		7
Future Technology Devices International Limited	UT232R-200-BLK	USB to RS232 evaluation cable	5
Future Technology Devices International Limited	V2DIP1 32		4
Future Technology Devices International Limited	V2DIP1 48	Development Module	4

Future Technology Devices International Limited	V2DIP2 32	Compact VNC2 based USB development modules	4
Future Technology Devices International Limited	V2DIP2 48	Compact VNC2 based USB development modules	1
Future Technology Devices International Limited	V2DIP2 64	Compact VNC2 based USB development modules	5
Future Technology Devices International Limited	V2-EVAL	Vinculum II Evaluation Board	9
Future Technology Devices International Limited	V2-EVAL EXT 32	Complete VNC2 evaluation and prototyping kit.	10
Future Technology Devices International Limited	V2-EVAL EXT 48	Complete VNC2 evaluation and prototyping kit.	10
Future Technology Devices International Limited	V2-EVAL EXT 64	Complete VNC2 evaluation and prototyping kit.	9
Future Technology Devices International Limited	VDIP1	MCU to USB Host Controller Vinculum VNC1L Development Module	2
Future Technology Devices International Limited	VDIP2	MCU to USB Host Controller 2 USB Ports	6
Future Technology Devices International Limited	VF2F2	Back up Digital cameras to USB Flash Drives	3
Future Technology Devices International Limited	VMUSIC2	USB Flash Drive interface and Audio Playback to products	3
Future Technology Devices International Limited	VNC2 Debug Module	Miniature module designed to support user firmware debug	42
Future Technology Devices International Limited	VNC2-32L1B-TRAY	USB HOST CTRLR VINCULUM 32LQFP Vinculum new Generation	227
Future Technology Devices International Limited	VNC2-32Q1B-REEL	USB HOST CTRLR VINCULUM 32 Pin QFN Vinculum new Generation	90
Future Technology Devices International Limited	VNC2-48L1B-TRAY	USB HOST CTRLR VINCULUM 48LQFP Vinculum new Generation	773
Future Technology Devices International Limited	VNC2-48Q1B-TRAY	USB HOST CTRLR VINCULUM 48QFP Vinculum new Generation	245

Future Technology Devices International Limited	VNC2-64L1B-REEL	USB HOST CTLR VINCULUM 64LQFP Vinculum new Generation	372
Future Technology Devices International Limited	VNCLO-MB1	Powerful development platform for embedded systems	16
Future Technology Devices International Limited	VNCLO-PSU-EU	Vinculo Development Module	3
Future Technology Devices International Limited	VNCLO-SHLD-1A	Powerful development platform for VNCLO-PSU-EU	3
Future Technology Devices International Limited	VPROG-1		2
Future Technology Devices International Limited	VPROG-1-S-LQFP48		1
Gebe	GKA-488-FLASH-CAR	Cable for GPT4379xxxx	1
Gebe	GPT4352LV92-24-V24-SET	Panelmount Printer Set	1
Gebe	GPT4378FLASHBTSET	Boxed thermal printer 58mm, Bluetooth, battery pack, without power supply.	1
Gebe	GPT4378-serial-CAR	Flash-Printer without battery, 10-36V DC in, with IF- and power cable.	1
Glyn	16FXMINISTARTER	16FX Ministarterkit mit MB96F356RSAPMC-ESE2	10
Glyn	16FXMINISTARTER_PCB	Leerplatine für 16FX Ministarterkit mit MB96F356RSAPMC-ESE2	125
Glyn	16FXOLEDSTARTERKIT	16FX Schnellstarterkit mit 2" OLED incl. Software, Schaltplan und Anleitung	1
Glyn	16FX-SK-OLED 2,8T	Passend zu SK-16FX-Euroscope. Starterkit mit 2,8" Touch OLED.	10
Glyn	ADA-PCB-SII-24-28	Adapter Board for Seiko 24QVF1x and 28QVF1x	34
Glyn	ADA-PCB-SII-43	Adapter Board for Seiko 43WVF0H and 43WVF1G	4

Glyn	ADA-PCB-SII-43-leer	Adapter Board for Seiko 43WVF0H and 43WVF1G	22
Glyn	ADA-PCB-SII-Tonga-WQVGA-HVGA	Adapter Board Tonga for Seiko Displays 3.0" & 3.2" WQVGA, 3.5" HVGA	21
Glyn	ADA-PCB-SII-Tonga-WVGA	Adapter Board Tonga for Seiko Displays 3.2", 3.5", 3.7" & 4.3" WVGA	26
Glyn	ADA-PCB-SII-Tonga-WVGA-24Bit	Adapter Board for the Seiko Displays 3.2", 3.5", 3.7" & 4.3" WVGA	21
Glyn	ADAP-SEGGGER-62PLGA/PCB	Adapter PCB for Segger Programmer	18
Glyn	ADAPTER 2B	Base board for 145Pin-Progr.-Socket	9
Glyn	Adapterplatine TX14	Adapterplatine für CABLESETTX14	34
Glyn	AdapterplEDTLVDS	assembled AdapterPCB for EDT LVDS common interface Displays	5
Glyn	AdapterplEDTLVDSleer	not assembled AdapterPCB for EDT LVDS Displays	10
Glyn	AdapterplLTA035057	Adapterplatine for LTA035 and LTA057	4
Glyn	Cable-Set EDT-FPC	ZIF for EDT TFT's ET035 (QVGA) - ET070 (WVGA) & 4.3" WVGA (43WVFxx) Seiko TFT	1168
Glyn	Cable-Set EDT-LVDS-ePC	Cable-Set for EDT LVDS Common Interface TFT Displays	2
Glyn	Cable-Set EDT-LVDS-Univ	Cable-Set for EDT LVDS Common Interface TFT Displays	68
Glyn	Cable-Set EDT-LVDS-ZIF	Cable-Set for EDT LVDS Common Interface TFT Displays (FFC and ZIF)	19
Glyn	Cable-Set LTA035-57	Cable-Set for TTL Interface to TFT's G057, LTA057, 5.7" NEC	3
Glyn	Cable-Set TX09	Cable-Set for TTL Interface to Hitachi TFT TX09D70	7

Glyn	CASE SH7201	RSK7201 incl. E8 + Power Supply + SH Book	4
Glyn	CON-BOARD OLED2428 V1.0	Contact-Board for CMEL OLED 2.0",2.4"&2.8" (without AR_VDD and AR_VSS generating)	1
Glyn	CON-BOARD OLED3443 V1.0	Contact-Board for CMEL OLED 3,4" and 4,3" (without AR_VDD and AR_VSS generating)	16
Glyn	ConSetLVDStoTTLHITEDT	LVDS to TTL Converter Set for EDT TTL Fam. Concept & HITACHI TX18D35 + TX20D26	9
Glyn	DEMO PANEL TX26D12VM0APA	used Panel with a small scratch on TP	1
Glyn	DEMO UNIT G085VW01	Demo Unit for AUO G085VW01V0	1
Glyn	DEMO UNIT GET035TOUCH	Demo unit for EDT GET035 Family Concept incl. Touch	1
Glyn	DEMO UNIT GETQ57	Demo unit for EDT GETQ57 Family Concept without Touch	1
Glyn	DEMO UNIT GETV57TOUCH	Demo unit for EDT GETV57 Family Concept incl. Touch	1
Glyn	DEMO UNIT LT104AD18900	Demo-Kit LT104AD18900 incl. Industrial PC + System	1
Glyn	DEMO UNIT LTA104_TOUCH	Demo-Kit LTA104 with Touch-Panel incl. Industrial PC + System	1
Glyn	DEMO UNIT SP14Q006-T	Demo case for the SP14Q006-T	2
Glyn	DEMO UNIT SX14	Demo Case for the SX14-series	1
Glyn	DEMO UNIT TX14D12	Demo Case for the TX14D12	2
Glyn	DEMOUNIT 5.7"NL6448BC18-01F	Demounit for NEC 5.7in NL6448BC18-01F	1
Glyn	DEMOUNIT 8.4"NL8060BC21-11	Demounit for NEC 8.4" in NL8060BC21-11	1

Glyn	DEMO-UNIT-28QVF1H	DemoUnit for Seiko Display 2.8" QVGA with Fujitsu-Board	1
Glyn	DEMO-UNIT-28QVF1J	DemoUnit for Seiko Display 2.8" QVGA with Vinculum-Board	1
Glyn	Demounit64128K-FC-BW3	Selfrunning Demo with 64128K-FC-BW	1
Glyn	Demounit64240C	Selfrunning Demo with 64240C-FC-BW	1
Glyn	DEMO-UNIT-EPC-OLED76	Demo unit with GENE-8310 and 7,6" OLED	1
Glyn	DemoUnitFDGB0036A	Selfrunning Demo with FDGB0036A white LED Backlight	1
Glyn	DEMOUNITLIMEOLED34	DEMO Unit LIME OLED 3,4"	1
Glyn	DEMO-UNIT-TX06	Demo TX06D126VM0AAA	1
Glyn	EVA_LED_SAMSUNG Sunnix 7 WH	LED/PCB WH max.0,7A, 5300 - 7040 Kelvin 120°CRI >= 70, min. 85 lm @350mA	9
Glyn	EVA_LED_SAMSUNG Sunnix 7 WW	LED/PCB WW 350mA 2870-3220 Kelvin 120°Degree CRI > = 80, 65-85lm @350mA	10
Glyn	EVA_LED_SAMSUNGW511N1	LED EVA board SLHNNWH511N1 350mA 5000 - 7000K CRI >= 75, 80-90lm, 120°DEG	12
Glyn	EVA_LED_SAMSUNGW511NO	LED evaluation board with 1W SUNNIX5 white 120°vie wing angle, 350mA	12
Glyn	EVA_LED_SAMSUNGW511T1	LED evaluation board with 1W SUNNIX5, white, 55°vi ew. angle, 350mA SEMCO CHIP	8
Glyn	EVA_LED_SAMSUNGW511TO	LED evaluation board with 1W SUNNIX5 white 55°view ing angle, 350mA	5
Glyn	EVA_LED_SAMSUNGW511NO	LED evaluation board with 1W SUNNIX5, warm white, 120°viewing angle, 350mA	11
Glyn	EVA_LED_SAMSUNGW511TO	LED evaluation board with 1W SUNNIX5, warm white, 55°, viewing angle, 350mA	12

Glyn	EVA_LED_SUNNIX5RA521TO	LED Evaluation board with 1-2W SUNNIX5 RED 55° View ing angle, 350mA-700mA max.	3
Glyn	EVA_LED_TYP1K37837	MCPCB, rund d= 74mm 17 x Sunnix5 LED SLHNNWW511T1S0S0G3 4000 - 5000K	1
Glyn	EVA_LED_TYP2K37837	MCPCB, rund d= 74mm, 17 x Sunnix5 LED SLHNNWH511T1S0R0J1 CW 5000 - 6000K	1
Glyn	EVB WISMO228-DBG	GLYN Evaluation Board for Sierra Wireless WISMO228 with Debugging Interface	5
Glyn	EVB WISMODBG/LEER	Leerplatine EVB WISMO218 DBG	2
Glyn	EVB_OLED_20_Adapter	Adapterboard für 2" OLED Display steckbar auf alle EVBM16C62PGP Boards.	4
Glyn	EVB_OLED_20_Adapter/pcb	Adapterboard für 2" OLED Display steckbar auf alle EVBM16C62PGP Boards.	22
Glyn	EVB_OLED_43_Adapter	Adapterboard für 4.3" OLED Display steckbar auf Toshiba BMSKTOPAA910(DCE) Board.	5
Glyn	EVB_OLED_Adapter_V2/pcb	Adapterboard für OLED Displays steckbar auf alle EVBM16C62PGP Boards.	17
Glyn	EVB_OLED_Adapter_V2_24	Adapterboard für OLED Displays steckbar auf alle EVBM16C62PGP Boards.	8
Glyn	EVB16FXTSCRGB01	Starterkit for Touch Sensor Controller with 16FX MCU and Samsung RGB LED	1
Glyn	EVB16FXTSCRGB01/BE	Emptyboard for 16FX / RGB LED / OLED / Touch Sensor Controller Kombikit	22
Glyn	EVB95118LIME	Base board for EVBLIME with 8FX	1
Glyn	EVB95118LIMELEER	Base board for EVBLIME with MB90F334	21
Glyn	EVB CDC3207G-C3/LEER	PCB for CDC3207G-MF-C3 128pin 0.5mm	13
Glyn	EVBC-GPS/LEER	C-GPS Adapterplatine für Wavecom wireless CPU Q26	6

Glyn	EVB-DC/DC-Converterleer	Non assembled DC/DC Converter Board	14
Glyn	EVBE8FOUSB/PCB	Connector Board PCB	100
Glyn	EVBE8FOUSB-M16C	Connector Board E8 FOUSB	1
Glyn	EVBE8FOUSB-R8C	Connector Board E8 FOUSB	1
Glyn	EVBECOG1K	Evaluation Board for Cyan Technology eCOG1k	1
Glyn	EVB-GRAPHIC-LCD	EVA Board for passive COG modules	13
Glyn	EVB-LIME-ADAP1	Adaptor for connecting EVB-LIME to Fujitsu Starterkits	2
Glyn	EVBM16C/TARGET	Target Board M16C 100 Pin with 100 Pin LCC Socket	4
Glyn	EVBM16C65_VINCULUM	Evaluation Board M16C65 with FTDI Chip Vinculum VNC1L for USB connectivity	14
Glyn	EVBM16C65GP	Evaluation Board M16C/65GP with E8a Connector and Prolific USB	7
Glyn	EVBM16C6C	M16C/6C 100Pin GP0.5mm (USB-Chip)	11
Glyn	EVBM32C/87GP	Evaluation Board M32C/87GP with E8 Connector and Prolific USB	4
Glyn	EVBM81500FP-G	GLYN Test board with Single-Chip-Inverter M81500FP	8
Glyn	EVBM81500FP-G/Leer	Blank PCB for EVBM81500FP-G	169
Glyn	EVBMB90F334	Evaluation Board with MB90F334: 3V 120Pins USB Host & Device.	16
Glyn	EVBMB90F334LIMEBE	Base board with MB90F334	5

Glyn	EVMBMB90F340/LEER	LEERPLATINE FÜR MB90F340-SERIE (Für rechteckiges Gehäuse 0,65mm Pitch - PF)	4
Glyn	EVMBMB90F350/LEER	PCB for MB90F350-Serie	13
Glyn	EVMBMB90F457	Evaluation Board w. 48PIN for MB90F457 SPMT	5
Glyn	EVMBMB90F497/LEER	MB90F497 Board Manual	5
Glyn	EVMBMB96340PMC	Board for MB96F346RWAPMC-GSE2	9
Glyn	EVMBMB96F315/LEER	Leerplatine für Evaluation Board m. 48 PIN für MB96F315RSAPMC	17
Glyn	EVBOLED24M16C65	EVBM16C65 with OLED Board for 2,4" AMOLED	3
Glyn	EVBOLED28M32C87	EVBM32C87 with Connectorboard for C0283QGLCT	2
Glyn	EVBP2303X	Evaluation Board best. with PL-2303X	38
Glyn	EVBP2303X/PCB	PCB for PL-2303X	33
Glyn	EVQB2406B	GLYN EVALUATION BOARD FOR WAVECOM "GSM /GPRS MODUL Q2406B	1
Glyn	EVQB2687	GLYN Evaluation Board for Wavecom Wireless CPU Q2687	2
Glyn	EVQB26Extreme	GLYN Evaluation Board for Wavecom Wireless CPU Q26Extreme	2
Glyn	EVQB26XX/NO MODULE	EVB Wavecom Q26 series Without module and display	5
Glyn	EVBQUIK/NO MODUL	Evaluation Board WISMO QUIK for Q24xx, WITHOUT GSM-Modul	20
Glyn	EVBQUIK-GPS	GLYN EVALUATION BOARD FOR WAVECOM GSM/ GPRS/GPS Q2501	2

Glyn	EVBUKIK-GPS/NO MODUL	GLYN EVA Board f.Wavecom GPRS/GPS with out GSM-Modul	24
Glyn	EVBR32C111-CAR-E8a/PCB	Carrierboard for R32C111 with 64pin only PCB don't sell !!!!	8
Glyn	EVBR32C111CARRIERE8A/BE	Carrierboard for R32C111 with 64pin and E8a&E30a Connector	12
Glyn	EVBR32C111-CARRIER-USB	Carrierboard for R32C111 with 64pin	8
Glyn	EVBR8C/23	Evaluation Board R8C/23 for R5F21237JFP	10
Glyn	EVBR78G13-CARRIER-E1	Carrierboard for RL78G13 with 64pin and E1 Connector	4
Glyn	EVBR78G13-CARRIER-E1-PCB	Carrierboard for RL78G13 with 64pin only PCB don't sell!!!!	14
Glyn	EVBRX610	Evaluation Board RX610 with E1 Connector and RX-Stick Connector	18
Glyn	EVBRX610TFT/PCB	NOT SELL only PCB	3
Glyn	EVBRX62N	Evaluation Board RX62N with E1 Connector and RX-Stick Connector	10
Glyn	EVBSH7125-CARRIER-E10	Developmant Board SH7124/SH7125 with E10A-Connector	1
Glyn	EVBSH7125-CARRIERE10PCB	PCB for SH7125 64pin GP 0.5mm with E10A-Connector	33
Glyn	EVBSH7125-CARRIER-E8	Developmant Board SH7124/SH7125 with E8/E8A-Connector	2
Glyn	EVBSH7125-CARRIER-USB	Development Board SH7124/SH7125 with USB-Connector	7
Glyn	EVBSH7125-CARRIERUSBPCB	PCB for SH7125 64pin GP 0.5mm with USB-Connector	87
Glyn	EVBSH7125-TARGET	Target Board for EVBSH7125-CARRIER-USB/E8/E10A	10

Glyn	EVBSH7125-TARGETPCB		20
Glyn	EVBTB6551FG	Dev. Board for TB6551FG 3-Phase BLDC - Sinewave PWM, for ext. Hall ICs	2
Glyn	EVBTB6551FG/LEER	Blank circuit board for EVB TB6551FG	14
Glyn	EVBTB6556FG	Dev. Board for TB6556FG 3-Phase BLDC - Auto Leadangle, Sinus PWM, ext. Hall ICs	2
Glyn	EVBTB6556FG/LEER	Blank circuit board for EVB TB6556FG	32
Glyn	EVBTB6560AHQ	Demoboard for TOS TB6560AHQ(O) Stepper-Motor-Driver	2
Glyn	EVBTB6560AHQ/LEER	Empty PCB for TOS TB6560AHQ(O) Stepper-Motor-Driver	4
Glyn	EVBTB6568KQ	Dev. Board for TOS THT - TB6568KQ Brushed-DC-Motordriver	6
Glyn	EVBTB6568KQ/LEER	Empty PCB for EVBTB6568KQ	6
Glyn	EVBTB6569FG	Dev. Board for TOS TB6569FG Brushed-DC-Motordriver	4
Glyn	EVBTB6569FG/LEER	Empty PCB for EVBTB6569FG	15
Glyn	EVBTB6575FNG	Dev. Board for TB6575FNG 3-Phase BLDC - Sensorless Block Commutation	3
Glyn	EVBTB6575FNG/LEER	Blank circuit board for EVB TB6575FNG	10
Glyn	EVBTB6585FG	Dev. Board for TB6585FG 3-Phase BLDC - Sinewave-Driver for HALL-Sensors	5
Glyn	EVBTB6585FG/Leer	Empty PCB for EVBT6585FG	15
Glyn	EVBTB6608FNG	Dev. Board for TB6608FNG Microstep Stepper Motor Driver I=0,8Ap	7

Glyn	EVBTMP92FD54/LEER	TMP92FD54 Board ohne Manual	6
Glyn	EVBTDP410X/LEER	Leerplatine f. EVBTDP410x	14
Glyn	EVBTDP4125(A)K	Evaluation Board for TPD4125AK and TPD4125K	3
Glyn	EVBTDP4125(A)K/LEER		10
Glyn	EVBNVC2-64L	Starterkit for VNC2 with Debug Modul	35
Glyn	EVBNVC2-64L/LEER	Starterkit for VNC2 with Debug Modul	4
Glyn	EVBNVNCLO_SE202428	Adapterboard for VNCLO-MB1 and SEIKO TFT	32
Glyn	GLYN GRAPHIC BASE BOARD 1	Glyn Graphic Base Board for TMPA900CPUBOARD	77
Glyn	GOCP172-0,3MTR	0,3m simplex fibre with TOCP155K	19
Glyn	HALLMUSTERBOXSW	Sample box for hall sensors fom Micronas.	4
Glyn	LED_ADAPTER_01	LED Evaluations Board 60 x 40mm für 1 Stück SAMSUNG SUNNIX 5 LED	610
Glyn	LED_ADAPTER_03	LED Evaluation board 60 x 40mm for 1x SAMSUNG SLSxxx815 or SUNNIX 6	22
Glyn	LVDS-24-ADA-RGBIN-PCB	RGB to 24Bit-LVDS Adapterboard. Fits to EVB-Lime and more.	2
Glyn	LVDS-ADA-RGBIN-PCB	RGB to 18Bit-LVDS Adapterboard. Fits to EVB-Lime and more.	52
Glyn	R8C FLASHER	Flashprogrammer for R8C/10 - 13	6
Glyn	R8C FLASHER2/PCB	PCB for R8C Flasher2	5

Glyn	RSKRX62N-EDT-FAMILY-CONNECTOR	Adaptor for EDT Family Concept Displays to the RSKRX62N-Board. 40 Pin	5
Glyn	STARTERKITCDC32XY	HITEXSTARTERKITARM + EVBCDC3207-xx (Box + CD)	4
Glyn	TMPA900CPUBOARD-ADAP-HIT-PCB	Platine	46
Glyn	TMPA900CPUBOARDSTARTER	Starterkit for TMPA900 CPU BOARD incl. GLYN GRAPHIC BASE BOARD 1	34
Glyn	VCON-BOARD OLED202428	Voltage + Contact-Board OLED 2,0", 2,4" + 2,8" (AR_VDD and AR_VSS generating)	8
Glyn	VCON-BOARD OLED3443	Voltage + Contact-Board OLED 3,4" + 4,3" (AR_VDD and AR_VSS generating)	12
Glyn	VCON-BOARD OLED76	Voltage-Generator-Board OLED 7,6" (AR_VDD and AR_VSS generating)	22
Glyn	VNC2-32-ProgrammerPCB	Programmer for FTDI VNC2 32pin LQFP ONLY PCB	3
HanTouch	HT084A-NEOFB87	Touch 8,4" 4-w, Ana-Res	232
HanTouch	HT102A-NDJHP02	Touch 10." 4-w ANA-RES	1
HanTouch	HT104G-TCN-00	Touch 10.4" Glass/ Glass 4-w, clear type	1
HanTouch	HT4084A-NDJHP02-R	Touch 8.4" 4-w, Ana-Res - non-clear-type	2
HanTouch	HTD073C-1	Touch 7,3"-Capa	1
HanTouch	HTD085C-1	Touch 8.5"-Capa	1
HanTouch	HTD108C-1	Touch 10,8"-Capa	2
HanTouch	HTD124C-1	Touch 12.4" -Capa	5

HanTouch	HTE150S-4	Touch 15" SAW anti-vandalism incl controller + 6mm vandalism resistant glass	1
HanTouch	HT-ETP-MB-5000UECG	USB- 5 wire Touch Controller	1
HanTouch	HTI1905-4	Touch 19" -5w ANA-RES	1
HARTMANN	26-030043000	LED T+R	1
Harvatek	12VDC-1220-BL240-BW00	LED light bar -(470nm) Blue 1220 mm 12V DC, 16,8W	10
Harvatek	12VDC-1220-BL240-BW00NR	LED light bar w/o silicone-(470nm) Blue 1220 mm 12V DC, 16,8W	9
Harvatek	12VDC-1220-WH240-BW50	LED light bar -5000K pure white 1220 mm 12V DC, 16,8W	8
Harvatek	12VDC-1220-WH240-BW50NR	LED light bar w/o silicone-5000K pure white 1220 mm 12V DC, 16,8W	10
Harvatek	12VDC-L320-BL60-BW00-NR	LED light bar w/o silicone-(470nm) Blue 320 mm 12V DC, 4,2W	7
Harvatek	12VDC-L320-WA60-BW27-NR	LED light bar w/o silicone-2700K warm white 320 mm 12V DC, 4,2W	3
Harvatek	12VDC-L320-WH60-BW50-NR	LED light bar w/o silicone-5000K pure white 320 mm 12V DC, 4,2W	6
Harvatek	12VDC-L320-WH60-BW65	LED light bar -6500K pure white 320 mm 12V DC, 4,2W	3
Harvatek	12VDC-L320-WH60-BW65-NR	LED light bar w/o silicone-6500K pure white 320 mm 12V DC, 4,2W	8
Harvatek	12VDC-L740-BL144-BW00	LED light bar -(470nm) Blue 740 mm 12V DC, 10W	10
Harvatek	12VDC-L740-BL144-BW00NR	LED light bar w/o silicone-(470nm) Blue 740 mm 12V DC, 10W	7
Harvatek	12VDC-L740-WA144-BW27	LED light bar -2700K warm white 740 mm 12V DC, 10W	6

Harvatek	12VDC-L740-WA144-BW27NR	LED light bar w/o silicone-2700K warm white 740 mm 12V DC, 10W	18
Harvatek	12VDC-L740-WH144-BW50NR	LED light bar w/o silicone 5000K pure white 740 mm 12V DC, 10W	18
Harvatek	DEMOBOX COB LED 070G	DEMOBOX COB 070G light bar HARVATEK 195x150x48mm	1
Harvatek	DEMOBOX LED HP HARV	DEMOBOX High Power LEDs HARVATEK 160x130x35mm	1
Harvatek	DEMOBOX LED PLCC HARV	DEMOBOX PLCC LEDs HARVATEK 160x130x35mm	1
Harvatek	DEMOBOX LED SMD HARV	DEMOBOX SMD LEDs HARVATEK 160x130x35mm	1
Harvatek	HOVL-5Y40PSAR-5383	5mm LED OVAL 594nm, Yellow diffused lens, 2,3 - 4cd, 30/70° Degree 20mA	1000
Harvatek	HT-070GTW	HT-070GTW LED-stripe White 161,5 x 2,50 mm, InGaN 27 chips on board 9,6V	26
Harvatek	HT-110NB	LED 468nm (peak) Blue RAR /1204 / 3,2x1,5x1,0 InGaN	3000
Harvatek	HT-110NG	LED 527nm (peak) True Green RAR / 1204 / 3,2x1,5x1,0 InGaN	3000
Harvatek	HT-110TW	LED 468nm (peak) White RAR // 1204 / 3,2x1,5x1,0 InGaN	2990
Harvatek	HT-110USD	LED 636nm (peak)UB Red Right Angle -Round / 1204 / 3,2x1,5x1,0 AllnGaP	2995
Harvatek	HT-110UY	LED 593nm (peak) UB Yellow RAR / 1204 / 3,2x1,5x1,0 AllnGaP	14995
Harvatek	HT-110UYG	LED 574nm (peak) UHB Yellow-Green RAR / 1204 / 3,2x1,5x1,0 AllnGaP	2995
Harvatek	HT-121NB	LED 468nm (peak) Blue 0604 / 1.6x1.0x0.6 InGaN	3995
Harvatek	HT-121NG	LED 527nm (peak) True Green 0604 / 1,6x1,0x0,6 InGaN	4000

Harvatek	HT-121TW	LED 468nm (peak) White Sideview 0604 / 1,6x1,0x0,6mm InGaN	3965
Harvatek	HT-121USD	LED 636nm (peak) UB Red / 0604 / 1,6x1,0x0,6 AllnGaP	3980
Harvatek	HT-121UY	LED 593nm (peak) UB Yellow / 0604 / 1,6x1,0x0,6 AllnGaP	4000
Harvatek	HT-12V cable 2M+2x5CM	HT-12VDC Y-power feed cable 2000mm+50mm+ 50mm	46
Harvatek	HT-12V-cord-open end 2M	HT-12VDC power feed open end cable 2M JWTA2501-HO2-2P(male) end open	32
Harvatek	HT-12VDC cable 10CM	HT-12VDC Cable 10 cm for connecting 2 LED Bars together (male + female plug)	11
Harvatek	HT-12VDC cable 30CM	HT-12VDC Cable 30 cm for connecting 2 LED Bars together (male + female plug)	34
Harvatek	HT-150NB	LED 468nm (peak) Blue Top view / 1206 / 3,2x1,6x1,1 InGaN	3000
Harvatek	HT-150TW	LED white 3,2x1,6x1,1mm (1206) 20mA InGaN	2900
Harvatek	HT-150UR	LED 660nm (peak) SB-Red 1206 / 3,2x1,6x1,1mm	3000
Harvatek	HT-150UY	LED 593nm (peak) UB Yellow Top view / 1206 / 3,2x1,6x1,1 AllnGaP	3000
Harvatek	HT-150UYG	LED 574nm (peak) UHB-Yellow-Green Top view / 1206 / 3,2x1,6x1,1 AllnGaP	3000
Harvatek	HT-159NB	LED 3.2x1.6x1.85mm (1206) with lens 20°WLD 470nm Blue InGaN	3940
Harvatek	HT-159NG	LED 3.2x1.6x1.85mm (1206) with lens 20°527nm True Green InGaN	1040
Harvatek	HT-159TW	LED 3.2x1.6x1.85mm (1206) with lens 20°White InGaN	1850
Harvatek	HT-159URO	LED 3.2x1.6x1.85mm (1206) with lens 20°LED 645nm (peak) UB Deep Red AllnGaP	1800

Harvatek	HT-159USD	LED 3.2x1.6x1.85mm (1206) with lens 20° LED 636nm (peak) UB Red AllnGaP	1930
Harvatek	HT-170NB	LED 468nm (peak) Blue Top View / 0805 / 2,0x1,3x0,8 InGaN	7290
Harvatek	HT-170NG	LED 527nm (peak) True Green Top View / 0805 / 2,0x1,3x0,8 InGaN	3985
Harvatek	HT-170TW	LED 468nm (peak) White Top View / 0805 / 2,0x1,3x0,8 InGaN	1395
Harvatek	HT-170USD	LED 636nm (peak) UB Red Top View / 0805 / 2,0x1,3x0,8 AllnGaP	7975
Harvatek	HT-170UY	LED 593nm (peak) UB Yellow Top View / 0805 / 2,0x1,3x0,8 AllnGaP	3990
Harvatek	HT-170UYG	LED 574nm (peak) UB Yellow-Green Top View / 0805 / 2,0x1,3x0,8 AllnGaP	7995
Harvatek	HT-191NB	LED 468nm (peak) Blue Top View / 0603 / 1,6x0,8x0,6 InGaN	2000
Harvatek	HT-191NG	LED 527nm (peak) True Green Top View / 0603 / 1,6x0,8x0,6 InGaN	8000
Harvatek	HT-191TW	LED 468nm (peak) White Top View / 0603 / 1,6x0,8x0,6 InGaN	6995
Harvatek	HT-191USD	LED 636nm (peak) UB Red Top View / 0603 / 1,6x0,8x0,6 AllnGaP	4825
Harvatek	HT-191UY	LED 593nm (peak) UB Yellow Top View / 0603 / 1,6x0,8x0,6 AllnGaP	13240
Harvatek	HT-193UY	LED 1.6x0.8x0.4mm (0603) 593nm Ultra Bright Yellow AllinGaP typ. 71mcd @20mA	5
Harvatek	HT-260NB	LED 468nm (peak) Blue FRM/1205/3,2x1,2x1,1 InGaN	3000
Harvatek	HT-260NG	LED 517nm p. Green, typ. 285 mcd @ 20mA FRM, /3,2x1,2x1,1mm, InGaN	2350
Harvatek	HT-260TW	LED 468nm (peak) White FRM /1205/3,2x1,2x1,1 InGaN 20mA	3000

Harvatek	HT-260USD	LED 636nm (peak) UB Red Flat/Reversed Mount /1205/3,2x1,2x1,1 AllnGaP	3000
Harvatek	HT-260UYG	LED 574nm (peak) UB Yellow-Green FRM /1205/3,2x1,2x1,1 AllnGaP	3000
Harvatek	HT297USD/NB	LED 1.6x0.8x0.5 (0603) Bicolor UB RED/ Blue	307
Harvatek	HT-F196UY	LED UB Yellow 1,6x0,8x0,35mm (0603) 20mA 593nm (peak) min 45 - typ. 70mcd	13
Harvatek	HT-Lens-15	Collimate lens for HarvaLED, 15° degree viewing angle. Optical grade plastic	23
Harvatek	HT-Lens-30	Collimate lens for HarvaLED, 30° degree viewing angle. Optical grade plastic	52
Harvatek	HT-Lens-6	Collimate lens for HarvaLED, 6° viewing angle Optical grade plastic	57
Harvatek	HT-MBPXXX	LED MCPCB for HavaLED High Power LEDs Heat Sink for TO220SMD 2 x 2 Terminals	35
Harvatek	HT-N178TWU-PTPU-FG	LED HP 1W WHITE 67,2 - 113,6lm @350mA 4.750 - 5750K	45
Harvatek	HT-N178TWV-PUPV-BC	LED HP 2W COOLWHITE 87,4 - 147,7lm @700mA 6.750 -8.500K	49
Harvatek	HT-N178TWV-PUPV-FG	LED HP 2W WHITE 87,4 - 147,7lm @700mA 4.750 - 5.750K	49
Harvatek	HT-N178TWV-PUPV-KL	LED HP 2W WARMWHITE 87,4 - 147,7lm @700mA 2.750 - 3.750K	49
Harvatek	HT-P178NBU-PJPK-45	LED HP 1W BLUE 465 - 475nm @350mA 6,3 - 10,7 lm	45
Harvatek	HT-P178NGU-PPPQ-34	HT-P178NGU-PPPQ-34	43
Harvatek	HT-P178TWU-PQPR-BC	LED HP 1W COOLWHITE 6750-8500K @350mA 30 □ 52 lm 120°	48
Harvatek	HT-P178TWU-PQPR-FG	HT-P178TWU-PQPR-FG	48

Harvatek	HT-P178TWU-PQPR-KL	HT-P178TWU-PQPR-KL	48
Harvatek	HT-P178TWU-PTPU-FG	LED HP WHITE PURE 350mA, 110°, 67,2-87,4lm, 4750 - 5750K	48
Harvatek	HT-P178TWU-PTPU-KL	LED HP WHITE WARM 350mA, 110°, 67,2-87,4lm, 2750 - 3750K	38
Harvatek	HT-P178USDT-PMPN-23	HT-P178USDT-PMPN-23	9
Harvatek	HT-P178UYT-PMPN-34	LED HP Yellow 300mA, 110°, 13.9-23.5 lm 589.5-594.5 nm	45
Harvatek	HT-P318FCHU	LED HP RGB 300/350/350mA, 110°, typ. lm. Red: 20lm, Green: 40lm, Blue 11lm, 6 Pin	35
Harvatek	HT-P378FCHU	LED HP RGB 300/350/350mA, 110°, typ. lm. Red: 20lm, Green: 40lm, Blue 11lm, 3 Pin+Com	44
Harvatek	HT-S91NB	LED Blue 20mA, Die in center position 0603 / 1,6x0,8x0,6mm InGaN	4000
Harvatek	HT-S91TW	LED White 20mA, Die in center position 0603 / 1,6x0,8x0,6mm InGaN	4000
Harvatek	HT-T158DNY-6041	HT-T158 PLCC2 T LED 3.2x2.7x1.8 T. min 1,8cd. @ 20mA	50
Harvatek	HT-T169NB	LED 468nm (peak) Blue PLCC2 InGaN	3995
Harvatek	HT-T169NB-6060	customized LED	150
Harvatek	HT-T169NG	LED 527nm (peak) True Green PLCC2 InGaN 20mA 2,7x3,5x1,8mm	6000
Harvatek	HT-T169NG-6080	customized LED	150
Harvatek	HT-T169TW	LED White InGaN 1000-1610mcd @20mA 3,5x2,7x1,8 mm PLCC2	60
Harvatek	HT-T169TW-YYY2	HT-T169TW-YYY2 White max. 1440 mcd. @ 20mA 3,2x2,8mm, 2 leads	7630

Harvatek	HT-T169UD	LED 593nm (peak) UB Amber / Orange 90 - 360 mcd @20mA PLCC2 AllnGaP	19785
Harvatek	HT-T169UD-6050	customized LED	150
Harvatek	HT-T169URO	LED 639nm (peak) Deep Red PLCC2 AllnGaP, 20mA 2,7x3,5x1,8mm	19990
Harvatek	HT-T169URO-6070	customized LED	150
Harvatek	HT-T169USD	LED 632 nm (WP) UB Red PLCC2 AllnGaP 2 PINs 3,5x2,7x1,8 mm typ. 190mcd. 20mA	5965
Harvatek	HT-T169UY	LED 572nm (peak) Yellow PLCC2 588nm 90 - 360mcd @20mA AllnGaP	3820
Harvatek	HT-T169UY-8346	LED UB Yellow, black faced PLCC2 584.5-594.5nm D-rank only @ 20mA	50
Harvatek	HT-T1A3TWT	SMD LED 5,0x5,2mm C.White, 6 pin, 5500 +/-1000K , typ 90 lm @ 300mA	5
Harvatek	HT-T368FCH	Top Mount RGB SMD LED (PLCC4) 3.5x 2.7x1.8mm 3 x 20mA Com. Anode	820
Harvatek	HT-T368FCH-6042	Top Mount RGB SMD LED (PLCC4) 3.5x 2.7x1.8mm 3 x 20mA Com. Anode	150
Harvatek	HT-T368TW	HT-T368TW PLCC4 White	2000
Harvatek	HT-T3A8TW-3746	SMD LED 5,2x5,2mm C.White 3x20mA, 6 pin, 4000K+/-150K , typ 4,9cd @ 60mA	760
Harvatek	HT-U16DSWH	LED White PLCC4 (3) package 3,5x2,8x1,3 mm 23 - 40 lm, @150mA InGaN 4750-5700K	1980
Harvatek	HT-V3NCFCH	SMD Sideview LED RGB 6 pin, 4,5x1,25x0,88mm, 3x20mA	25
Hengstler	1685277	Toggle for LTP5246A Incl. Paperguide f or Cutter	20
Hengstler	C-56 MUSTERKOFFER S	C-56 Kioskprinter EVA-KIT Serial, Power supply, Periph.	1

Hengstler	C-56 SERIAL #0684056	Kiosk-Printer, 58 mm, serial, 24V, semi- automatic cutter, NPE-Sensor, long chute	9
Hengstler	C-56 USB	Kiosk-Printer, 58mm USB 24V, semi-auto matic Cutter	8
Hengstler	C-56 USB-CABLE	Cable for C-56 USB, length 1,8m	4
Hengstler	PIXI2 2INCH #0688516	Kiosk Printer,2",24V,RS232 Centronics, ACU full/partial	1
Hengstler	X-56 SERIAL SAMPLE BOX	Kiosk-Printer, 58mm, serial 24V, full-cut, jam sensor, 0-50°C.	1
Hengstler	X-56 SERIAL-CABLE	Cable for X-56 Serial, length 1,0m	1
Hengstler	X-56 USB SAMPLE BOX	Kiosk-Printer, 58mm USB 24V, full-cut, jam sensor, 0-50°C.	1
Hirose	CAB-DATA-G104S	Customized Cab for G104S	32
Hirose	DF10-31S-2DSA(68)	Connector for MITSUBISHI IPMs	381
Hirose	DF13-2630SCFA	board-to-board or cable connectors, goldplated,series DF13	18600
Hirose	DF13-40DP-1,25V(55)	Cable male connectors series DF13, gold-pla ted, 40-pins	16
Hirose	DF13-40DS-1.25C	board-to-noard o cable connectors seir es DF13	875
Hirose	DF13A-30DP-1,25V(55)	Cable male connectors series DF13, gold-pla ted, 30-pins	39
Hirose	FH19SC-4S-0.5SH(05)	FFC/FPC connector for FFC 4Pin at 0.50m m pitch, Bottom Contact	34
Hirose	FH23-51S-0.3SHW(05)	Connector for 3.2"nHD (32NHF0H) Seiko TFT	50
Hirose	FH26-39S-0.3SHW05	Connector for 35HVF0H and TX06 39 Pins, 0.3mm Pitch	64

Hirose	FH26-45S-0.3SHW(05)	Connector for 2.0" 20QVFxH Seiko TFT	83
Hirose	FH26-51S-0.3SHW(05)	Connector for 3.2" (WVGA), 3.0" & 3.2" (WQVGA) Seiko TFT	119
Hirose	FH26-71S-0.3SHW05	Connector for OLED Displays 3.4" & 4.3"	3297
Hirose	FH40-30S-0.5SV	CONN FPC/FFC 30POS .5MM VERT SMD	600
Hirschmann	820605-001	Connection cable for GPS925-0 Fakra to FMEf, lenght 4m	4
Hirschmann	820606-001	CONNECTION CABLE FOR GPS925 FAKRA TO S MB F. CONNECTOR, 4m	10
Hirschmann	821049-001	Magnet-Pad for Hirschmann GPS1890LP	15
Hirschmann	823122-016	VK-SB SUPER-LOW-LOSS 300 connection cable FME f /FME f	5
Hirschmann	823122-017	VK-SB SUPER-LOW-LOSS 400 connection cable FME f /FME f	20
Hirschmann	823122-018	VK-SB SUPER-LOW-LOSS 500 connection cable FME f /FME f	19
Hirschmann	823684-003	Connection cable for GPS1890LP SMBm to SMAM	15
Hirschmann	823684-005	VK174 SMBm/SMAM 500 5m connection cable for GPS	14
Hirschmann	DUALBAND SMA-HIR	Hirschmann GSM Dual-Band SMA- male screw-on Antenna	1
Hirschmann	GPS1890LP/P/FAKRA	Low profile patch GSM/GPS antenna with FAKRA connector, l=3m	5
Hirschmann	GPS1890LP/P/SMA/FME	GSM/GPS low profile patch antenna with FMEf (GSM) + SMAM (GPS) connector. l=3m	14
Hirschmann	GPS1890LP/P/SMA/SMA/3.0	GSM/GPS low profile patch antenna with SMA (GSM) + SMAM (GPS) connector. l=3m	25

Hirschmann	GPS1890LP/P/SMB/FME	Low profile patch GSM/GPS antenna, FMEf (GSM) + SMBf (GPS) connector, l=3m	2
Hirschmann	GPS1890LP/S/SMA/FME	Low profile GSM/GPS antenna for screwing, FMEf (GSM) + SMAm(GPS) connector, l=3m	43
Hirschmann	GPS1890LP/S/SMB/FME	Low profile GSM/GPS antenna for screwing, FMEf (GSM) + SMBf (GPS), short cable	15
Hirschmann	GPS1890PA/SMA	GSM/GPS low profile patch antenna with FMEf (GSM) + SMAm (GPS) connector. l=3m	10
Hirschmann	GPS2M	GPS ANT. 5V 1.5M CABLE SMB FEM	10
Hirschmann	GPS5M	HIRSCHMANN GPS 5M GPS magnetic mount antenna	10
Hirschmann	GPS925	GSM/GPS roof antenna with Fakra connector and short adapter cables (FMEf and SMBf)	27
Hirschmann	GPS-KABEL-GT5	GPS-VERL. 3.0M SMB FEM.-GT5	7
Hirschmann	MCA189080	Roof mount antenna with FMEf connector, connection cable 823122-0xx also needed	17
Hirschmann	MCA1890MH	Magnetic mount Antenna with FMEf connector, length=2500mm	523
Hirschmann	MCA1890MP	Round patch bonding antenna with FMEf connector, l=2500mm	31
Hirschmann	MCA1890SLIM	Patch bonding antenna with FMEf connector, l=2500mm	9
Hirschmann	MCA1890STAT	Fix wall mount antenna with FMEf connector, length=5000mm	2
Hirschmann	MCA189180	Roof mount antenna with FMEf connector, connection cable 823122-0xx also needed NA	4
Hirschmann	MCA2190BASE	Outdoor antenna (wall assembly) with 5m cable	1
Hitachi	HD637B01YOP	8Bit CMOS uC OTP 2MHz 64SDIP	8

Hitex	HITEXSTARTERKITARM	CD-ROM: HITOP5 GUI, HiSIM, GNU	10
IAR-Systems	KSK-MB9BF506	IAR Starterkit für Fujitsu Cortex M3	5
IAR-Systems	KSK-TMPM330-PL	IAR TMPM330 Starter Kit and Evaluation Board incl. JLINK	4
IAR-Systems	PPARM-TCP/IP	TCP/IP for IAR PowerPack	1
IF-COM	CONN-TH2000/1-16/150	Connector cable LTP2000 150mm cross connected (Pin1-Pin16)	125
Integrated Silicon Solution Inc.	IS42S16100C1-7TL	SDRAM 1Mx16 50Pin TSOPII PC143	37
Integrated Silicon Solution Inc.	IS42S16160D-7BL	SDRAM 16Mx16 143Mhz 3.3V 54ball BGA	480
Integrated Silicon Solution Inc.	IS42S32200C1-7BLI	SDRAM 2Mx32 90 Ball BGA 143 MHz -40/+85°C	45
Integrated Silicon Solution Inc.	IS42S32200E-6TL	SDRAM 2Mx32 TSOP86 PC166 (0 - +70C)	48
Integrated Silicon Solution Inc.	IS42S32400B-7BLI	SDRAM 4Mx32 90 Ball BGA 143 MHz -40/+85°C	12
Integrated Silicon Solution Inc.	IS42S32400B-7TLI	SDRAM 4Mx32 86Pin TSOPII PC143 -40/+85 C	24
Integrated Silicon Solution Inc.	IS42S32400E-6TL	SDRAM 4Mx32 86 Pin TSOPII 166MHz	300
Integrated Silicon Solution Inc.	IS42S32800D-7BLI	SDRAM 8Mx32 90Ball BGA PC143 -40/+85C	58
Integrated Silicon Solution Inc.	IS42S32800D-7TLI	SDRAM 8Mx32 86Pin TSOPII PC143 -40/+85C	710
Integrated Silicon Solution Inc.	IS42SM16800E-7BLI	Mobile SDRAM 8MX16 54-ball BGA -40/+85C 143 MHz	23
Integrated Silicon Solution Inc.	IS43DR16160A-5BBLI	SDRAM DDR2 256MBit 16Mx16 1.8V 200 MHz @ CL3 84Ball BGA -40/+85°C	10

Integrated Silicon Solution Inc.	IS43DR16320B-37CBLI	SDRAM DDR2 1.8V 512MBit 32Mx16 267 MHz 84 Ball BGA -40/+85°C	3
Integrated Silicon Solution Inc.	IS43DR16320B-3DBL	SDRAM DDR2 1.8V 512MBit 32Mx16 333 MHz @ CL5 84 Ball BGA	32
Integrated Silicon Solution Inc.	IS43DR16640A-25DBLI	SDRAM DDR2 1.8V 1GBit 64Mx16 400 MHz 84 Ball BGA -40/+85°C	10
Integrated Silicon Solution Inc.	IS61C1024AL-12JLI-TR	SRAM 128Kx8 SOJ300 12ns 5V -40/+85C	1000
Integrated Silicon Solution Inc.	IS61C25616AL-10KLI	SRAM 256Kx16 5V 10nS 44pin SOJ -40/+85C	936
Integrated Silicon Solution Inc.	IS61C256AL-12JLI	SRAM 32Kx8 5 Volt 12nS 28 Pin SOJ300 -40/+85C	535
Integrated Silicon Solution Inc.	IS61C256AL-12TLI	SRAM 32Kx8 5 Volt 12nS 28 Pin TSOP -40/+85C	428
Integrated Silicon Solution Inc.	IS61C6416AL-12TLI	SRAM 64Kx16 12nS TSOP44 -40/+85C	282
Integrated Silicon Solution Inc.	IS61LV256AL-10JLI	SRAM 32Kx8 10nS 3.3V 28Pin SOJ -40/+85°C	600
Integrated Silicon Solution Inc.	IS61LV5128AL-10TLI	SRAM 512Kx8 TSOPII 44Pin 3.3V 10nS -40 /+85C	595
Integrated Silicon Solution Inc.	IS61LV6416-10TLI	SRAM 64Kx16 3.3V 10nS 44 pin TSOP II - 40/85C	31
Integrated Silicon Solution Inc.	IS61WV25616BLS-25TLI-TR	SRAM 256Kx16 25ns 44 Pin TSOP II 2,4-3,6V -40/+85°C	1000
Integrated Silicon Solution Inc.	IS62C256AL-45ULI	SRAM 32Kx8 28Pin SOP 45nS 5V ind.Temp. -40/+85C	365
Integrated Silicon Solution Inc.	IS62C5128BL-45QLI	SRAM 512Kx8 5V 45nS 32Pin SOP -40/+85°C	1398
Integrated Silicon Solution Inc.	IS62WV12816BLL-55BLI	SRAM 128KX16 2.5-3.6V 55nS 44 Ball mBGA -40/+85C	3
Integrated Silicon Solution Inc.	IS62WV1288BLL-55HLI	SRAM 128KX8 2.5-3.6V 55nS 32Pin STSOP -40/+85°C LL-Pow.	184

Integrated Silicon Solution Inc.	IS62WV1288BLL-55TLI	SRAM 128Kx8 2.5-3.6V 32Pin TSOP I -40/+85C	1560
Integrated Silicon Solution Inc.	IS62WV25616DBLL-45TLI	SRAM 256Kx16 2,5-3,6V 45nS 44Pin TSOPII -40/+85C	35
Integrated Silicon Solution Inc.	IS62WV2568BLL-55HLI	SRAM 256kx8 2.5V-3.6V 32 Pin sTSOP 55nS -40/+85°C	936
Integrated Silicon Solution Inc.	IS62WV51216BLL-55BLI	SRAM 512KX16 2.5-3.6V 55nS 48 Ball mBGA	72
Integrated Silicon Solution Inc.	IS62WV6416BLL-55TLI	SRAM 64Kx16 55nS 2.5-3.6V 44 Pin TSOPII -40/+85°C	1355
Integrated Silicon Solution Inc.	IS63LV1024-12KL	SRAM 128KX8 32Pin SOJ400 3.3V 12nS center pinning	366
Integrated Silicon Solution Inc.	IS64WV6416BLL-15BLA3	SRAM 64KX16 BGA 15NS 2.5-3.6V AUTOMOTIVE	1860
INTEL	AP-CP14D4220004	Core2Duo 2.2GHz T7500	1
INTEL	AP-CP14D4240007	Intel CPU i5 - 520M Mobile Processor 2.4GHz/3MB	2
INTEL	APCP14D4266009	Intel CPU i7 - 620M Mobile Processor 2.66GHz/4MB	1
INTEL	AP-CP14DD4053302	Celeron M 1.6 GHZ, FSB533	1
INTEL	CPU-YONAH-T2300	Intel Core DUO CPU T2300 1,66 GHz	3
International Rectifier	IR2101PBF	HIGH AND LOW SIDE DRIVER 8LED PDIP Lead free	32
Isahaya Electronics Corporation	M57160AL-01R	Driver for IGBTs - Especial for F-Series SIL-Pkg.	20
Isahaya Electronics Corporation	M57962CL-01R	Driver for IGBTs - 600V up to 600A, 1200V up to 400A - SIL14-Pkg.	15
Isahaya Electronics Corporation	M57962K-01R	Driver for IGBTs - 600V up to 600A, 1200V up to 400A, 1700V up to 400A - SIL14-Pkg.	9

Isahaya Electronics Corporation	VLA106-15242	Isolated DC-DC Converter 18V/24V 100mA SIL-Pkg.	10
Isahaya Electronics Corporation	VLA106-24151	Isolated DC-DC Converter 24V/15V 100mA SIL-Pkg.	1
Isahaya Electronics Corporation	VLA106-24242	Isolated DC-DC Converter 24V/24V 100mA SIL-Pkg.	16
Isahaya Electronics Corporation	VLA500-01R	Driver for IGBTs - 600V up to 600A, 1200V up to 1400V - SIL-Pkg.	24
Isahaya Electronics Corporation	VLA606-01R	Signal Interface for IPM drive - Viso= 2.5kV SIL-Pkg.	37
JAE Ltd.	IL-F57S-HF	ZIF57 1.0mm SMT Socket	40
JST	32FLZ-RSM1-R-TB	FLZ Connector reverse type 0.5mm pitch	11
JST	BHSR-02VS-1(N)	2Pin Wire to Board Crimp Connector Adapter for 7,6" OLED Power Supply	150
JST	VHR-2N	Crimp Connector for Mitsubishi IGBTs	399
JST	VHR-5N	Crimp Connector for Mitsubishi IGBTs	352
JST	VHR-8N	Crimp Connector for Mitsubishi IGBTs	458
Ka-Ro	TX00-ZV03 Display Adapter	Display Adapter Karo Basebord to EDT Familyconcept incl. 5V/2A power supply	1
Ka-Ro	TX25-4021	Karo Dimm Modul TX25, Freescale i.MX257, 400MHz, 64MB SDRAM RAM, 128MB Flash	9
Ka-Ro	TX51-8022	Karo Dimm Modul TX51, Freescale i.MX515, 800MHz, 256MB mDDR RAM, 128MB Flash	1
Ka-Ro	TX53-1020	Karo Dimm Modul TX53, Freescale i.MX535, 1GHz, 512MB DDR2 RAM, 128MB Flash	2
KEIL	MCB9BF500UME	Keil Starterkit für Fujitsu Cortex M3	5

Kernel Concepts	TMPM360-EVALUATION-BOARD	Enaluation Board TMPM360 Familie	2
Kinson Electr.	SD-10214-30-03	144 SODIMM 3,3V H5,6	116
Kinson Electr.	SD-10313-30-03	144 SODIM 3.3V H9.9	377
Koehler	MM58-DPU12-20-HQ10	HQ Thermal Paper,58mm for DPU12 & DPU20 & DPUS245	186
Koehler	MM58-DPU201-N	Thermal Paper 58mm/5,1m Diameter 25mm, core 12mm	470
Koehler	NEP03	Thermal paper 112mm, diameter 46mm, core 12mm, 25m length	5432
Koehler	NEP03HQ	Thermal paper 112mm/25m High Quality	22
Koehler	NEP03HQ80G	Thermal paper 112mm/25m High Quality, 80g	146
Koehler	NEP04	Thermal paper 58mm, diameter 46mm, core 12mm, 25m length	430
Koehler	NEP05	Thermal Paper Roll 58mm x 31mm, core 9 mm	590
Koehler	NEP09	Thermal Paper,58mm, 38mm outer diameter, 9mm inner core.	993
Koehler	NEP80	Thermal paper 80mm/80m core 12mm,diame ter 80mm	86
Koehler	NEP80-80G	Thermal paper 80mm/60m core 12mm,diame ter 80mm, 80g/m ²	12
Koehler	NSS112-100	Thermo Paper 112mm, 130m, diameter 100 mm, core 12mm	19
Koehler	PR114-80	normal paper 114mm/63m 80mm outer diameter, core 12mm	186
Koehler	PR76-80	Normal Paper Roll 76mm 80mm outer diameter, 12mm core	17

Koehler	TH112/80M/12	Thermal paper 112mm/80m core 12mm,diameter 80mm	24
Koehler	TH112-100-25	Thermal Paper 112mm Diameter 100mm,core 25mm	88
Koehler	TH112-100-25GLY	Thermal Paper 112mm, diameter 100mm, core 25mm	211
Koehler	TH112-225-25	Thermal Paper 112mm Diameter 225mm,core 25mm	31
Koehler	TH112-225-38	Thermal Paper 112mm Diameter 225mm,core 38mm	16
Koehler	TH57/80M/12	Thermal paper 57mm/80m core 12mm,diameter 80mm	82
Koehler	TH58/100/25	Thermal Paper 58mm width, diameter 100mm, core 25mm	155
Koehler	TH58/100/25-80g-INSIDE	Thermal Paper 58mm diameter 100mm, core 25mm, inside coating.	4
Koehler	TH58/120/25	Thermal Paper 58mm width, diameter 120mm, core 25mm	198
Koehler	TH60/100/25	Thermal Paper 60mm diameter 100mm, core 25mm	107
Koehler	TH60/100/25-120G	Thermal paper 60mm, 120g/m2 diameter 100mm core 25mm	185
Koehler	TH60/100/25-120G-Inside	Thermal paper 60mm, 120g/m2, diameter 100 mm, core 25mm. Inside coating !!! 60m length	83
Koehler	TH60/100/25-80G	Thermal paper 60mm, 80g/m2 diameter 100mm core 25mm, 5 Years.	565
Koehler	TH60/100/25-80G-Inside	Thermal paper 60mm, 80g/m2, diameter 100 mm, core 25mm. Inside coating !!! 90m length	57
Koehler	TH60/100/25-Inside	Thermal paper 60mm, 55g/m2, diameter 100 mm, core 25mm. Inside coating !!! 130m length	501
Koehler	TH60/180/25	Thermal Paper 60mm diameter 180mm, core 25mm	17

Koehler	TH60/180/25-120G	Thermal paper 60mm, 120g/m2, diameter 180mm, core 25mm	10
Koehler	TH60/200/25-Inside	Thermal paper 60mm, 55g/m2, diameter 200 mm, core 25mm. Inside coating !!! 520m length	43
Koehler	TH60/65/25-120G	Thermal Paper 60mm, 120g/m2 diameter 65mm, core 25mm	7
Koehler	TH60-230-70	Thermal paper roll, width 60mm, diameter 230mm, inner core 70mm	19
Koehler	TH62-25M-12	Thermal paper 62mm, 27m length, 50mm diameter	135
Koehler	TH80/180/25-120G	Thermal paper 80mm, 120g/m2, diameter 180mm, core 25mm	3
Koehler	TH80/200/25-Inside	Thermal paper 80mm, 55g/m2, diameter 200 mm, core 25mm. Inside coating !!! 520m length	30
Koehler	TH80/300/25-80G	Thermal paper 80mm, diameter 300mm, core 25mm, 870m length, 80g paper	8
Koehler	TH80-40-12	Thermal paper 79mm, diameter 40mm, core 12mm.	50
Koehler	TH80-90-25GLY	Thermal Paper 80mm, diameter 90mm, core 25mm	147
Koehler	TH82.5/100/25	Thermal Paper 82.5mm width diameter 100mm, core 25mm	300
Koehler	TH82.5/100/25 INSIDE	Thermal Paper 82.5mm diameter 100mm, core 25mm	117
Kontron	KAB-BL-CXA0217	Cable for CXA0217	9
Kontron	KAB-COM	Serial cable CRTtoLCD RS232	15
Kontron	KAB-JILI40-TSLB02		4
Liyitec Inc.	OFM-15-HB-SAW-USB	Open frame 15" high bright,SAW USB-TC, 450cd/m2	2

Liyitec Inc.	OFM-15-SAW-USB	Open frame 15", w/SAW-Touch USB-TC, 35 0cd/m2	1
Liyitec Inc.	TM-1520F-HB	Open Frame 15" high bright, 4w, USB	3
Liyitec Inc.	TR4-064F-04N	-Touch 6,4" 4-W ANA-RES,NG	8
Liyitec Inc.	TR4-201F-01N	-Touch 20,1" 4-W ANA-RES,NG	5
Liyitec Inc.	TR5-064F-09N	-Touch 6,4" 5-W ANA-RES,NG	10
Liyitec Inc.	URTC-1000-R	RS232-Touch Controller Liyitec	3
Loctite	AL-370-189	Thermstrate for 94x48mm-Pkg. Two hole mounting (Pkg.36)	388
Loctite	AL-472-217	Thermstrate for 120x55mm-Pkg. Two hole mounting (L/L1-Series)	97
Loctite	TC-175-125	Phase-Change Thermal Compound Hand Held Applicator	64
LyCOM Technology Inc.	ST-308F	IDE-CF Card bridge FRONT SIDE	30
Maxim	MAX3232ECAE+	3.0V to 5.0V RS-232 Transceiver Lead fr ee	37
Maxim	MAX793TESE+	MPU SUPERVISORY CIRC 16SOIC	4
Microchip	DSPIC33FJ128MC706-I/PT	DSP 64TQFP	60
Microchip	PIC16F874A-I/PT	8 Bit uC CMOS Flash TQFP44	60
Microchip	PIC16LF627AT-I/SS	8Bit MCU 20 Pin SSOP	800
Microchip	PIC16LF877A-I/PT	MCU FLASH 8KX14 EE A/D TQFP -40C to +85C	4

Microchip	PIC18F442-I/PT	MCU FLASH 8KX16 EE A/D 44TQFP	960
Microchip	PIC18F4620-I/PT	MCU FLASH 32KX16 44TQFP	280
Micron	MT48LC16M16A2P-75:D TR	SDRAM	174
Micronas	AVF4910A-QK-C2-T	Audio/Video Front-End Solution, PQFP128-2	17
Micronas	CDC3207G-MF-C3	32Bit ARM7uC,512K FLASH 3.5-5V 32K RAM ,4xCAN,128 PMQFP	13
Micronas	CDC3207G-MF-C4	32Bit ARM7 uC,512K FLASH3.5-5V 32K RAM , 4xCAN, 128PMQFP	25
Micronas	CUR3105DJ-K-4-R-8-00	Current Transducer IC, reel, SOIC8, Tj: -40 to +140C, analog Output	195
Micronas	CUR3105UT-K-2-A-2-00	Current Transducer IC, ammpack TO92UT-1, -40 to +140C , non spread	187
Micronas	DAC3555A-XN-A2-T	Stereo Audio DAC, PQFN40-1 0-power mod e, I2C only	68
Micronas	GAS8516-CLCC-Solder	mySENS Sensor Adapter for GAS8516 (Fire & Gas, H2/NO2)	3
Micronas	GAS8546-CLCC-Solder	mySENS Sensor Adapter for GAS8546 (Fire & Gas, NO2/NH3)	2
Micronas	HAL1000UT-A-2-A-2-00	Progr. Switch Hall Sensor IC TO92UT-2. -40 to +170C ammpack	1140
Micronas	HAL1000UT-K-1-A-2-00	Progr. Switch Hall Sensor IC, TO92UT-1 Ammpack, Tj: -40 to +140C	50
Micronas	HAL106JQ-C-2-B-1-00	Switch Hall Sensor IC, TO92UA-6 unipolar 0 to + 85°C	100
Micronas	HAL106TQ-C-4-R-1-00	Switch Hall Sensor IC, SOT89B-3 unipol 0 to + 85°C	20
Micronas	HAL106TQ-I-4-R-1-00	Switch Hall Sensor IC, SOT89B-3 unipol -20 to + 125°C	190

Micronas	HAL108JQ-C-2-B-1-00	Switch Hall Sensor IC, TO92UA 0 to +85°C	1
Micronas	HAL109TQ-C-4-R-1-00	Switch Hall Sensor IC, SOT89B-3 unipol 0 to + 85°C	1
Micronas	HAL109TQ-I-4-R-1-00	Switch Hall Sensor IC, SOT89B-3 unipol -20 to + 125°C	190
Micronas	HAL1820SF-A-4-R-1-00	Linear Progr.Hall Sensor IC, SOT-89B-1, reel, analog out, TJ: -40 to +170C	168
Micronas	HAL1820UA-A-2-B-1-00	Linear Progr.Hall Sensor IC, TO-92UA-2, bulk, analog out, TJ: -40 to +170C	188
Micronas	HAL1821SF-A-4-R-5-00	Linear Hall Sensor IC, SOT89B, TJ: -40 to +170C	127
Micronas	HAL1821UA-A-2-B-1-00	Linear Hall Sensor IC, TO-92UA-2, TJ: -40 to +170C	163
Micronas	HAL1822SF-A-4-R-5-00	Linear Hall Sensor IC, SOT89B, 31,25mV/mT, TJ: -40 to +170C	129
Micronas	HAL1822UA-A-2-B-1-00	Linear Hall Sensor IC, TO-92UA-2, 31,25mV/mT, TJ: -40 to +170C	180
Micronas	HAL1823UA-A-2-B-1-00	Linear Hall Sensor IC, TO-92UA-2, TJ: -40 to +170C	159
Micronas	HAL201JQ-K-2-B-1-00	Switch Hall Sensor IC, TO92UA-6 unipol -40 to +140C DC: 2007	131
Micronas	HAL202JQ-K-2-B-1-00	Switch Hall Sensor IC, TO92UA-6 latch -40 to +140C (DC 2008)	1240
Micronas	HAL202TQ-K-4-R-1-00	Switch Hall Sensor IC, SOT89B-3 latch -40 to +140C	4000
Micronas	HAL203JQ-K-2-B-1-00	Switch Hall Sensor IC, bulk TO-92UA-6 latch -40 to +140C (DC 2007)	180
Micronas	HAL204JQ-K-2-B-1-00	Switch Hall Sensor IC, TO92UA-6 latch -40 to +140C DC: 2007	1400
Micronas	HAL204TQ-K-4-R-1-00	Switch Hall Sensor IC, reel SOT-89B-3 latch -40 to 140C (DC 2008)	1749

Micronas	HAL206JQK-2-B-1-00	Switch Hall Sensor IC, TO92UA-6 unipolar -40 to +140C	95
Micronas	HAL206TQ-K-4-R-1-00	Switch Hall Sensor IC, SOT89B-3 unipol -40 to +140C	25
Micronas	HAL208TQ-K-4-R-1-00	Switch Hall Sensor IC, SOT89B-3 -40 to +140C	191
Micronas	HAL210JQ-K-2-B-1-00	Switch Hall Sensor IC, TO92-6, unipolar -40 to +140C	85
Micronas	HAL210TQ-K-4-R-1-00	Switch Hall Sensor IC, SOT89B-1, unipolar -40 to +140C	1040
Micronas	HAL2810UT-A-2-A-2-00	Linear Progr.Hall Sensor IC, TO92UT-2, -40 to +170C LIN, ammopack	41
Micronas	HAL2850UT-A-2-B-1-00	Linear Progr.Hall Sensor IC, TO-92UT-2, bulk, PWM out, Tj: -40 to +170C	70
Micronas	HAL300SF-A-4-R-1-00	Differential Hall Sensor IC, SOT89B-2, -40 to +170C (DC 2008)	1800
Micronas	HAL300UA-A-2-B-1-00	Differential Hall Sensor IC, TO92-2, -40 to +170C (DC 2008)	1725
Micronas	HAL320UA-A-2-B-1-00	Differential Hall Sensor IC, TO92UA-4, -40 to +170C	521
Micronas	HAL3625DJ-A-4-R-8-00	Progr. Direct Angle 360° Sensor IC, SOIC8-1, -40 to +170C	54
Micronas	HAL501SF-A-4-R-1-00	Switch Hall Sensor IC, SOT89B-1 reel, bipolar Tj: -40 to +170C	917
Micronas	HAL501UA-A-2-A-2-00	Switch Hall Sensor IC, bipolar, TO92UA-2, not spread, Tj -40 to +170C, ammopack =2000	423
Micronas	HAL501UA-A-2-B-1-00	Switch Hall Sensor IC, bipolar, TO92UA-2, not spread, Tj -40 to +170°C, bulk = 1000	2000
Micronas	HAL503UA-A-1-A-2-00	HALL SWITCH SENSOR IC, AMMOPAC TO92UA-1 1 SPREAT -40 TO +170C	95
Micronas	HAL504UA-A-2-B-1-00	Switch Hall Sensor IC, TO92UA-2 unipol -40 to +170C	1790

Micronas	HAL504UA-K-2-B-1-00	Switch Hall Sensor IC, switch, TO92UA-2 unipolar, TJ: -40 to +140C	1000
Micronas	HAL505SF-A-4-R-1-00	Switch Hall Sensor IC, SOT89B-1, latch -40 to +170C	3059
Micronas	HAL505UA-K-2-B-1-00	Hall switch sensor IC, latch TO92UA-2, -40 TO +140C	391
Micronas	HAL506SF-A-4-R-1-00	Switch Hall Sensor IC, SOT89B-1 unipol -40 to +170C	1015
Micronas	HAL506UA-A-2-A-2-00	Switch Hall Sensor IC, TO92UA-2 unipol -40 to +170C ammopack	1990
Micronas	HAL506UA-K-2-A-2-00	Switch Hall Sensor IC, TO92UA-2 unipol -40 to +140C ammopack	2000
Micronas	HAL508SF-K-4-R-1-00	Switch Hall Sensor IC, reel SOT89B-1 unipol -40 to 140C	9000
Micronas	HAL508UA-A-2-A-2-00	Switch Hall Sensor IC, TO92UA-2 unipol -40 to +170C, Ammopack	1298
Micronas	HAL508UA-A-2-B-1-00	Switch Hall Sensor IC, TO92UA-2 unipol -40 to +170C	1132
Micronas	HAL516UA-A-2-B-1-00	Hall switch sensor IC, UNIPOL, TO92UA- 2, -40 to +170C, INVERT	2000
Micronas	HAL519SF-K-4-R-1-00	Hall Switch Sensor IC, reel SO89B-1, - 40 to +140C latch	990
Micronas	HAL519UA-A-2-B-1-00	Hall Switch IC, unipol TO92UA-2, -40 t o +170C invert	980
Micronas	HAL523SF-K-4-R-1-00	Hall Switch Sensor IC, reel SO89B-1, - 40 to +140C unipol	60
Micronas	HAL523UA-A-2-B-1-00	Hall Switch Sensor IC, Bulk TO92UA-2, -40 to 170C unipol	1000
Micronas	HAL523UA-K-2-B-1-00	Hall Switch Sensor IC, Bulk TO92UA-2, -40 to 140C unipol	2045
Micronas	HAL546UA-K-2-B-1-00	Hall Switch Sensor IC, unipol, TO92UA- 2, -40 to +140C	4

Micronas	HAL556SF-K-4-R-1-00	Hall Switch Sensor IC, SOT89B-1, unipolar, , -40 to +140C	80
Micronas	HAL560SF-K-4-R-1-00	Hall Switch Sensor IC, unipol SOT89B-1 , -40 to +140C inv.	90
Micronas	HAL566SF-K-4-R-1-00	Hall Switch Sensor IC, unipol SOT89B-1 , -40 to +140C inv. (DC 2008)	185
Micronas	HAL566UA-K-2-A-2-00	Hall Switch Sensor IC, unipol TO92UA-2 , -40 to +140C inv.	1994
Micronas	HAL584SF-K-4-R-1-00	Hall Switch Sensor IC, unipol SOT-89B, -40 to +140C inv.	300
Micronas	HAL584UA-K-2-A-2-00	Hall Switch Sensor IC, unipol T092UA-2 , -40 to +140C inv. (DC 2008)	2000
Micronas	HAL584UA-K-2-B-1-00	Hall Switch Sensor IC, unipol T092UA-2 , -40 to +140C inv. (DC 2008)	2000
Micronas	HAL702SF-E-4-R-1-00	Direction Hall Sensor IC SOT-89B -40/+100°C,	80
Micronas	HAL730SF-E-4-R-1-00	Hall Switch Sensor IC, SOT89B-1, -40 t o +100C	90
Micronas	HAL815UT-A-2-A-2-00	Linear Progr. Hall Sensor IC, TO92UT-2 , -40 to +170C, Ammopack	10
Micronas	HAL815UT-K-2-A-2-00	Linear prog. Hall IC ammopack TO92UT-2, -40 to +140C ,	2000
Micronas	HAL815UT-K-2-B-1-00	Linear Prog. Hall Sensor IC, TO92UT-2, -40 to +140C	1000
Micronas	HAL817UT-A-2-B-1-00	Linear Progr. Hall Sensor IC, TO92UT-2 , -40 to +170C	41
Micronas	HAL824UT-A-2-A-2-00	Linear prog. Hall IC ammopack TO92UT-1, -40 to +170C , non spread	225
Micronas	HAL855UT-A-2-B-1-00	Linear Progr. Hall Sensor IC, TO92UT-2 , -40 to +170C	760
Micronas	HAL855UT-K-2-B-1-00	Linear Progr. Hall Sensor IC, TO92UT-2 , -40 to +140C	980

Micronas	HAL856UT-A-2-B-1-00	Linear Progr. Hall Sensor IC TO92UT-2, -40 to +170C DC: 2006	1417
Micronas	HAL856UT-K-2-B-1-00	Linear Progr. Hall Sensor IC, TO92UT-2 , -40 to +140C	1
Micronas	HAL880UT-K-2-B-1-00	Linear Prog. Hall Sensor IC, TO92UT-2, -40 to +140C	5620
Micronas	HVC2480A-SL-B3	SOIC28-2, 8 Bit 8051 High Voltage MCU, LIN, PWM, 32 KB Flash, 512 B EEPROM	24
Micronas	HVC2480A-SL-B4	SOIC28-2, 8 Bit 8051 High Voltage MCU, LIN, PWM, 32 KB Flash, 512 B EEPROM	38
Micronas	LPT-I2C-ADAPTER	Micronas Communication Tool for all I2C Initial Devices	1
Micronas	MAP4602A-QB-B2-500-G	Micronas Audio Processor, reel need TrueSurroundXT license!	10
Micronas	MAS3509F-QI-B4-T	Compr.Audio Codec IC, (Tray) PMQFP64-2 , layer 3, G.729, AAC	17
Micronas	MAS3520G-BQ-A3-T	MP3/MIDI Audio Decoder, Tray LFBGA40-1 (6.0 x 8.0 x 1,24mm)	166
Micronas	MSP4451K-QI-D6-T	Multistandard Sound Processor PMQFP64- 2,virt.Dolby Surround	5
Micronas	SDA6001-QH-B12-T	16-Bit C166 MCU with VBI-DSP Graphic Controller, ontroller, PMQFP128	216
Micronas	USB-Sensor Evaluation Kit 0102	EVA Kit mySENS GAS85xy Family	8
Micronas	VCT3834B-QH-D6MI11-T	VTC-B-Family TV IC`s (Tray) PMQFP128-1 , (28x28 mm)	696
Micronas	VCT49X3F-PY-F1-S	VCT-I-Family TV IC`s PSSDIP88-1, (512 k FLASH) DC: 2008	124
Micronas	VCT49X3F-XX-F2-T	VCT-I-Family TV IC`s (Tray) PMQFP144-4, (512 k FLASH) DC: 2009	20
Micronas	VCT69XYG-FA-B3-T	VCT-P Family IC`s, (TRAY) PLQFP208-1, EVA, FLASH	16

Micronas	VSP9427B-XZ-C4-T	Color Decoder Scan Rate Conv. PMQFP144 -1	5
Micronas USA	DHM8100-UCBGB1-T	DeCypher Multi-Format Decoder, 832 PIN PBGA MPEG4, Tray	324
Micronas USA	ESN7108-UCBGA1-T	Cypher Multi-Format Encoder, 484 PIN P, Version A1	45
Mitsubishi	CM1000DU-34NF#301	IGBT 1700V 1000Ax2 MPD-Series 150x129.5mm-Pkg. - VCE(sat) selection	6
Mitsubishi	CM100DU-12F#300G	IGBT 600V 100Ax2 F-Series 94x48mm-Pkg.	156
Mitsubishi	CM100DY-24NF#300G	IGBT 1200V 100Ax2 NF-Series 94x48mm-Pkg.	18
Mitsubishi	CM100MXA-24S#300G	IGBT 1200V 100Ax7 + Rectifier NX6-Series 122x62mm-Pkg.	15
Mitsubishi	CM100RX-24S#300G	IGBT 1200V 100Ax7 NX6-Series 122x62mm-Pkg.	4
Mitsubishi	CM100TX-24S#300G	IGBT 1200V 100Ax6 NX6-Series 122x62mm-Pkg.	4
Mitsubishi	CM1400DU-24NF	IGBT 1200V 1400Ax2 MPD-Series 150x129.5mm-Pkg.	1
Mitsubishi	CM150DU-12F#300G	IGBT 600V 150Ax2 F-Series 94x48mm-Pkg.	24
Mitsubishi	CM150DY-24A#300G	IGBT 1200V 150Ax2 A-Series 94x48mm-Pkg.	27
Mitsubishi	CM150DY-24H	IGBT 1200V 150Ax2 H-Series 94x48mm-Pkg.	5
Mitsubishi	CM150DY-34A#300G	IGBT 1700V 150Ax2 A-Series 108x62mm-Pkg.	6
Mitsubishi	CM150RX-24S#300G	IGBT 1200V 150Ax7 NX6-Series 122x62mm-Pkg.	4
Mitsubishi	CM1800DY-34S#300G	IGBT 1700V 1800Ax2 MPD-Series 310x142.5mm-Pkg. - Al baseplate	5

Mitsubishi	CM200DU-34KA	IGBT 1700V 200Ax2 KA-Series 110x80mm-Pkg.	6
Mitsubishi	CM200DX-24S#300G	IGBT 1200V 200Ax2 NX6-Series 122x62mm-Pkg.	10
Mitsubishi	CM200DY-12NF#301G	IGBT 600V 200Ax2 NF-Series 94x48mm-Pkg. - VCE(sat) selection	40
Mitsubishi	CM200HG-130H	HVIGBT 6500V 200Ax1 HV-Series 140x73mm-Pkg. - AISiC baseplate	4
Mitsubishi	CM300DU-24F#300G	IGBT 1200V 300Ax2 F-Series 110x80mm-Pkg.	4
Mitsubishi	CM300DU-34KA	IGBT 1700V 300Ax2 KA-Series 130x130mm-Pkg.	5
Mitsubishi	CM300DX-24S#300G	IGBT 1200V 300Ax2 NX6-Series 122x62mm-Pkg.	6
Mitsubishi	CM300DY-12H	IGBT 600V 300Ax2 H-Series 94x48mm-Pkg.	1
Mitsubishi	CM300DY-24A#301G	IGBT 1200V 300Ax2 A-Series 108x62mm-Pkg. - VCE(sat) selection	290
Mitsubishi	CM300DY-34A#300G	IGBT 1700V 300Ax2 A-Series 110x80mm-Pkg.	3
Mitsubishi	CM35MXA-24S#300G	IGBT 1200V 35Ax7+Rectifier NX6-Series 122x62mm-Pkg.	15
Mitsubishi	CM400DU-5F#301G	IGBT 250V 400Ax2 F-Series 108x62mm-Pkg. - VCE(sat) selection	144
Mitsubishi	CM400DY-34A#300G	IGBT 1700V 400Ax2 A-Series 130x130mm-Pkg.	8
Mitsubishi	CM400HA-12H	IGBT 600V 400Ax1 H-Series 107x62mm-Pkg.	6
Mitsubishi	CM400HA-24A#300G	IGBT 1200V 400Ax1 A-Series 108x62mm-Pkg.	19
Mitsubishi	CM450DX-24S#300G	IGBT 1200V 450Ax2 NX6-Series 122x62mm-Pkg.	7

Mitsubishi	CM450HA-5F	IGBT 250V 450Ax1 F-Series 97x48mm-Pkg.	6
Mitsubishi	CM500HA-34A#300G	IGBT 1700V 500Ax1 A-Series 108x62mm-Pkg.	2
Mitsubishi	CM50BU-24H	IGBT 1200V 50Ax4 U-Series 91x72mm-Pkg.	35
Mitsubishi	CM50DU-24F#300G	IGBT 1200V 50Ax2 F-Series 94x48mm-Pkg.	12234
Mitsubishi	CM50MXA-24S#300G	IGBT 1200V 50Ax7+Rectifier NX6-Series 122x62mm-Pkg.	13
Mitsubishi	CM600DU-24F	IGBT 1200V 600Ax2 F-Series 130x130mm-Pkg.	2
Mitsubishi	CM600DXL-24S#300G	IGBT 1200V 600Ax2 NX6-Series 122x122mm-Pkg.	6
Mitsubishi	CM600HA-24A#300G	IGBT 1200V 600Ax1 A-Series 108x62mm-Pkg.	4
Mitsubishi	CM600HG-130H	HVIGBT 6500V 600Ax1 HV-Series 190x140mm-Pkg. - AlSiC baseplate	3
Mitsubishi	CM600HU-12F#300G	IGBT 600V 600Ax1 F-Series 107x62mm-Pkg.	38
Mitsubishi	CM600HU-24F#301G	IGBT 1200V 600Ax1 F-Series 110x80mm-Pkg. - VCE(sat) selection	2
Mitsubishi	CM75BU-12H#300G	IGBT 600V 75Ax4 U-Series 91x72mm-Pkg.	4
Mitsubishi	CM75DU-24F#300G	IGBT 1200V 75Ax2 F-Series 94x48mm-Pkg.	10
Mitsubishi	CM75DY-24NF#300G	IGBT 1200V 75Ax2 NF-Series 94x48mm-Pkg.	8
Mitsubishi	CM75MXA-24S#300G	IGBT 1200V 75Ax7+Rectifier NX6-Series 122x62mm-Pkg.	14
Mitsubishi	CM75RX-24S#300G	IGBT 1200V 75Ax7 NX6-Series 122x62mm-Pkg.	4

Mitsubishi	CM75TL-24NF#300G	IGBT 1200V 75Ax6 NF-Series 120x55mm-Pkg.	16
Mitsubishi	CM75TX-24S#300G	IGBT 1200V 75Ax6 NX6-Series 122x62mm-Pkg.	4
Mitsubishi	CM800HA-66H	HVIGBT 3300V 800Ax1 HV-Series 140x130mm-Pkg. - Cu baseplate	8
Mitsubishi	CM900DU-24NF	IGBT 1200V 900Ax2 MPD-Series 150x129.5mm-Pkg.	32
Mitsubishi	CP20TD1-12A	IGBT 600V 20Ax7 + Rectifier 79x44mm DIP-Pkg.	19
Mitsubishi	CP25TD1-24A	IGBT 1200V 25Ax7+Rectifier DIP-CIB-Series 79x44mm DIP-Pkg.	5
Mitsubishi	EVBL1S1	Test Board for IPM L1- and S1-Series - PCB without module!	3
Mitsubishi	EVBM81500FP	Test Board inclusive Single-Chip-Inverter M81500FP and MCU	2
Mitsubishi	EVBPS2156X	Test Board inclusive 10A Module for 3rd. Gen. Mini-DIIPM-Series	1
Mitsubishi	EVBPS219ALL	Test Board for 4th. Gen. Super-Mini-DIIPMs - PCB without module	5
Mitsubishi	EVBPS22056	Test Board inclusive 25A Module for 1200V DIP-Series	1
Mitsubishi	EVBRA01L8693MA-101	Test Board inclusive RFID Module RA01L8693MA	5
Mitsubishi	M54583P#TB1G	Transistor Array 8-Unit 50V 400mA DIP18-Pkg. - Tube packaging	200
Mitsubishi	M63832GP#TB1G	7-Unit Transistor Array 50V 500mA 16P2S-Pkg. - Tube packaging	1350
Mitsubishi	M81500FP#TB0J	3-Phase Bridge Motor Driver IC 500V 1Ax6 SOP33-Pkg. - Tube packaging	30
Mitsubishi	M81712FP#TB0J	3-Phase Bridge Driver IC 600V +0.2/-0.5A SSOP28-Pkg. - Tube packaging	25

Mitsubishi	M81713FP#TB0J	Half Bridge Driver IC 600V +/-0.5A SOP8-Pkg. - Tube packaging	18
Mitsubishi	M81716FP#TB0J	Dual Low Side Driver IC 24V +0.8/-0.6A SOP8-Pkg. - Tube packaging	8
Mitsubishi	M81719FP#TB0J	Half Bridge Driver IC 600V +0.12/-0.25A SOP8-Pkg. - Tube packaging	18
Mitsubishi	M81731FP#TB0J	Half Bridge Driver IC 600V +/-3A SOP16-Pkg. - Tube packaging	37
Mitsubishi	M81736FP#TB0G	Half Bridge Driver IC 600V 0.2/-0.35A SOP8-Pkg. - Tube packaging	50
Mitsubishi	MG100J2YS50#303T	IGBT 600V 100Ax2 93.5x35mm-Pkg. Old P/N MG100J2YS50(AC)	12
Mitsubishi	MG200Q2YS50#302T	IGBT 1200V 200Ax2 Pkg.35 Old P/N MG200Q2YS50(AC)	32
Mitsubishi	MG50Q1BS1#303T	IGBT 1200V 50Ax1 Pkg.17 Old P/N MG50Q1BS1(AC,R)	40
Mitsubishi	MG50Q1BS11#303T	IGBT 1200V 50Ax1 Pkg.17 Old P/N MG50Q1BS11(AC,R)	19
Mitsubishi	MGF0904A-01	GaAs FET 1.65GHz 28dBm GF7-Pkg.	9
Mitsubishi	MGF0905A-01	GaAs FET 1.65GHz 34dBm GF7-Pkg.	1
Mitsubishi	MGF0906B-01	GaAs FET 2.3GHz 36.5dBm GF21-Pkg.	159
Mitsubishi	MGF0907B-01	GaAs FET 2.3GHz GF21-Pkg.	80
Mitsubishi	MGF0909A-01	GaAs FET 2.3GHz 38.5dBm GF7-Pkg.	55
Mitsubishi	MGF0911A-01	GaAs FET 2.3GHz 41dBm GF21-Pkg.	34
Mitsubishi	MGF0913A-03	GaAs FET 1.9GHz 31dBm GF50-Pkg.	90

Mitsubishi	MGF0915A-01	GaAs FET 1.9GHz 36.5dBm GF50-Pkg. - Tape+Reel - WiMAX	1000
Mitsubishi	MGF0915A-03	GaAs FET 1.9GHz 36.5dBm GF50-Pkg. - WiMAX	200
Mitsubishi	MGF0920A-03	GaAs FET 1.9GHz GF50-Pkg.	50
Mitsubishi	MGF0921A-03	GaAs FET 1.9GHz 33dBm UHF Band GF50-Pkg.	34
Mitsubishi	MGF0951P-03	GaAs FET 5.8GHz 1.25W 31dBm GF55-Pkg.	74
Mitsubishi	MGF1601B-01	GaAs FET 8GHz High Power	850
Mitsubishi	MGF1801B-01	GaAs FET 8GHz High Power	478
Mitsubishi	MGF2407A-01	GaAs FET 14.5GHz 23dBm 1.5W GF17-Pkg.	3
Mitsubishi	MGF2415A-01	GaAs FET 14.5GHz 26dBm 2.5W GF17-Pkg.	63
Mitsubishi	MGF2430A-01	GaAs FET 14.5GHz 29dBm 1W GF17-Pkg.	20
Mitsubishi	MGF2445A-01	GaAs FET 12GHz 32dBm GF17-Pkg.	29
Mitsubishi	MGF4851A-01	GaAs FET 12GHz 14.5dBm GD27-Pkg. - Super Low Noise - T+R	3000
Mitsubishi	MGF4935AM-01	GaAs FET 12GHz 0.45dB GD30-Pkg. - Super Low Noise - T+R	3003
Mitsubishi	MGF4953A-70	GaAs FET 12GHz 0.4dB GD27-Pkg. - Super Low Noise - T+R	5
Mitsubishi	MGF4961B-01	GaAs FET 20GHz 0.7dB GD31-Pkg. - Super Low Noise - T+R	1
Mitsubishi	MGFC47V5864-01	GaAs FET (5.8-6.4GHz) 47dBm 50W GF53-Pkg. - Export controlled device!	2

Mitsubishi	MGFS36E2527-01	InGaP HBT (2.5-2.7GHz) 27dBm 4.5x4.5mm-Pkg. - WiMAX	18
Mitsubishi	ML101J21-01	Laser Diode 658nm 80mW/160mW 5.6mm TO-Pkg. - Single-Mode	35
Mitsubishi	ML101J25-01	Laser Diode 658nm 100mW/250mW 5.6mm TO-Pkg. - Single-Mode	18
Mitsubishi	ML101J26-01	Laser Diode 658nm 100mW/300mW 5.6mm TO-Pkg. - Single-Mode	7
Mitsubishi	ML101J27-01	Laser Diode 658nm 130mW/350mW 5.6mm TO-Pkg. - Single-Mode	1
Mitsubishi	ML320G2-11	Laser Diode 405nm 120mW (CW) 5.6mm TO-Pkg. - Single-Mode	3
Mitsubishi	ML520G51-01	Laser Diode 638nm 150/250mW 5.6mm TO-Pkg. - Multi-Mode	48
Mitsubishi	ML520G54-01	Laser Diode 638nm 110mW (CW) 5.6mm TO-Pkg. - Single-Mode	6
Mitsubishi	ML520G55-11	Laser Diode 638nm 150mW (CW) 5.6mm TO-Pkg. - Single-Mode	3
Mitsubishi	ML520G72-01	Laser Diode 638nm 500mW@45°C (CW) 5.6mm TO-Pkg. - Multi-Mode	46
Mitsubishi	ML561F10-01	Laser Diode 805nm 1W 10.5mm TO-Pkg.	61
Mitsubishi	ML620G40-01	Laser Diode 805nm 500mW/1.2W 5.6mm TO-Pkg. - Multi-Mode	3
Mitsubishi	PM100CL1A060#300G	IPM 600V 100Ax6 L1-Series 120x55mm-Pkg.	12
Mitsubishi	PM100CS1D060#300G	IPM 600V 100Ax6 S1-Series	1
Mitsubishi	PM100CSA120	IPM 1200V 100Ax6 S-Series	7
Mitsubishi	PM100RSE060#300G	IPM 600V 100Ax7 S-Dash-Series	20

Mitsubishi	PM10CSJ060#300A	IPM 600V 10Ax6 S-Series	10
Mitsubishi	PM10RSH120#300A	IPM 1200V 10Ax7 S-Series 101x60mm-Pkg.	6
Mitsubishi	PM150CSA060	IPM 600V 150Ax6 S-Series	6
Mitsubishi	PM150RL1B060#300G	IPM 600V 150Ax7 L1-Series 120x55mm-Pkg. - with solder pins	6
Mitsubishi	PM15CSJ060#300A	IPM 600V 15Ax6 S-Series	1
Mitsubishi	PM15RSH120#300A	IPM 1200V 15Ax7 S-Series 101x60mm-Pkg.	76
Mitsubishi	PM20CSJ060#300A	IPM 600V 20Ax6 S-Series	10
Mitsubishi	PM25RL1C120#300G	IPM 1200V 25Ax7 L1-Series 90x50mm-Pkg. - with solder pins	9
Mitsubishi	PM30CSJ060#300A	IPM 600V 30Ax6 S-Series	10
Mitsubishi	PM50B6LA060#300G	IPM 600V 50Ax4 + 2 Chopper L-Solar-Series 120x55mm-Pkg.	10
Mitsubishi	PM50CL1A060#300G	IPM 600V 50Ax6 L1-Series 120x55mm-Pkg.	4
Mitsubishi	PM50CS1D060#300G	IPM 600V 50Ax6 S1-Series	3
Mitsubishi	PM50CSD120	IPM 1200V 50Ax6 S-Dash-Series	6
Mitsubishi	PM50RL1A120#300G	IPM 1200V 50Ax7 L1-Series 120x55mm-Pkg.	38
Mitsubishi	PM50RSE060#300G	IPM 600V 50Ax7 S-Dash-Series	23
Mitsubishi	PM75CL1B120#300G	IPM 1200V 75Ax6 L1-Series 120x55mm-Pkg. - with solder pins	1

Mitsubishi	PM75CS1D060#300G	IPM 600V 75Ax6 S1-Series	3
Mitsubishi	PM75CSA120	IPM 1200V 75Ax6 S-Series 110x89mm-Pkg.	5
Mitsubishi	PM75RLA120#300G	IPM 1200V 75Ax7 L-Series 120x55mm-Pkg.	18
Mitsubishi	PM75RSE060#300G	IPM 600V 75Ax7 S-Dash-Series	9
Mitsubishi	PS11036#300A	AS-IPM 600V 30Ax6 2.2kW Vers.3 95x74mm-Pkg.	9
Mitsubishi	PS21065	DIIPM 600V 20Ax6 20kHz 2.5kV Vers.3 79x44mm Large-DIP-Pkg. - OE	12
Mitsubishi	PS21067	DIIPM 600V 30Ax6 20kHz 2.5kV Vers.3 79x44mm Large-DIP-Pkg. - OE	6
Mitsubishi	PS21069	DIIPM 600V 50Ax6 20kHz 2.5kV Vers.3 79x44mm Large-DIP-Pkg. - OE	36
Mitsubishi	PS21244-EP	DIIPM 600V 15Ax6 5kHz 2.5kV Vers.2 79x31mm DIP-Pkg.	180
Mitsubishi	PS21563-P	DIIPM 600V 10Ax6 20kHz 2.5kV Vers.3 49x30.5mm Mini-DIP-Pkg.	20
Mitsubishi	PS21564-P	DIIPM 600V 15Ax6 20kHz 2.5kV Vers.3 49x30.5mm Mini-DIP-Pkg.	34
Mitsubishi	PS21564-SP	DIIPM 600V 15Ax6 20kHz 2.5kV Vers.3 49x30.5mm Mini-DIP-Pkg. - OE	1
Mitsubishi	PS21661-FR	DIIPM 600V 3Ax6 15kHz Vers.3 38x24mm SIP-Pkg. - F-Style	8
Mitsubishi	PS21765#500H	DIIPM 600V 20Ax6 20kHz 2.5kV Vers.4 52.5x31mm Mini-DIP-Pkg.	30
Mitsubishi	PS21767	DIIPM 600V 30Ax6 20kHz 2.5kV Vers.4 52.5x31mm Mini-DIP-Pkg.	2
Mitsubishi	PS21864-P	DIIPM 600V 15Ax6 20kHz 2.5KV Vers.3 79x31mm DIP-Pkg.	10

Mitsubishi	PS21869-P	DIPIPM 600V 50Ax6 20kHz 2.5kV Vers.3 79x31mm DIP-Pkg.	30
Mitsubishi	PS21961-4	DIPIPM 600V 3Ax6 20kHz 1.5kV Vers.4 38x24mm Super-Mini-DIP-Pkg.	3
Mitsubishi	PS21962-4S#500	DIPIPM 600V 5Ax6 20kHz 1.5kV Vers.4 38x24mm Super-Mini-DIP-Pkg. - OE	81
Mitsubishi	PS21962-AT	DIPIPM 600V 5Ax6 20kHz 1.5kV Vers.4 38x24mm Super-Mini-DIP-Pkg. - LP+OT	96
Mitsubishi	PS21963-4E#500	DIPIPM 600V 8Ax6 20kHz 1.5kV Vers.4 38x24mm Super-Mini-DIP-Pkg.	6
Mitsubishi	PS21963-ST#500	DIPIPM 600V 10Ax6 20kHz 1.5kV Vers.4 38x24mm Super-Mini-DIP-Pkg. - OE+OT	12
Mitsubishi	PS21964-4A#500	DIPIPM 600V 15Ax6 20kHz 1.5kV Vers.4 38x24mm Super-Mini-DIP-Pkg. - Long Pins	4
Mitsubishi	PS21964-AT#500	DIPIPM 600V 15Ax6 20kHz 1.5kV Vers.4 38x24mm Super-Mini-DIP-Pkg. - LP+OT	14
Mitsubishi	PS21965-4#500	DIPIPM 600V 20Ax6 20kHz 1.5kV Vers.4 38x24mm Super-Mini-DIP-Pkg.	3
Mitsubishi	PS21994-AT	DIPIPM 600V 15Ax6 20kHz 1.5kV Vers.4 38x24mm Super-Mini-DIP-Pkg. - Low Loss	12
Mitsubishi	PS21997-4#500	DIPIPM 600V 30Ax6 20kHz 1.5kV Vers.4 38x24mm Super-Mini-DIP-Pkg. - Low Loss	13
Mitsubishi	PS21997-AT#500	DIPIPM 600V 30Ax6 20kHz 1.5kV Vers.4 38x24mm Super-Mini-DIP-Pkg. - Low Loss	16
Mitsubishi	PS219A2-NST#500	DIPIPM 600V 5Ax6 20kHz 1.5kV Vers.4 38x24mm Super-Mini-DIP-Pkg. - LN+OE+OT	12
Mitsubishi	PS219A3-AST#500	DIPIPM 600V 10Ax6 20kHz 1.5kV Vers.4 38x24mm Super-Mini-DIP-Pkg. - LP+OE+OT	12
Mitsubishi	PS219A4-AST#500	DIPIPM 600V 15x6 20kHz 1.5kV Vers.4 38x24mm Super-Mini-DIP-Pkg. - LP+OE+OT	30
Mitsubishi	PS219B3-AS	DIPIPM 600V 10Ax6 20kHz 1.5kV Vers.5 38x24mm Super-Mini-DIP-Pkg. - LP+OE	12

Mitsubishi	PS219B4-AS	DIPIPM 600V 15Ax6 20kHz 1.5kV Vers.5 38x24mm Super-Mini-DIP-Pkg. - LP+OE	9
Mitsubishi	PS21A79	DIPIPM 600V 50Ax6 2.5kV Vers.4 79x31mm Large-DIP-Pkg.	61
Mitsubishi	PS21A7A	DIPIPM 600V 75Ax6 2.5kV Vers.4 79x31mm Large-DIP-Pkg.	14
Mitsubishi	PS22052	DIPIPM 1200V 5Ax6 15kHz 2.5kV 79x44mm Super-DIP-Pkg.	17
Mitsubishi	PS22053	DIPIPM 1200V 10Ax6 15kHz 2.5kV 79x44mm Super-DIP-Pkg.	14
Mitsubishi	PS22A72	DIPIPM 1200V 5Ax6 2.5kV Vers.4 79x31mm Large-DIP-Pkg.	10
Mitsubishi	PS22A73	DIPIPM 1200V 10Ax6 2.5kV Vers.4 79x31mm Large-DIP-Pkg.	204
Mitsubishi	PS22A76	DIPIPM 1200V 25Ax6 2.5kV Vers.4 79x31mm Large-DIP-Pkg.	47
Mitsubishi	PS61869-VP	DIPIPM 600V 50Ax4 20kHz 2.5kV Vers.3 79x31mm DIP-Pkg.	2
Mitsubishi	QM100DY-2H	BIP 1000V 100Ax2	88
Mitsubishi	QM50DY-2H	BIP 1000V 50Ax2	19
Mitsubishi	QM75DY-2H	BIP 1000V 75Ax2	157
Mitsubishi	RA01L9595M-101	RF MOSFET-Module 3.3V 1.4W (952-954MHz) H58-Pkg. - RFID	5
Mitsubishi	RA03M3540MD-101	RF MOSFET-Module 7.2V 6.3W (350-400MHz) H54-Pkg. - TETRA	5
Mitsubishi	RA03M4043MD-101	RF MOSFET-Module 7.2V 6.3W (400-430MHz) H54-Pkg. - TETRA	20
Mitsubishi	RA03M8087M-101	RF MOSFET-Module 7.2V 3.6W (806-870MHz) H46S-Pkg. - RFID	10

Mitsubishi	RA03M8894M-101	RF MOSFET-Module 7.2V 3.6W (889-941MHz) H46S-Pkg. - RFID	5
Mitsubishi	RA03M9595M-101	RF MOSFET-Module 8V 3W (952-954MHz) H46S-Pkg. - RFID	5
Mitsubishi	RA07H0608M-101	RF MOSFET-Module 12.5V 7W (66-88MHz) H46S-Pkg.	145
Mitsubishi	RA07H4452M-101	RF MOSFET-Module 12.5V 7W (440-520MHz) H46S-Pkg.	7
Mitsubishi	RA07M1317M-101	RF MOSFET-Module 7.2V 6.5W (135-175MHz) H46S-Pkg.	22
Mitsubishi	RA07M1317MSA-101	RF MOSFET-Module 7.2V 6.7W (135-175MHz) H46M-Pkg. - Metal Cap	3
Mitsubishi	RA07M2127M-101	RF MOSFET-Module 7.2V 7W (215-270MHz) H46S-Pkg.	27
Mitsubishi	RA07M3340M-101	RF MOSFET-Module 7.2V 7W (330-400MHz) H46S-Pkg.	650
Mitsubishi	RA07M4047M-101	RF MOSFET-Module 7.2V 7W (400-470MHz) H46S-Pkg.	360
Mitsubishi	RA07M4047MSA-101	RF MOSFET-Module 7.2V 7W (400-470MHz) H46M-Pkg. - Metal Cap	53
Mitsubishi	RA07M4452M-101	RF MOSFET-Module 7.2V 7W (440-520MHz) H46S-Pkg.	115
Mitsubishi	RA07N3340M	RF MOSFET-Module 9.6V 7W (330-400MHz) H46S-Pkg.	13
Mitsubishi	RA07N4452M-101	RF MOSFET-Module 9.6V 7.5W (440-520MHz) H46S-Pkg.	43
Mitsubishi	RA13H3340M-101	RF MOSFET-Module 12.5V 13W (330-400MHz) H2S-Pkg.	3
Mitsubishi	RA13H4047M-101	RF MOSFET-Module 12.5V 13W (400-470MHz) H2S-Pkg.	114
Mitsubishi	RA18H1213G-101	RF MOSFET-Module 12.5V 18W (1240-1300MHz) H2S-Pkg.	5

Mitsubishi	RA20H8994M-101	RF MOSFET-Module 12.5V 20W (896-941MHz) H2S-Pkg.	4
Mitsubishi	RA30H0608M-101	RF MOSFET-Module 12.5V 30W (68-88MHz) H2S-Pkg.	218
Mitsubishi	RA30H1721M-101	RF MOSFET-Module 12.5V 30W (175-215MHz) H2S-Pkg.	78
Mitsubishi	RA30H2127M-101	RF MOSFET-Module 12.5V 30W (210-270MHz) H2S-Pkg.	5
Mitsubishi	RA30H4452M-101	RF MOSFET-Module 12.5V 30W (440-520MHz) H2S-Pkg.	36
Mitsubishi	RA45H4452M-101	RF MOSFET-Module 12.5V 45W (440-520MHz) H2S-Pkg.	16
Mitsubishi	RA55H4047M-101	RF MOSFET-Module 12.5V 55W (400-470MHz) H2S-Pkg.	14
Mitsubishi	RA60H1317M-101	RF MOSFET-Module 12.5V 60W (135-175MHz) H2S-Pkg.	20
Mitsubishi	RA60H1317M1A-201	RF MOSFET-Module 12.5V 60W (135-175MHz) H2M-Pkg. - Metal Cap	7
Mitsubishi	RA60H4047M1-101	RF MOSFET-Module 12.5V 60W (400-470MHz) H2M-Pkg. - Metal Cap	3
Mitsubishi	RD00HVS1-101	RF-MOSFET 12.5V 175MHz 0.5W SOT89-Pkg.	76
Mitsubishi	RD01MUS1-T113	RF-MOSFET 7.2V 520MHz 0.8W SOT89-Pkg. T+R	3000
Mitsubishi	RD01MUS2-101	RF-MOSFET 7.2V 520MHz 0.8W SOT89-Pkg. - with Gate Protection Diode	8
Mitsubishi	RD02MUS1-101	RF-MOSFET 7.2V 175/520MHz 2W SLP-Pkg. - Tube packagin	100
Mitsubishi	RD06HHF1-101	RF-MOSFET 12.5V 30MHz 6W TO220S-Pkg.	100
Mitsubishi	RD07MVS1-101	RF-MOSFET 7.2V 175/520MHz 7W SLP-Pkg.	75

Mitsubishi	RD07MVS2-101	RF-MOSFET 7.2V 175/520MHz 7W SLP-Pkg. - with Gate Protection Diode	40
Mitsubishi	RD100HHF1-101	RF-MOSFET 12.5V 30MHz 100W Ceramic(large)-Pkg.	362
Mitsubishi	RD15HVF1-101	RF-MOSFET 12.5V 175/520MHz 15W TO220S-Pkg.	200
Mitsubishi	RD16HHF1-101	RF-MOSFET 12.5V 30MHz 16W TO220S-Pkg.	388
Mitsubishi	RD20HMF1-101	RF-MOSFET 12.5V 900MHz 20W Ceramic(small)-Pkg.	20
Mitsubishi	RD30HVF1-101	RF-MOSFET 12.5V 175MHz 30W Ceramic(small)-Pkg.	8
Mitsubishi	RD45HMF1-101	RF-MOSFET 12.5V 900MHz 45W Ceramic(larg)-Pkg.	40
Mitsubishi	RD60HUF1-101	RF-MOSFET 12.5V 520MHz 60W Ceramic(large)-Pkg.	3
Mitsubishi	RD70HHF1-101	RF-MOSFET 12.5V 30MHz 70W Ceramic(large)-Pkg.	9
Mitsubishi	RD70HVF1-101	RF-MOSFET 12.5V 175/520MHz 70/50W Ceramic(large)-Pkg.	44
Mitsubishi	RM10TN-2H	Diode Module 1600V 10Ax6 71.8x30mm-Pkg.	11
Mitsubishi Paper Mills Ltd	TH60/100/25-130G-Inside	Thermal paper 60mm, 130g/m2, diameter 100 mm, core 25mm. Inside coating !!! 51m length	140
Module House	GS-07031AA	custom LCD	390
Module House	GS08631AA	Custom COG for #32390 48 Seg., ML2002 IC, with PIN	4
Molex	CONN-LTP8235B-S	Connector for thermal head LTP8235B, 2 2pin, straight	1000
Molex	CONN-LTPZ-S	CONNECTOR FOR THERMAL HEAD LTPZ, LTPC, 30P, STRAIGHT	900

Molex	CONN-MOS3345-S	Connector for motor and sensor LTP3345 , 11p, straight	390
Molex	FFC0.50A20.31MM	Flex cable for Molex connector EW24HA0 from EDT	807
Molex	FFC1.00A20.100MM	Flex cable for Molex connector EW50793 FLWP	220
Molex	FFC-502250-3591	Molex-Connector for SEIKO TFT 2.4" & 2.8" 35 Pins, 0.3mm Pitch	215
Molex	FFC-52271-2079	Molex connector for FFC 20Pin at 1,0mm pitch	14
Molex	FFC-52435-3072	Molex connector for FFC 30pin at 0.50m m pitch	55
Murata	TZB4P300AB10R00	Ceramic Trimmer Capacitor	90
Nakagawa	NEP04HQ	Thermo Paper 58mm 25m diameter 46mm	264
Nakagawa	NEP07	Thermal paper 79mm, diameter 46mm, cor e 12mm, 25m length	156
Nakagawa	NTG70 76X50,8	Labelroll 80mm, 620 Lab/Roll Labelsize 76x50,8mm core 1"	8
National Semiconductor	DS90C365AMT	3.3V Programmable LVDS Transmitter 18-Bit Flat Panel Display Link-85 MHz	70
National Semiconductor	DS90C385AMT	3.3V Programmable LVDS Transmitter 24-Bit Flat Panel Display Link-65 MHz	58
National Semiconductor	LM2596S-5.0	Power Converter 150kHz 0.5A	38
NXP	SC16IS750IPW	UART I2C/SPI 24-TSSOP	48
OKI	MSM80C154SGS-2K	8Bit CMOS uC 24MHz 44QFP	10
Omron	XF2M-4012-1A	ZIF connector 40pin, 0.5mm, bottom and top (dual)	5

Omron	XF2U-0415-3A	Connector for TP Seiko 24/28QVfXJ ZIF 0.5mm 4way	95
Osram	LWW5SG-GYHY-5K8L	Golden Dragon White LED 10 Candela at 350mA Pb-free	6
Phytec	KSP-0110	STARTERKIT 91F364 incl. CD, PowerSupply, Documentation	3
Plastronics	08QN12T16050	QFN 8 Test & Burnin Socket	2
Plastronics	P2028-A-AU	LCC28 Test+Burnin Socket	1
Power Systems	EINGANGSKABEL 1	CAB for PS-DA0137-091 and PS-DA0140-01	4
Power Systems	EINGANGSKABEL 13	CAB for PS-LD0301-043(S)	4
Power Systems	EINGANGSKABEL 2	CAB FOR ALL PS-Mxxxx INV CXA-0217 & PS-DA0211-03(S)	25
Power Systems	EINGANGSKABEL 2#001	based on Eingangskabel 2	510
Power Systems	EINGANGSKABEL 3	For PS-DA0408-131	5
Power Systems	EINGANGSKABEL12	CAB INVN YT9943-03/04	11
Power Systems	PS-DA0130-01-1	Inverter - for example for TX14D12	4
Power Systems	PS-DA0137-091	INV for TX18-series,	2
Power Systems	PS-DA0140-02	Inverter for HITACHI TX14/TX18 -20°C - +70°C	1
Power Systems	PS-DA0211-03(S)	INV for LTA104A261F	17
Power Systems	PS-DA0245-134	INV for TX31D56	9

Power Systems	PS-DA0253-03	INV for LTA104D182F	16
Power Systems	PS-DA040-048(S)	INV for M170EG01V9	11
Power Systems	PS-DA0401-01	Inv for LTD121C35S	3
Power Systems	PS-DA0408-131	Inv for TX38D55VM1AAA	1
Power Systems	PS-DA0408-139	Inv for TX39D55VM1BAA	2
Power Systems	PS-DA0412-034	INV for G150XG02V0	8
Power Systems	PS-L0605A-236	INV for TX14D11 5V supply	1
Power Systems	PS-L0612-203	INV for SP14N002 (HIT)	1
Power Systems	PS-M06D12S2-NJ1L-032	INV for G121SN01v3	27
Prolific	PL2303HXD LF	USB-SERIAL BRIDGE CONTROLLER USB 3.3VT	37
Prolific	PL-2303X LF	USB-Serial Bridge Controller USB 1.1.5 V+3.3V Reg.28PIN SSOP	577
Prolific	PL-2506	Hi-speed USB to IDE Bridge Controller	20
Prolific	PL2520		20
Prolific	PL-25A1_B		30
Prolific	PL2771QFN48	USB3-SATA	13
QT Brightek	QBHP682IWU-1520	HP LED WW, 350mA, min. 67 lm, 3000K+/- 400 KELVIN, typ. 3,5V CRI >= 80	250

QT Brightek	QBHP684IWU-1513	HP LED White, 350mA, min. 100 lm, 5375K+/- 625 KELVIN, 3.4x3.4mm, 120°, CRI >=75	940
QT Brightek	QBHP684IWU-1514	HP LED White, 350mA, min. 114 lm, 5375+/- 625 KELVIN, 3.4x3.4mm, 120°, CRI >=75	497
QT Brightek	QBHP684IWU-1515	HP LED White, 350mA, min. 130 lm, 5375+/- 625 KELVIN, 3.4x3.4mm, 120°, CRI >=75	497
QT Brightek	QBHP684IWU-1522	HP LED WW, 350mA, min. 80 lm, 3300+/- 420 KELVIN, 3.4x3.4mm, 120°, CRI >=80	247
QT Brightek	QBLB5007-IWV-1740	7W White Light Bar. typ. 530 lm 50x7x1,8mm typ 9,7 Volt, 0,7 A, typ 5500 Kelvin	37
QT Brightek	QBLP670IW-1524	LED UB Pure White min. 2000 mcd @ 20mA PLCC2 3528 InGaN 120° 3,5x2,8x1,9mm	1060
QT Brightek	QBLP670IW-1525	LED UB Warm White min. 1800 mcd @ 20mA PLCC2 3528 InGaN 120° 3,5x2,8x1,9mm	3960
QT Brightek	QBLP679IWK-1428	SMD LED 5,2x5,2mm Cool White 3x20mA 6 pin, typ 9000 KELVIN typ. 6,0 cd @ 60mA	2000
QT Brightek	QBLP679IWK-1429	SMD LED 5,2x5,2mm Cool White 3x20mA 6 pin, typ 8400 KELVIN typ. 6,0 cd @ 60mA	2000
QT Brightek	QBLP679IWK-1430	SMD LED 5,2x5,2mm Daylight White 3x20mA 6 pin, typ 6000 KELVIN typ. 6,0 cd @ 60mA	1990
QT Brightek	QBLP679IWK-1431	SMD LED 5,2x5,2mm White 3x20mA 6 pin, typ 4250 KELVIN typ. 6,0 cd @ 60mA	3000
Radiocrafts AS	RC1140-RC232	433 MHz RF Modules with RC232 protocoll (UART in / RF out)	41
Radiocrafts AS	RC1140RC232SDK	Demo Kit RC232	1
Radiocrafts AS	RC1180HP-RC232	868 MHz high power RF Modules with RC232 protocoll (UART in / RF out)	30
Radiocrafts AS	RC1180-KNX1	868 MHz Wireless KNX module	18
Radiocrafts AS	RC1180-KNX1-DK	Demo Kit for KNX with two RC1180-KNX1 modules	3

Radiocrafts AS	RC1180-MBUS3	868 MHz Wireless M-Bus Radio module, OMS conform	16
Radiocrafts AS	RC1180-MBUS-IESM	Expansion card for Wavecom Fastrack Supreme, Wireless M-Bus	5
Radiocrafts AS	RC1180-RC232	868 MHz RF Modules with RC232 protocol (UART in / RF out)	93
Radiocrafts AS	RC1180-RC232-SDK	Demo Kit RC232	2
Radiocrafts AS	RC1240	433 MHz narrowband RF Modules	17
Radiocrafts AS	RC1280	868 MHz narrowband RF Modules	21
Radiocrafts AS	RC1280HP	868 MHz narrowband RF Modules with 500mW	4
Radiocrafts AS	RC1280HP-SDK	Demo Kit, 868MHz, Narrowband, High Power	1
Radiocrafts AS	RC1280-RC232-SDK	Demo Kit for Narrowband	2
Radiocrafts AS	RC2300AT-ZNM	2.45 GHz ZigBee Network Module with antenna	10
Radiocrafts AS	RC2400 DK	Demo Kit for RC2400	1
Radiocrafts AS	RC2400HP-ZNM	2.45 GHz, 802.15.4 256kB HW platform, ZigBee, ZNM-stack preloaded, high power	5
Radiocrafts AS	RC2400HP-ZNM -IESM	ZigBEE Expansion card with high power for Fastrack Supreme, ZNM preloaded	1
Radiocrafts AS	RC2411HP-AT	2.45 GHz, 802.15.4/ZigBee HW platform with with high power and chip antenna	6
Radiocrafts AS	RC2411HP-CT	2.45 GHz, 802.15.4/ZigBee HW platform with with high power and UFL connector	10
Radiocrafts AS	RC2500-DK	Demo Kit for RC2500-RC232	2

Radiocrafts AS	RC2500HP-RC232	2.45 GHz RC232- high power Module, with data rates up to 100 kbps.	3
Radiocrafts AS	RC2500-RC232	2.45 GHz RC232- Module, with data rates up to 100 kbps.	4
Renesas	E1	Low Cost On Chip Debugger für RX Familie USB Interface	18
Renesas	HD6412350TE20V/ZK	16B.uC romless 2K Ram QFP128/0,5 -20/+75°C 20 Mhz H8S/2350	90
Renesas	HD6413003RFI16V/ZK	16B.uC romless 512B Ram LQFP112/0,65 -20/+75°C 16 Mhz H8/3003	600
Renesas	HD6413003TFI-16V/ZK	16B.uC romless 512B Ram LQFP112/0,65 -40/+85°C 16 Mhz H8/3003	20
Renesas	HD6417032F20V/ZK	16B.uC romless 4KB Ram QFP 112/0,65 -20/+75°C 20 Mhz SH/7030	15
Renesas	HD6473827RWV/ZK	8B.uC OTP Ram PLCC84 -20/+75°C 5 Mhz H8/300	10
Renesas	HD64F2144FA20V/ZK	8B.uC K 128K Flash 4K Ram LQFP 100/0,5 -20/+75°C 20 Mhz H8S/2144	1250
Renesas	HD64F2339VFC25V/ZK	16B.uC K 384K Flash 32K Ram LQFP 144/0,5 -20/+75°C 25 Mhz H8S/2339	400
Renesas	HD64F3048BF25V/ZK	16B.uC K 128K Flash 4K Ram LQFP 100/0,5 -20/+75°C 25 Mhz H8/3048	769
Renesas	HD64F3048F16V/ZK	16B.uC K 128K Flash 4K Ram LQFP 100/0,5 -20/+75°C 16 Mhz H8/3048	2285
Renesas	HD64F3052BF25V/ZK	16B.uC K 512K Flash 8K Ram LQFP 100/0,5 -20/+75°C 25 Mhz H8/3052	525
Renesas	HD64F3064BF25V/ZK	16B.uC K 256K Flash 8K Ram LQFP 100/0,5 -20/+75°C 25 Mhz H8/3064	30
Renesas	HD64F3644HV/ZK	8B.uC K 32K Flash 1K Ram QFP 64/0,65 -20/+75°C 20 Mhz H8/3644	427
Renesas	HD64F3664HV/ZK	16B.uC K 32K Flash 1K Ram QFP 64/0,65 -20/+75°C 16 Mhz H8/3664	400

Renesas	HD64F38602RFT10V/ZK	16B.uC 16K Flash 32QFN 0.5 H8/300H SLP 10MHz	50
Renesas	HD64F7044F28V/ZK	32B.uC 256K Flash 4K Ram LQFP 112/0,5 -20/+75°C 28 Mhz SH/7044F	1300
Renesas	HD64F7045F28V/ZK	32B.uC 256K Flash 4K Ram LQFP 144/0,5 -20/+75°C 28 Mhz SH/7044F	600
Renesas	HM216514TTI5SE	SRAM 512Kx16 55nS, 5V -40/+85C 44TSOP	474
Renesas	HM28100TTI5SE	SRAM 1Mx8 55nS 5V -40/+85C 44TSOP	9768
Renesas	M30260F8AGP#U3A/ZK	16B.uC 64KFlash 2K Ram LQFP48/0,5 -40/+85°C 20 Mhz M16C TINY	637
Renesas	M30260F8AGP#U9A	16B.uC 64KFlash 2K Ram LQFP48/0,5 -20/+85°C 20 Mhz M16C TINY	173
Renesas	M30620FCPP#U3C/ZK	16B.uC 128KFlash 10K Ram QFP100/0,65 -40/+85°C 16 Mhz M16C	980
Renesas	M30625FGPGPU9C/ZK	16B u.C. 256K Flash+4K ROM 20K RAM 128LQFP -20/+85°	300
Renesas	M30626FHPFP#U3C/ZK	16B.uC 384KFlash 31K Ram QFP100/0,65 -40/+85°C 24 Mhz M16C	1288
Renesas	M30626FJFP#U3C/ZK	16B.uC 512KFlash 31K Ram QFP100/0,65 -40/+85°C 24 Mhz M16C	740
Renesas	M30626FJPGP#U3C/ZK	16B.uC, 512KFlash, 31K RAM, LQFP100/0,5 -40/+85°C, 24 MHz, M16C	1000
Renesas	M30805FGGP#U3	16B.uC 256K Flash 20K Ram LQFP144/0,5 -40/+85°C 20 Mhz M16C/80	36
Renesas	M30843FJGP#U3	32B.uC 512K Flash 24K Ram LQFP100/0,5 -40/+85°C 20 Mhz 2 CAN M16C/84	1530
Renesas	M5M51008DRV-55H	SRAM 128Kx8 55ns 32TSOPI REV.	18
Renesas	M5M51008DRV-70HIBT	SRAM 128Kx8 70nS Rev-TSOP LL -40/+85C	54

Renesas	M5M51008DVP-70HI#ST	SRAM 128Kx8 70nS TSOP LL 5V PB-Free -40/+85C Tape+Reel	3000
Renesas	M5M51008DVP-70HIBT	SRAM 128Kx8 70nS TSP LL 5V PB-Free -40/+85C	232
Renesas	M5M5256DFP-70LLI#BM	SRAM 32Kx8 70nS SOP LL PB-Free, -40/+85C	1117
Renesas	M5M5256DFP-70XG#BM	SRAM 32Kx8 70nS, 3.0-5.5V SOP, triple low power	1200
Renesas	M5M5V208AKV-70HIST	SRAM 256Kx8 3,3V STSOP-40/+85C Tape+Reel	3000
Renesas	M5M5V216ATP-55HIDT/U	SRAM 128Kx16 2.7 to 3.6V 55nS 44TSOP - 40/+85C	588
Renesas	R1LP0108ESA-5SI#B0	SRAM 128Kx8 55nS S-TSOP LL 5V -40 / +85C	4766
Renesas	R1LP0108ESF-5SI#B0	SRAM 128Kx8 55nS TSOP LL 5V PB-Free -40/85C	102
Renesas	R1LP0108ESF-5SI#S0	SRAM 128Kx8 55nS TSOP LL 5V PB-Free -40/+85C Tape+Reel	5000
Renesas	R1LP0108ESF-7SI#S0	SRAM 128Kx8 70nS TSOP LL 5V PB-Free -40/+85C Tape+Reel	6000
Renesas	R1LP0108ESP-5SR#B0	SRAM 128Kx8 55nS 32SOP525 LL Lead-Free	16297
Renesas	R1LP0108ESP-7SI#B0	SRAM 128Kx8 70nS 32SOP525 LL PB-Free - 40/85C	4972
Renesas	R1LP0108ESP-7SR#B0	SRAM 128Kx8 70nS 32SOP525 LL PB-Free	2525
Renesas	R1LP0408CSB-5SC T+R	SRAM 512Kx8 TSOP 55nS LL 5V	1000
Renesas	R1LP0408CSB-5SC#D0	SRAM 512Kx8 TSOP 55nS 5V Super Low standby ndby	2288
Renesas	R1LP0408CSB-5SI#B0	SRAM 512Kx8 TSOP 55nS 5V -40/+85C Super Low standby	2

Renesas	R1LP0408CSB-5SI#D0	SRAM 512Kx8 TSOP 55nS 5V -40/+85C Super Low standby	661
Renesas	R1LP0408CSP-5SC T+R	SRAM 512Kx8 SOP 55nS LL 5V	16000
Renesas	R1LP0408CSP-5SI#B0	SRAM 512kX8 SOP 55nS 5V -40/+85C Super Low standby	30901
Renesas	R1LV0408DSA-5SI#B0	Advanced SRAM 512Kx8 sTSOP 55nS 3V -40/+85C	12522
Renesas	R1LV1616HSA-4SI#B0	SRAM 1Mx16 2.7-3.6V TSOP48 TSOP48 45/ 55nS (max.)	2617
Renesas	R1WV3216RBG-7SI#B0	Advanced SRAM 2Mx16 FBGA48 -40/+85C, 70nS, 2.7-3.6V	906
Renesas	R5F21134FP#U0	16B.uC 16KFlash 1K Ram LQFP32/0,8 -20/+85°C 20Mhz R8C	696
Renesas	R5F21184SP#U0/ZK	16B.uC 16KFlash 1K Ram SSOP20/0,65 -20/+85°C 20Mhz R8C	40
Renesas	R5F211A4DSP#U0	16B.uC 16KFlash 1K Ram SSOP20/0,65 -40/+85°C 20Mhz R8C	2316
Renesas	R5F21237DFP#U0	16B.uC 48KFlash 2,5K Ram LQFP48/0,5 -40/+85°C 20Mhz R8C	400
Renesas	R5F21237KFP#U0/ZK	16B.uC 48KFlash 2,5K Ram LQFP48/0,5 -40/+125°C 1 X CAN 20Mhz R8C	74
Renesas	R5F21246SNFP#U0	16B.uC 32KFlash 2K Ram LQFP52/0,65 -20/+85°C 20Mhz R8C	800
Renesas	R5F21256SNFP#U0	16B.uC 32KFlash 2K Ram LQFP52/0,65 -20/+85°C 20Mhz R8C	1133
Renesas	R5F21258SDFP#U0	16B.uC 64KFlash 3K Ram LQFP52/0,65 -40/+85°C 20MHz R8C	1920
Renesas	R5F21258SNFP#U0	16B.uC 64KFlash 3K Ram LQFP52/0,65 -20/+85°C 20MHz R8C	790
Renesas	R5F212A8SDFP#U0	16 Bit uC 64K Flash 3KRam QFP64/0,5 -40/+85°C 20Mhz R8C	7228

Renesas	R5F212A8SNFP#U0	16 Bit uC 64K Flash 3KRam QFP64/0,5 -20/+85°C 20Mhz R8C	820
Renesas	R5F212B8SNFP#U0	16 Bit uC 64K Flash 3KRam LQFP64/0,5 -20/+85°C 20Mhz R8C	470
Renesas	R5F212BASNFP#U0	16 Bit uC 96K Flash 7KRam LQFP64/0,5 -20/+85°C 20Mhz R8C	2450
Renesas	R5F212BCSDFA#U0	16 Bit uC 128K Flash 7,5KRam LQFP64/0,8 -40/+85°C 20Mhz R8C	130
Renesas	R5F21356CNFP#U0	16B.uC R8C/35C 32+4KFlash 2,5K RAM LQFP52/0.65 -20/+85°C 20MHz	40
Renesas	R5F3650TDFB#U0	16B.uC 768K Flash 47K Ram LQFP100/0,5 -40/+85°C 32 Mhz M16C/65	7118
Renesas	R5F36CAMNFB#U0	16B.uC, 512K Flash, 31K RAM, LQFP100/0,5 -20/+85°C, 32 MHz, USB 2.0, M16C/6C	52
Renesas	R5F56108WDBG#U0	2MB / 128kB LFBGA 176pin -40°C - 85°C	215
Renesas	R5F64112DFB#U0	32B.uC, 512KFlash, 63K RAM, LQFP100/0,5 -40/+85°C, 50 MHz, R32/111	469
Renesas	RJK0456DPB	MOSFET single N-CH, 40V, 50A, 0,0032 □, LFPK	12
Renesas	RJK0654DPB-WS#J5	MOSFET Single N-CH, 60V, 30A, 0,0083 □, LFPK	60
Renesas	RJK0856DPB	MOSFET Single N-CH, 80V, 35A, 0,0089 □, LFPK	34
Renesas	RJK1054DPB-WS#J5	MOSFET single N-CH 100V 20A, 0,022□, LFPK	50
Renesas	RJK1056DPB	MOSFET single N-CH 100V 25A, 0,014□, LFPK	34
Renesas	RPBRL78G13	Demo-Board RL78/G13	8
Renesas (NEC)	104PW03F	LED driver Board	29

Renesas (NEC)	2SK3479-ZJ-E1-AZ	MOSFET single N-CH 100V 83A 0,011□ MP-25ZJ	4800
Renesas (NEC)	NL10276BC20-18	TFT 10,4" (26,4cm) XGA, 400cd LED, LVDS small outline	6
Renesas (NEC)	NL10276BC24-13	TFT 12,1" (30,7cm) XGA, 400cd CCFL, LVDS	95
Renesas (NEC)	NL10276BC24-13C	TFT 12,1" (30,7cm) XGA, 400cd CCFL, LVDS super transmissive	2
Renesas (NEC)	NL2432HC22-50J	TFT 3,5" (8,9cm) QVGA, 220cd, CMOS, transflective SR-NLT	2
Renesas (NEC)	NL2432HC22-50K	TFT 3,5" (8,9cm) QVGA+ touch panel, 200cd, CMOS, transflective SR-NLT	4
Renesas (NEC)	NL6448BC33-64	TFT 10.4" (26,4cm) VGA, 450cd CCFL, CMOS	4
Renesas (NEC)	NL8060BC26-35C	TFT 10,4" (26,4cm) SVGA, 800cd LED, LVDS sunlight readable	5
Renesas (NEC)	NL8060BC31-41C	TFT 12,1" (30,7cm) SVGA, 550cd CCFL, LVDS, sunlight readable	4
Renesas (NEC)	NL8060BC31-41D	TFT 12,1" (30,7cm) SVGA, 400cd CCFL, LVDS	40
Renesas (NEC)	NP110N055PUJ-E1B-AY	MOSFET single N-CH 55V 110A 0,0024□ MP-25ZP AEC-Q101 compliant	1998
Renesas (NEC)	NP23N06YDG-E1-AY	MOSFET single N-CH 60V 23A 0,027□ HSON-8 AEC-Q101 compliant	5000
Renesas (NEC)	NP36P04KDG-E1-AY	MOSFET single P-CH -40V -36A 0,017□ MP-25ZK AEC-Q101 compliant	3200
Renesas (NEC)	NP52N06SLG-E1-AY	MOSFET single N-CH 60V 52A 0,0175□ MP-3ZK AEC-Q101 compliant	5
Renesas (NEC)	NP55N04SUG-E1-AY	MOSFET single N-CH 40V 55A 0,0065□ MP-3ZK AEC-Q101 compliant	5000
Renesas (NEC)	NP75P03YDG-E1-AY	MOSFET single P-CH -30V -75A 0,0062□ HSON-8 AEC-Q101 compliant	10

Renesas (NEC)	NP80N055KHE-E1-AY	MOSFET single N-CH 55V 80A 0,011□ MP-25ZK AEC-Q101 compliant	4000
Renesas (NEC)	NP90N04VUG-E1-AY	MOSFET single N-CH 40V 90A 0,004□ MP-3ZP AEC-Q101 compliant	5000
Renesas (NEC)	PS2501-1L-A	Transistor Coupler DIP4 RoHS	200
Renesas (NEC)	PS2501L-1L-F3-A	Transistor Coupler SMD4 T+R, CTR=200-400	25999
Renesas (NEC)	PS2501L-2-E3-A	Transistor Coupler SMD8 T+R Pb free	10
Renesas (NEC)	PS2501L-4-A	Transistor Coupler SMD16	1300
Renesas (NEC)	PS2505L-4-A	Transistor Coupler SMD16 Pb free	310
Renesas (NEC)	PS2561BL-1W-F3-A	Transistor Coupler	8000
Renesas (NEC)	PS2561L-1L-V-E3-A	Transistor Coupler wide SMD4 VDE PB fr ee	35
Renesas (NEC)	PS2581AL1-Q-A	Optocoupler CTR 100 - 200	1400
Renesas (NEC)	PS2581AL2-E3-A	Optocoupler	90
Renesas (NEC)	PS2703-1K-F3-A	Transistor Coupler SMD4 T+R	14000
Renesas (NEC)	PS2705-1L-F3-A	Transistor Coupler SMD4 T+R PB-free	10500
Renesas (NEC)	PS2705A-1-A	Transistor Coupler	10
Renesas (NEC)	PS2705A-1-F3-A	Transistor Coupler	3500
Renesas (NEC)	PS2801-1P-F3-A	Transistor Coupler SMD4 PB free P is C TR 150 to 300	66500

Renesas (NEC)	PS2801-4-A	Transistor Coupler SMD16	1150
Renesas (NEC)	PS2801-4-F3-A	Transistor Coupler SMD16 T+R PB-free	255000
Renesas (NEC)	PS2801C-1-F3-A	Transistor Coupler	3500
Renesas (NEC)	PS2801C-4-A	Transistor Coupler SMD16 T+R PB-free Rank M: 100to 400%	1
Renesas (NEC)	PS2801C-4-F3-A	Transistor Coupler SMD16 T+R PB-free	7500
Renesas (NEC)	PS2801C-4M-F3-A	Transistor Coupler SMD16 T+R PB-free Rank M: 100to 400%	20000
Renesas (NEC)	PS2805-1-F3-A	Transistor Coupler SMD4 PB-free	3500
Renesas (NEC)	PS2805C-1-F3-A	Transistor Coupler SMD4 PB-free	14000
Renesas (NEC)	PS2815-4-F3-A	LOW (AC) INPUT CURRENT, HIGH CTR 4, 16-PIN SSOP PHOTOCOUPLER	10
Renesas (NEC)	PS2841-4A-F3-A	Photo IC Coupler Ultra Small SOP Obsolete last time buy March 2011	5000
Renesas (NEC)	PS710A-1A-A	SSR Normally Open 6 PIN DIP 60V	100
Renesas (NEC)	PS7200H-1A-F3-A	SSR Normally open 4 PIN SOP PB free	5
Renesas (NEC)	PS7205B-1A-E3-A	SSR Normally open 4 PIN SOP	15300
Renesas (NEC)	PS7241-1A-E3-A	SSR Normally Open 4 PIN SOP 400 V PB-free	900
Renesas (NEC)	PS8101-AX	Optocoupler SO5 1MB/s CMR 10KV/US A=Pb	10
Renesas (NEC)	PS8103-F3-A	Optocoupler SO5 0.2MB/s	15

Renesas (NEC)	PS8501L2-AX	High speed analog output type	40
Renesas (NEC)	PS8502L2-V-AX	High speed analog output type	20
Renesas (NEC)	PS8802-2-F3-AX	Optocoupler SO8 1MB/s CMR 10KV/US	1500
Renesas (NEC)	PS9115-F3-AX	Photo IC Coupler SMD5 T+R RoHS	17500
Renesas (NEC)	PS9121-AX		10
Renesas (NEC)	PS9151-F3-AX	HIGH NOISE REDUCTION, 15 Mbps CMOS OUTPUT TYPE 5-PIN SOP	2500
Renesas (NEC)	PS9213-A	Optocoupler SO5 1MB/s CMR 15KV/uS Pb free	23
Renesas (NEC)	PS9305L-AX		40
Renesas (NEC)	PS9305L-E3-AX		1000
Renesas (NEC)	PS9306L2-AX		90
Renesas (NEC)	PS9306L-AX		88
Renesas (NEC)	PS9401-2-AX	2 Channel IGBT Gate Drive Optocoupler	15
Renesas (NEC)	PS9505L2-AX		90
Renesas (NEC)	PS9505L3-AX		90
Renesas (NEC)	PS9506L2-AX		90
Renesas (NEC)	PS9506L3-AX		88

Renesas (NEC)	PS9513L1-AX	IPM driver	69
Renesas (NEC)	PS9513L1-V-AX	Photo IC Coupler, IPM Driver	800
Renesas (NEC)	PS9513L3-V-AX	IPM driver	10
Renesas (NEC)	PS9552-AX	IGBT drive coupler	4040
Renesas (NEC)	PS9552-L3-V-AX	IGBT drive coupler VDE	246
Renesas (NEC)	PS9553L3-V-E3-AX	IPM - IGBT Driv, Power MOSFET Gate Driver, Industrial inverter, IH(Induction Heating)	20
Renesas (NEC)	PS9587L1-V-AX	10Mbit coupler, through hole VDE	25
Renesas (NEC)	PS9617L-E3-A	Photo IC Coupler SMD8	20
Renesas (NEC)	PS9817-1-F3-A	Optocoupler SO8 10M/S High CMR	7500
Renesas (NEC)	PS9817A-1A	Optocoupler SO8 10M/S High CMR	5
Renesas (NEC)	PS9821-1-F3-A	Optocoupler SO8 15MB/S High CMR	5
Renesas (NEC)	PS9821-2-F3-AX	Optocoupler SO16 15MB/S High CMR	3000
Renesas (NEC)	PS9851-1-F3-A	High Noise 15Mbps CMOS OUTPUT Type 8 Pin SSOP	22500
Renesas (NEC)	RJM0603JSC-00#13	MOSFET 6in1 N/P-CH ±60V 20/-20A 0,02/0,04 □ HSOP20 AEC-Q101 compliant	5
Renesas (NEC)	uPA2727T1A-E1-AY	MOSFET single N-CH 30V 16A 0,0096 □ HVSON-8	8
Renesas (NEC)	UPD720102GC-YEB-A	USB 2.0 ASSP Low-, Full- + High Speed PCI interface (Spec. 2.2) 3 Downstream Ports	100

Renesas (NEC)	UPD720114GA-YEU-A	USB 2.0 ASSP Low-, Full- and High Speed with auto detection Up to 2 Downstream	100
Renesas (NEC)	UPD720150GK-9EU-A	USB 2.0 ASSP Low-, Full- and High Speed Up to 2 Downstream ports TQFP80	23
Renesas (NEC)	UPD78F8024GK(S)-GAJ-AX	8 bit 78K0 Flash MCU, 8KB Flash, 512byte SRAM, 64 pin LQFP	5200
Renesas (NEC)	UPD78F8025GK(S)-GAJ-AX	8 bit 78K0 Flash MCU, 32KB Flash, 1024byte SRAM, 64 Pin LQFP	1200
Renesas (NEC)	UPD78F9842GB-8ES-A	Flash MCU, 78K0S Motor Control, 8 Bit	300
RS Technolgie	REC-FPQ-160-0.65-07-10	QFP 160 Receptacle	2
Samsung LED Co., Ltd.	D_Sample	4 pcs LED Modules, plus 1 pc. Powersupply 3500 Kelvin.	3
Samsung LED Co., Ltd.	PSGV060211A	LED Module PSU 230VAC/ Outp. 4 x 352mA per CH. 210 x 98 x 30mm, SK I	8
Samsung LED Co., Ltd.	PSGV-Wiring Set	LED LIGHT Engine Wiring Set between PSU and 4 x LED PCB 259x259mm	8
Samsung LED Co., Ltd.	SLHNNWH511N1S0R011	LED HP CW 350mA 5000 - 7000K 120°Viewing angle CRI >= 75, 80-90lm	51
Samsung LED Co., Ltd.	SLHNNWW511T0-SOUAG1	LED WARMWHITE 2600-2900K, 60-70 lm 350 mA, 55 °Viewing angle	1 300
Samsung LED Co., Ltd.	SLHNNWW511T0-SOUBG1	LED WARMWHITE HIGH 2900-3200K, 60-70 lm, 350 mA, 55 °Viewing angle	1570
Samsung LED Co., Ltd.	SLHNNWW511T1S0S0G3	LED HP WH 4000 - 5000K 55°Viewing angle CRI 80, 70-80lm@350mA	1 7
Samsung LED Co., Ltd.	SLSNNBA825TS SMPL	SEMCO MID POWER LED 5252 BLUE 2 Chips 2 leads	118
Samsung LED Co., Ltd.	SLSNNWH462USSMPL	SIDE VIEW LED WHITE 3.8x1.0x0.6mm 1,5 - 2,2cd@20mA, 115° Viewing angle	5933
Samsung LED Co., Ltd.	SLSNNWH805TS SMPL	SMD LED 5,2x5,2mm C.White 20mA, 2 pin, 8150-12000K, typ 1,7cd @ 20mA	1988

Samsung LED Co., Ltd.	SLSNNWH812TS SMPL	SEMCO MID POWER LED PLCC4 COOL WHITE 3 Chips 4 leads Typ. 5,2cd @60mA	3998
Samsung LED Co., Ltd.	SLSNNWH815TS SMPL	SEMCO MID POWER LED 5252 Cool White 3 Chips 2 leads, Rollenanschnitt	180
Samsung LED Co., Ltd.	SLSNNWH815TSASSS	SMD LED 5,2x5,2mm C.White 3x20mA, 6 pin, 8150-15000K, typ 5,2cd @ 60mA	305
Samsung LED Co., Ltd.	SLSNNWH824TS SMPL	SEMCO MID POWER LED 3030 COOL WHITE 2 Chips 4 leads	2978
Samsung LED Co., Ltd.	SLSNNWW815TSMAMS	SMD LED 5,2x5,2mm White 3x20mA 3 Chips 6 pins 4670-6200K typ 5,2cd @ 60mA	1885
Samsung LED Co., Ltd.	SLSNNWW815TSMATS	SMD LED 5,2x5,2mm Warm White 3x20mA 6 pin, 3800-4600K typ. 5,2cd@60mA Anbruch	990
Samsung LED Co., Ltd.	SLSNNWW815TSMAVS	SEMCO MID POWER LED 5252 Warm White 3 Chips 6 leads 2875-3200K Rollenanschnitt	968
Samsung LED Co., Ltd.	SLSRGBW815TS SMPL	LED 5,2 x 5,2mm RGB 3 Chips 6 pin, R=0,54, G=1,1 B=0,25 cd @20mA narrow green bin	1123
Samsung LED Co., Ltd.	SLTNCW2502ANMALS	LED MP 5252 CoolWhite, 5,2x5,2mm 2 Chips 2 Pins, typ. 10cd@100mA 6100 - 6900K	11945
Samsung LED Co., Ltd.	SLTNNB13122N SMPL	SEMCO MID POWER LED 3228 BLUE 1 Chip - 2 leads End of life	1950
Samsung LED Co., Ltd.	SLTNNG13122N SMPL	SEMCO MID POWER LED 3228 GREEN 1 Chip 2 leads	60
Samsung LED Co., Ltd.	SLTNNR13122N SMPL	SEMCO MID POWER LED 3228 RED 1 Chip - 2 leads	60
Samsung LED Co., Ltd.	SLTNWW35066NDAUSSS	LED 5252 5,2x5,2mm Warm White 3 x 20mA - 6 Pin 3200-3800K 5,2-6,2cd.@ 60mA	6000
Samsung LED Co., Ltd.	SPHCWTHDD803WHR0JC	LED HP 11W WH, 5000K, typ.1300lm @ 610mA , 18V DC, CRI 70+, 125° Degree	48
Samsung LED Co., Ltd.	SPHCWTHDD813YFR0DD	HP-LED MCPCB multichip 6,5W WH, 120 Typ. 750lm@180mA, 35V, CRI>=70, 5000K	18
Samsung LED Co., Ltd.	SPHWHTL3D303E6R0H5	LED HP Ceramic WH max. 1,5A, 5000 Kelvin CRI >= 70 min. 110 lm @350mA max. 3,3V	1062

Samsung LED Co., Ltd.	SPHWHTL3D305E6V0F5	LED HP Ceramic WW max. 1,5A, 3000 Kelvin CRI >= 80 min. 90 lm @350mA max. 3,3V	1130
Samsung LED Co., Ltd.	SPHWHTL3D305E6V0G4	LED HP Ceramic WW max. 1,5A, 3000 Kelvin CRI >= 80 min. 100 lm @350mA max. 3,3V	1000
Samsung LED Co., Ltd.	SPHWHTL3D305E6V0H3	LED HP Ceramic WW max. 1,5A, 3000 Kelvin CRI >= 80 min. 110 lm @350mA max. 3,3V	1000
Samsung LED Co., Ltd.	SPHWHTL3D305E6W0F5	LED HP Ceramic WW max. 1,5A, 2700Kelvin CRI >= 80 min. 90 lm @350mA max. 3,3V	1130
Samsung LED Co., Ltd.	SPHWHTHDD805WHV0ED	LED HP HV-DC 8W, 3000K 17V, min 700lm @ 0,46A, CRI 80+	88
Samsung LED Co., Ltd.	SPHWHTHDD805WHW0DD	LED HP HV-DC 8W, 2700K 17V, min 650lm @ 0,46A, CRI 80+	88
Samsung LED Co., Ltd.	SPHWHTHDD815YFW0BD	HP-LED MCPCB multichip 6,5W WW, 120 Typ. 750lm@180mA, 35V, CRI>=80, 2700K	28
Samsung LED Co., Ltd.	SPMFCT5606N0S0A0E0/F0	LED RGB 5,2x5,2x1,3mm 3 x 20mA 6 Pin CCT White Rank one of E0 or F0	18000
Samsung LED Co., Ltd.	SPMFCT5606N0S0A2F6	LED 5,2 x 5,2mm RGB 3 Chips 6 pin, R=0,54, G=1,1 B=0,25 cd @20mA narrow green bin.	4000
Samsung LED Co., Ltd.	SPMWHT221MD5WAW0S0	LED 2323 Package 2700K 65mA(100mA)	4148
Samsung LED Co., Ltd.	SPMWHT345EA3	LED3,2x2,8mm WHT 25 - 44 Lumen @ 140mA PLCC4, ca. 5500+/-500 Kelvin	40
Samsung LED Co., Ltd.	SPMWHT5206N2BAC0S0	SMD LED 5,2x5,2mm White, 1 chip, 2 pin, 5300K +/- 700K typ. 6,3cd @60mA	5870
Samsung LED Co., Ltd.	SPMWHT5206N2BAF0S0	SMD LED 5,2x5,2mm Warmwhite, 1 chip, 2 pin, 2800 - 3200K typ. 5,5 cd @60mA	418
Samsung LED Co., Ltd.	SPMWHT520AN2BAE	LED 5252 5,2x5,2mm Warm White 2 Chip 2, leads, 8,1 cd@ 100mA 3200-3800K	3163
Samsung LED Co., Ltd.	SPMWHT5606N2BAF0S0	SMD LED 5,2x5,2mm Warm White 3x20mA 6 pin, 2800-3200K typ. 5,9 cd @ 60mA	2000
Samsung LED Co., Ltd.	SPMWHT5606N2BBA0S0	LED CoolWhite, 5,2x5,2mm 3 Chips 6 Pins, typ. 5.8cd @ 60mA, 8200 - 15000K	9000

Samsung LED Co., Ltd.	STIFLW8505001MRKOR	LED Module 44Watt, 4 x LED, FR4 PCB, 5000 Kelvin	1
Sanyo	LB1836M	Stepper Motor Driver	3
Sanyo	LB1930M-TLM-E	low saturation voltage forward/reverse motor driver	1
Segger	FLASHER 5	Serial Flash programmer	2
Segger	J-LINK ARM Lite	USB driven Low Cost JTAG interface for ARM Core	64
Segger	J-LINK-RX Lite	USB driven Low Cost JTAG interface for Rene sas RX MCUs	25
Segger	LDB4	Controllerboard for LCD 128x240	5
Segger	Segger Visu Add on	Segger Software + Board with TFT for RSKR32C 111	2
Segger	SK ANDY STARTERBOARD	Plantine for 64128COG	3
Segger	SK-HARRY	Starterkit for 64128E	11
Seiko Epson	SG615PC18.432MHZ	Oscillator	14
Seiko Instruments	20QVF1H	2,0" TFT, QVGA, 350cd, MCU, IPS	165
Seiko Instruments	24QVF1H	2,4" TFT, QVGA, 350cd, IPS	964
Seiko Instruments	24QVF1J	2,4" TFT, QVGA, w. Touch, 300cd, IPS	569
Seiko Instruments	24QVF2H	2,4" TFT, QVGA, 350cd, IPS, RGB-I/F	180
Seiko Instruments	24QVW1H	2,4" TFT, QVGA, TN, 350cd, MCU-IF	5

Seiko Instruments	28QVF1H	2,8" TFT, QVGA, 350cd, FFS	1376
Seiko Instruments	28QVF2H	2,8" TFT, QVGA, 350cd, FFS, RGB-I/F	280
Seiko Instruments	30WQF0H	3,0" TFT, WQVGA, 350 cd., FFS	25
Seiko Instruments	32WVF0H	3,2" TFT, WVGA, 300 cd., FFS	176
Seiko Instruments	35HVF0H	3,5" TFT, HVGA, 350 cd., FFS, RGB	2
Seiko Instruments	35WVF0H	3,5" TFT, WVGA, 300cd., FFS, RGB-I/F	164
Seiko Instruments	37WVF0H	3,7" TFT, WVGA, 350cd., FFS, RGB-I/F	5
Seiko Instruments	ACU2224A-A-E	Auto cutter unit LTP2242 full cut, partial cut	371
Seiko Instruments	ACU2324A-A-E	Auto cutter unit LTP2342 full cut, partial cut	46
Seiko Instruments	APU-2242-A-02U-E	Seiko Kiosk Printer 2", 24V, USB2.0 with ACU with Presenter, 0°C - 50°C.	2
Seiko Instruments	APU9247C01S-E	Seiko Kiosk Printer 2", 24V, serial, with ACU, -20°C - 60°C.	1
Seiko Instruments	APU9247C02S-E	Seiko Kiosk Printer 2", 24V, serial, with ACU, -20°C - 60°C. presenter function	2
Seiko Instruments	APU9347-B02S-E	Seiko Kiosk Printer 3", 24V, serial, with ACU, -20°C - 60°C.	1
Seiko Instruments	APU9347-B02U-E	Seiko Kiosk Printer 3", 24V, USB, vertical, with ACU, -20°C - 60°C.	1
Seiko Instruments	APU9347C02U-E	Seiko Kiosk Printer 3", 24V, USB, with ACU, Presenter, -20°C - 60°C.	1
Seiko Instruments	APUF247 Interface Board	Interface board for APUF	1

Seiko Instruments	APUG247-A01S-E	Kiosk printer, 58mm, 24V serial, ACU with full and partial cut	1
Seiko Instruments	APUG247-A01U-E	Kiosk printer, 58mm, 24V, USB, ACU with full and partial cut	1
Seiko Instruments	BP-L0715-A1-E	Li-Ion battery for DPUS245	12
Seiko Instruments	BP-L0717B1-E	Battery pack for DPU-V445-10B-E	1
Seiko Instruments	BP-L0720-A1-E	Li-Ion battery for MPU-L465, DPUS445, 7,4V 1800mAh	4
Seiko Instruments	CAP9247F-C448-E	Cutter & Printer 448 dot full/ part. 24V, 58-60 mm curved, -20°to60°C, up to 250mm/sec.	2
Seiko Instruments	CAPC235A	Thermal printer module 288dots 5V, 58m m, LTP + ACU, EZOP	2
Seiko Instruments	CAPD245A-E	Cutter & Printer 432dot full/ part. 5V, 58mm, straight	17
Seiko Instruments	CAPD247A-E	Cutter & Printer 432 dot full/ part. 24V, 58mm straight	200
Seiko Instruments	CAPD345A-E	Cutter & Printer easy load full/part. 5V, 80mm, straight	86
Seiko Instruments	CAPD347A-E	Cutter & Printer easy load full/part. 24V, 80mm, straight	25
Seiko Instruments	CAPG247A-E	Thermal printer module 432dots 24V, 58 mm, LTP + ACU, EZOP	47
Seiko Instruments	CB-CE02-18A-E	AC Cable for power supply	1
Seiko Instruments	CB-CE02-18B-E	AC cable for PW-0904-W1	4
Seiko Instruments	CONN-CABLEIF1001-CN3	Connector cable IF1001 open leads oppo site side	7
Seiko Instruments	CONN-MO2000-S	Connector for motor LTP2000 4p straight	525

Seiko Instruments	CONN-MOS1245-90	Connector for motor and sensor LTP1245 , 9p, 90 degrees	1625
Seiko Instruments	CONN-MOS1245-S	Connector for motor and sensor LTP1245 , 9p, straight	35
Seiko Instruments	CONN-MOS1245-S-E	Connector for motor and sensor LTP1245 , 9p, straight	6
Seiko Instruments	CONN-MOS-3245	Connector for LTP3245 (9p) motor & sensor, straight	550
Seiko Instruments	CONN-MS2000-S	Connector for sensor LTP2000, 5p, straight	502
Seiko Instruments	CONN-TH1245-90	Connector for thermal head LTP1245, 20 p, 90 degrees	574
Seiko Instruments	CONN-TH1245-S	Connector for thermal head LTP1245, 20 p, straight	1534
Seiko Instruments	CONN-THV-S	Connector for thermal head LTPV Series , 30p, straight	1056
Seiko Instruments	DPU12-1FS-E	Panel mount printer 58mm serial, w/ ACU	1
Seiko Instruments	DPU30-0B-E	Panel mount printer 58mm serial, parallel, EZOP	20
Seiko Instruments	DPU3445-E CARRY	Boxed mobile printer 112mm set IrDA, serial, carrying case	3
Seiko Instruments	DPU-D2-00A-E	Panel mount printer 58mm serial, USB, EZOP	60
Seiko Instruments	DPU-S245-00A-E	Boxed mobile printer 58mm USB, IrDA, serial	1
Seiko Instruments	DPU-S245-00A-E-KIT1	Boxed mobile printer Set with USB, IrDA, serial power supply, battery, USB cable.	2
Seiko Instruments	DPU-S245-01A-E	Boxed mobile printer 58mm USB, IrDA, serial & BLUETOOTH	5
Seiko Instruments	DPU-S245-01A-E-KIT1	Boxed mobile printer Set with USB, IrDA, serial & BT, battery, power supply, USB cable	83

Seiko Instruments	DPUS245-CARRYING CASE	Case for DPUS245	59
Seiko Instruments	DPU-S445-00A-E	Boxed mobile printer 112mm USB, IrDA, serial	3
Seiko Instruments	DPU-S445-00A-E Kit1	Boxed mobile printer Set with USB, IrDA, serial battery, power supply, USB cable	9
Seiko Instruments	DPUS445-CARRYING CASE	Case for DPUS445	8
Seiko Instruments	HBLB8S-1J	Connector (8P PCB) MTP char.	90
Seiko Instruments	IF1001-01B	Interfaceboard for LTP1245 serial and parallel	1
Seiko Instruments	IF9001-01U-E	Interface board for CAP9000 USB, WIN2k and XP	1
Seiko Instruments	IF-CABLE SAM1245	Connector Cable for SAM1245 open leads opposite side	8
Seiko Instruments	IFC-S01-1-E	Serial cable for MPU-L465, DPUSx45. D-SUB9 female.	6
Seiko Instruments	IFC-U01-1	USB cable for MPU-L465	8
Seiko Instruments	IFD001-01SK-E	Interfaceboard for CAPx47-/ LTPDx47-series Serial, 24VDC	80
Seiko Instruments	IFD001-01UK-E	Interfaceboard for CAPDx47-/ LTPDx47-series USB, 24VDC	5
Seiko Instruments	IFD501-01UK-E	Interfaceboard for CAPDx45-/ LTPDx45-series USB, 5VDC	5
Seiko Instruments	IFD-Serial Cable	Serial Cable fuer IFD-Boards Seiko Instruments	2
Seiko Instruments	LTP1245S-C384-E	Thermal printer mech. 384dots 5V, 58mm , thermal line, curved	418
Seiko Instruments	LTP1245T-S384-E	Thermal printer mech. 384dots 5V, 58mm ,thermal line,straight	16

Seiko Instruments	LTP1245U-S384-E	Thermal printer mech. 384dots 5V,58mm, thermal line, straight	48
Seiko Instruments	LTP2242C-S432A-E	Thermal printer mech. 432dots 24V,60mm ,thermal line, straight	476
Seiko Instruments	LTP2342D-C576A-E	Thermal printer mech. 576dots 24V, 80m m, thermal line, curved	12
Seiko Instruments	LTP2442C-S832A-E	Thermal printer mech. 832dots 24V,112m m, thermalline, straight	48
Seiko Instruments	LTP8235B-C288-E	Thermal printer mech. 288dots 6V,58mm, thermal line, straight	285
Seiko Instruments	LTPA245H-384-E	Thermal printer mech. EZOP 5V,58mm,the rmal line, curved	7
Seiko Instruments	LTPC235-288	Thermal printer mech. EZOP 58mm, 5V, 6 dots/mm	47
Seiko Instruments	LTPC245A-C384-E	Thermal printer mech. EZOP 58mm, 5V,8d ots/mm	1
Seiko Instruments	LTPD245B-384-E	Thermal printer mech. EZOP 5V, 58mm, curved, motor vertical, single paper sensor	1
Seiko Instruments	LTPD245D-384-E	Thermal printer mech. EZOP 5V, 58mm, curved, motor horizontal, double paper sensor	1
Seiko Instruments	LTPD247A-432-E	Thermal printer mech. EZOP 24V, 58mm, curved, motor horizontal, single paper sensor	3
Seiko Instruments	LTPD247B-432-E	Thermal printer mech. EZOP 24V, 58mm, curved, motor vertical, single paper sensor	2
Seiko Instruments	LTPD345D-576-E	Thermal printer mech. EZOP 5V, 80mm, curved, motor horizontal, double paper sensor	2
Seiko Instruments	LTPD345E-576-E	Thermal printer mech. Autoload, 5V, 80mm, curved, motor horizontal, double paper sensor	2
Seiko Instruments	LTPD347A-576-E	Thermal printer mech. EZOP 24V, 80mm, curved, motor horizontal, single paper sensor	2
Seiko Instruments	LTPD347B-576-E	Thermal printer mech. EZOP 24V, 80mm, curved, motor vertical, single paper sensor	3

Seiko Instruments	LTPJ245D-S384-E	Thermal printer mech. EZOP 5V, 58mm, Thermal line, straight	1
Seiko Instruments	LTPU245A-384-E	Thermal printer mech. EZOP 5V, 58mm, curved,	1
Seiko Instruments	LTPZ245D-C384	Thermal printer mech. EZOP 5V, 58mm, thermal line, curved	11
Seiko Instruments	LTPZ245N-C384-E	Thermal printer mech. EZOP 5V, 58mm, Thermal line, curved, motor underneath	4
Seiko Instruments	MOUNTING PLATE 1245		29
Seiko Instruments	MPU-L465-02C-E-00	Boxed desktop printer 70-115mm USB and serial interface	6
Seiko Instruments	MPU-L465-16C-E-03	Mobile boxed printer 70-115mm Bluetooth, serial, USB	1
Seiko Instruments	MS518SE-FL35E	MS Lithium rechargeable Battery 3V type Both pins on one side	5
Seiko Instruments	MS621FE IL36E	Micro Lithium Rechargeable Battery, Coin Cell, 2 pins each opposite side	5
Seiko Instruments	OC-D1430A-E	Switch Cable for IFD-Boards Seiko Instruments	7
Seiko Instruments	OP-LE300A	Mounting Adapter for ACUE324A	17
Seiko Instruments	OP-LE301A	Paper Guide ACUE324A	17
Seiko Instruments	PLATEN FOR LTPA245-E	Platen Roller for LTPA245-E, Sparepart	5
Seiko Instruments	PLATEN FOR STP211	Spare part for Seiko printer STP211	30
Seiko Instruments	PLATEN FOR STP411-E	Sparepart for STP411	10
Seiko Instruments	PT900-P01-E	PROM for Seiko printer LTP/CAP9000	6

Seiko Instruments	PTL32A00-E	CPU for SEIKO printer LTP/CAP9000	6
Seiko Instruments	PTM01F01	CPU for MTP-Series SMD Package	1
Seiko Instruments	PW-0903-W1-E	AC adapter for DPU-V445xx	5
Seiko Instruments	PW-0904-W2-E	AC Adapter for MPU-L465, DPUSx45, DPU3445	2
Seiko Instruments	PW-4007-EC-E	AC-Adapter/Charger f. DPU414 230 VAC without power cable.	2
Seiko Instruments	S-1000C23-I4T1G	Volt. Det. 2,3V CMOS output SNT-4A-T	4800
Seiko Instruments	S-1000N20-I4T1G	Volt. Det.2,0 V Nch open-drain SNT-4A	4750
Seiko Instruments	S-1000N23-I4T1G	Volt. Det. 2,3V Nch open-drain SNT-4A	4500
Seiko Instruments	S-1000N30-M5T1G	Volt. Det. 3.0V Nch open-drain SOT23-5	2850
Seiko Instruments	S-1009C23I-N4T1U	Volt. Det. 2,3V SC82AB-T Super-Low Current Consump. super High-Accuracy with Delay Cir.	10
Seiko Instruments	S-1009C26I-M5T1U	Volt. Det. 2,6V SOT-23-5 Super-Low Current Consump. super High-Accuracy with Delay Cir.	10
Seiko Instruments	S-1009C27I-M5T1U	Volt. Det. 2,7V SOT-23-5 Super-Low Current Consump. super High-Accuracy with Delay Cir.	15
Seiko Instruments	S-1009C30I-N4T1U	Volt. Det. 3,0V SC82AB-T Super-Low Current Consump. super High-Accuracy with Delay Cir.	5
Seiko Instruments	S-1009C45I-M5T1U	Volt. Det. 4,5 V SOT-23-5 Super-Low Current Consump. super High-Accuracy with Delay Cir.	5
Seiko Instruments	S-1142A33H-E6T1U	Volt. Reg. Output Volt. 3,3 V bis 105°C ON/OFF pin negative logic, HSOP-6	10
Seiko Instruments	S-1142A33I-E6T1U	Volt. Reg. Output Volt. 3,3 V, □40°C to +85°C ON/OFF pin negative logic, HSOP-6	1225

Seiko Instruments	S-1142A50I-E6T1U	Volt. Reg. Output Volt. 5,0 V, □40°C to +85°C ON/OFF pin negative logic, HSOP-6	207
Seiko Instruments	S-1206B18-M3T1G	Volt. Reg. 1,8 V 250mA output curren ultra low current consumption SOT-23-3	145
Seiko Instruments	S-1206B21-M3T1G	Volt. Reg. 2,1 V 250mA output curren ultra low current consumption SOT-23-3	48000
Seiko Instruments	S-1206B30-U3T1G	Volt. Reg. 3,0 V 250mA output curren ultra low current consumption SOT89-3	300
Seiko Instruments	S-35190A-J8T1G	RTC 3-wire SOP8	1984
Seiko Instruments	S-35390A-T8T1G	RTC 2-wire TSSOP8	3000
Seiko Instruments	S-35392A-I8T1G	RTC 2-wire SNT-8A	4750
Seiko Instruments	S-80816CLNB-B6B-T2G	Volt. Det. 1.6V CMOS output SC-82AB	15000
Seiko Instruments	S-80820CLNB-B6F-T2G	Volt. Det 2.0V CMOS output SC-82AB	3000
Seiko Instruments	S-80833CNY-BG	Volt.Det. 3.3V Nch open-drain TO92 BAG	500
Seiko Instruments	S-80846CNY-BG	Volt.Det. 4.6V Nch open-drain TO-92	2
Seiko Instruments	S-812C20BMC-C4A-T2G	Volt. Reg. 2.0V with short-circuit protection and power-off functions SOT23-5	5
Seiko Instruments	S-812C30BMC-C4K-T2G	Volt. Det. 3.0V with short-circuit protection and power-off functions SOT23-5	5
Seiko Instruments	S-8232NUFT-T2-U	BATTERY PROTECTION IC FOR 2- SERIAL-CELL PACK 8TSSOP	8
Seiko Instruments	S-8261ACHMD-G4H-T2G	BATTERY PROTECTION IC FOR SINGLE-CELL PACK	5
Seiko Instruments	S-873042EUP-AMDT2G	Volt.Reg.+Det.4,2V/3,0V SOT89-5	48999

Seiko Instruments	S-875061EUP-AJHT2G	Volt. Reg. 5.0V with reset SOT89-5	6999
Seiko Instruments	SAM1245-11-E	Cutter & printer & serial IF 5V, 58mm, full cut	5
Seiko Instruments	SLP-RMRL	Labelroll 28 x 51mm, removable, 2 rolls à 130 labels	12
Seiko Instruments	SSP-T6-F#10ppm,7pF	Quartz Crystal 32.786 khz, 10ppm, 7 pF	2990
Seiko Instruments	SSP-T7-F#10ppm,7pF	Quartz Crystal 32.768 khz, 10ppm, 7 pF (SnBi)	20
Seiko Instruments	SSP-T7-F#20ppm,12,5pF	Quartz Crystal 32.768 khz, 20ppm, 12.5 pF (SnBi)	25630
Seiko Instruments	STP211A-144-E	Thermal printer mech. 144dots 5V, 58mm , curved paper path	230
Seiko Instruments	STP211B-192-E	Thermal printer mech. 192dots 5V, 58mm , curved paper path	39
Seiko Instruments	STP411G-320-E	Thermal printer mech. 320 dots 5V, 112 mm, curved paper path	34
Seiko Instruments	TH201G	Thermal head MTP201G	34
Seiko Instruments	TH401B	Thermal head MTP401B	1
Seiko Instruments	TH411B/G-E	Thermal head f. DPU414-40B-E	24
Seiko Instruments	VT-200-F#10ppm,6pF	Quartz Crystal 32.768 KHz. 10ppm, 6 pF (SnBi)	7
Seiko Instruments	VT-200-F#20ppm,12,5pF	Quartz Crystal 32.768 KHz. 20ppm, 12.5 pF (SnBi)	286
Seiko Instruments	XH414HG IV01E	XH-H Capacitor 3,3V High-rated Voltage Type, Pb-free reflowable	55
Sharp	GP1S092HCPIF	Photo Interrupter	2000

Sharp	PC3SD12NTZAF	Triac Coupler 600V DIP6 Lead Free	10
Sierra Wireless	AirLink GX400	3G Multi-Purpose Intelligent Gateway for Mobile and Fixed Environments	19
Sierra Wireless	AirLink HELIX WiFi	Intelligent, cellular 3G Router for HSxPA Networks (with WiFi included)	4
Sierra Wireless	AirLink RAVEN XE	Intelligent wireless communications Gateway for HSxPA Networks, with power supply	79
Sierra Wireless	AirLink RAVEN XE Bracket	AirLink Raven XE mounting kit	41
Sierra Wireless	AirLink RAVEN XE World	Intelligent wireless communications Gateway for HSxPA Networks, with power supply	45
Sierra Wireless	C GPS-DKAI 150	C-GPS Board for WAV Q26 SK	2
Sierra Wireless	Compass 889	Sierra Wireless Compass 889 USB Modem	1
Sierra Wireless	Fastrack GO (RS232)	Fastrack Go "Plug&Play" Modem with RS232 and GSM Firmware R7.3, incl. Power Supply	50
Sierra Wireless	FXT Battery	Fastrack Xtend Battery Backup	4
Sierra Wireless	FXT009 R7.43 IP	Fastrack Xtend GSM/GPRS/EDGE Plug&Play Modem with Internet and C-GPS Plug-In	362
Sierra Wireless	FXTEC0020	RS485 extension Board for Fastrack Xtend, with RS485 cable	3
Sierra Wireless	GL6100 RS232	GL6100 Modem with RS232 adaptation cable + data cable + antenna + AC adaptor	10
Sierra Wireless	GL6100 RS232 WO	GL6100 Modem with RS232 cable only	68
Sierra Wireless	GL6110 USB	GL6100 "Plug&Play" Modem with USB and antenna	61
Sierra Wireless	M13SU IESM 002	Internal extension Board for Fastrack Supreme (USB+I/Os)	7

Sierra Wireless	M13SUIESM003	Internal extension Board for Fastrack Supreme(USB+Ethernet)	62
Sierra Wireless	M2106+ V6.57E IP	Wavecom Integra GSM/GPRS Modem with Internet Plug-In	4
Sierra Wireless	MC5728V Sprint		5
Sierra Wireless	MC5728V Verizon		6
Sierra Wireless	MC8704	HSPA+ PCI Express Mini Card with voice, (21 Mbps dl. + 5.76 Mbps up)	31
Sierra Wireless	MC8705 FW 1.0.1.1	UMTS/HSPA+ PCI Express Mini Card, (up to 21 Mbps download and 5.76 Mbps uplink)	126
Sierra Wireless	MC8795V	Quad-band HSPA Module with Voice, (up to 7.2Mbps downlink and 5.76 Mbps uplink)	1
Sierra Wireless	MC87xx SDK	Development Board for Sierra Wireless MC87xx Modules, without Module	3
Sierra Wireless	MC8801	UMTS/HSPA+ PCI Express Mini Card, (up to 42 Mbps download and 5.76 Mbps uplink)	21
Sierra Wireless	OpenAT SDK	WAVECOM SOFTWARE DEVELOPMENT KIT FOR S W RELEASE 6.50	8
Sierra Wireless	OpenAT Tutorial	Sierra Wireless Open AT Tutorial (programming guide to Open AT	1
Sierra Wireless	Q24 CLASSIC SIM 6.57	Wavecom Wireless CPU 850/900/1800/1900 with SIM Holder "GSM ONLY"	1
Sierra Wireless	Q24 CLASSIC V6.57G	Wavecom wireless CPU 850/900/1800/1900 "GSM ONLY"	468
Sierra Wireless	Q24 PLUS STK	WAVECOM Q24 Plus Starter Kit	1
Sierra Wireless	Q2400A V3.44	WISMO QUIK 900/1800MHz GSM ONLY	1
Sierra Wireless	Q2400A V3.52	WISMO QUIK 900/1800 MHz GSM ONLY	25

Sierra Wireless	Q2501B SK	Q2501B GSM/GPRS/GPS STARTER KIT	2
Sierra Wireless	Q26 DK	Sierra Wireless Starter Kit for Q26-Series with two modules inside.	2
Sierra Wireless	Q26 Elite Generic	Wavecom wireless CDMA CPU	2
Sierra Wireless	Q26 Elite R-UIM	Wavecom wireless CDMA CPU (R-UIM Version)	8
Sierra Wireless	Q26 Elite Sprint	Wavecom wireless CDMA CPU	2
Sierra Wireless	Q26 Elite Verizon	Wavecom wireless CDMA CPU	2
Sierra Wireless	Q2686G R7.4 C-GPS	Wireless GSM/GPRS quadband CPU with Internet and C-GPS Plug-In	63
Sierra Wireless	Q2686G R7.43 IP IMEI	Wireless Quadband CPU with Internet Plug-In and IMEI inside	163
Sierra Wireless	Q2686G R7.4A	Wireless Quadband CPU with TCP/IP Plug-In (TCP/IP/UDP/Ping/DNS)	2
Sierra Wireless	Q2686GR7.4SECURITY IMEI	Wireless GSM/GPRS quadband CPU with Internet and Security Plug-In and IMEI	7
Sierra Wireless	SL6087	GSM/GPRS/EDGE 850/900/1800/1900 MHz	30
Sierra Wireless	SL8082	HSDPA Modul for EU/APAC (900/2100MHz) , Voice	23
Sierra Wireless	SL8083	HSDPA Modul for EU/APAC (900/2100MHz) , Data only	27
Sierra Wireless	SL8092	UMTS/HSPA+ dualband (900/2100) Modul, (up to 14.4 Mbps downlink)	15
Sierra Wireless	WISMO218 L22	AirPrime wireless Dualband GSM/GPRS modem with castellation pads	151
Sierra Wireless	WMP100 C-GPS	Wireless Microprocessor with C-GPS Plug-In, external Flash needed	18

Sierra Wireless	WMP100 STK	WAVECOM WMP100 Starter Kit	1
Sierra Wireless	XM0110	AirPrime host-based GPS solution (10x12.5x2.5mm) based on SiRFstarIV	30
Sierra Wireless	XM0110 DK	XM0110 add-on board for SL, Q26 and WMP Development kit	1
SoniTexx	J19154-144-F5A110N	SO-DIMM 144-pos SMT R/A 5.2mm	195
Sony	CXD3400N-T4/ZK	CCD Vertical Clock Driver	900
Sony	ICX629CQZ/ZK	PAL Color CCD 7.208mm	4
Spansion	MBM29LV160TE-70TN-E1	FLASH 2MX8/1MX16 3V TSOP48 -40/+85C	59
Spansion	S25FL016A0LMFI011	Flash 512Kx32 3V 8Pin SOP -40/+85°C	24
Spansion	S29AL004D70TFI020	Flash 512Kx8/256Kx16 3V TSOP48 -40/+85 C	235
Spansion	S29AL008D70BFI02	Flash	2
Spansion	S29JL032H90TFI020	FLASH 4Mx8/2Mx16 TSOP (-40/+85C) 90ns Sim.Read/write	21
Star Micronics	FVP10U-24-White	Front operating Voice Printer 80mm autocutter, USB, white	1
Star Micronics	IF-BDHC03	Parallel Interface for TSP 700/800/650, TUP500	17
Star Micronics	IF-BDHC04	Parallel Interface for TSP600/TUP900 Series	4
Star Micronics	IF-BDHD03	Serial Interface (25pin) for TSP700I+II / 650 / 800 series, TUP500	3
Star Micronics	IF-BDHE06 Ethernet	Ethernet use on SP512/SP542W/O I/F ONLY & TSP613/643, TSP1000 , SP700	1

Star Micronics	IFBD-HU05 USB	USB Interface for TSP700 ver1&2/800/650/TUP500	6
Star Micronics	MP512MD-III-24A	Dot Matrix Printer Mechanism	2
Star Micronics	PS60A-24B PSU	Power supply for Star printers TSP 1/6 /7/8/1043TUP900 series	16
Star Micronics	PS8340-12	Power Supply for DP8340 in: 230V, out: 12V, 2A	2
Star Micronics	RC200B	Ribbon black for use on STAR SP2xx,SP5 xx,SP2xxx	54
Star Micronics	RHU-T900	Large paper unit for 25cm paper-rolls	2
Star Micronics	ROLL PAPER HOLDER	Spare part STAR TUP 900 1 inch diameter	2
Star Micronics	SP298MC42-G	Impact slip printer parallel	1
Star Micronics	SP500 NPE-Sensor	Near Paper End Sensor	1
Star Micronics	SP742MD42230EU	Boxed 9dot Matrix Printer 76mm Autocutter, white, serial.	1
Star Micronics	TSP1045-GRY	Boxed thermal printer 82.55mm present r,acu,w/o IF, grey	1
Star Micronics	TSP613C-24	Boxed thermal printer 80mm with tearbar, parallel	1
Star Micronics	TSP643C-24-GRY	Boxed thermal printer 80mm with autocutter, black, parallel	1
Star Micronics	TSP643D-24-GRY	Boxed thermal printer with autocutter, black, serial	3
Star Micronics	TSP654C-24-GRY	Boxed thermal printer 80mm with autocutter, black, parallel	5
Star Micronics	TSP743C-24	Boxed thermal printer 82.55mm with autocutter, parallel	1

Star Micronics	TSP847C-24	Boxed thermal printer 112mm parallel interface	2
Star Micronics	TSP847D-24	Boxed thermal printer 112mm serial interface	1
Star Micronics	TUP500DP	Chassis option for Star Kiosk Printer TUP500 82,5mm.	1
Star Micronics	VS-SP700	Vertical Stand for SP700 Series	10
Star Micronics	WB-T600	Wall bracket for TSP600 Series	1
Star Micronics	WB-T800	Wall bracket for TSP800 Series	1
Starconn	099S52-01020A-G4	DDR 200 SO DIMM Socket H=5.2 0.6mm Pitch Standard	4
STMicroelectronics	M27C4002-10F1	EPROM,256Kx16,100ns,DIP40	17
STMicroelectronics	M36W0R6040T8ZAQE/F	Combo Memory 64MFlash/ 16M SRAM with ext. temp. range for Wavecom WMP Series	10
STMicroelectronics	STM32F103VET6	MCU 32Bit ARM 512Kb Flash 100 Pin LQFP -40/+85°C	990
Stollmann E+V GmbH	BlueMod+B20	Bluetooth embedded Class 2 Modul with Antenna	5
Stollmann E+V GmbH	BlueMod+B20 AP	Bluetooth embedded Class 2 Modul without Antenna	1
Stollmann E+V GmbH	BlueMod+B20 AP Antenna	Ceramic antenna for BlueMod+B20	6
Stollmann E+V GmbH	BlueRS+E/G2/C2/PD	External Class 2 Bluetooth Adapter	3
Stollmann E+V GmbH	TA+SOC	Int. ISDN Socket Modem TA+SOC, TTL, 3.3V, 26.5x69.5mm	1
Sunny Giken	MFW-S21	Prog. adapter for M16C/62P in 128P6Q-A Pkg.	1

Suyin	020133MR004S251ZL	USB A DIP right angle	15
Suyin	070212FR025G200ZU	25pol DSUB 90C PCB Mount	9
Suyin	070231FB015U508IL	15pin DSUB female, SMD low profile color: Baby-blue	2
Suyin	070233FB009S206ZU	9pol DSUB ultra thin fem.SMD Round Latch	2
Suyin	070233FB015S206ZU	15pol DSUB ultra thin fem.SMD Round Latch	10
Suyin	070433FB025S100ZU	25Pin DSUB SMT female	3
Suyin	070437MB009S200ZU	9pol ultra thin DSUB SMD male	30
Suyin	070922FR015S208IU	Ultra thin DSUB high density for VESA DDC II, female, DIP	480
Suyin	080603MA008S113ZL	microSD pull tupe,with hinge look, SMT	14
Suyin	100030MB008S500TL	RJ 45 Connector, 8pins SMT, 90C, CAT5	1
Suyin	127150FA040G209ZR	1.27mm Dual Row Socket 40 pol. SMD in Reel with Cap	4
Suyin	127378FA068G200ZY	1.27mm Dual Row Socket SMD 68 pol	10
Suyin	127531MB050S204NA	Compact flash card reader	4
Suyin	200109MA010S299ZR	2mm Dual Row Header SMT 10 pol H= 10mm	190
Suyin	200112MS006G200ZR	2.0mm dual row Header staight 6 pol	20
Suyin	200129FA032G200ZU	32Pin single row socket, SMD female	5

Suyin	200135FA008G200ZU	2MM DUAL ROW SOCKET SMD H=4.5MM	30
Suyin	200139FR044G203ZU	2.0mm Dual Row Socket right angle DIP Type Plastic height 5,29mm	5
Suyin	200139FR044G303ZU	2.0mm Dual Row Socket right angle DIP Type Plastic height 5,29mm	16
Suyin	200162FS010S410ZU	10pol Battery connector RM2,0 female	8
Suyin	200275MR005G100ZU	5pol Battery connector RM2.0 male	10
Suyin	200275MR005G400ZU	5pol Battery connector RM2.0 male	10
Suyin	200275MR010S403ZU	10pol Battery connector RM2.0 male	6
Suyin	250042MB003G202ZR	2.5mm pitch Battery Connector	5
Suyin	250042MB003G302ZR	2.5mm pitch Battery Connector	4
Suyin	250083MB004G300ZL	2.5mm pitch Battery Connector	74
Suyin	254010MA006G400ZL	6 pin SIM Card Reader straight SMD	20
Suyin	254312FA026S504PA	Smart media card reader, Tray Package no cap	1
Suyin	300010MB002G303ZL	2 Pin Batterie Connector right angle	20
Suyin	3500-32-50-0-ST-2	PLCC 32 Pol. SMT	5
Suyin	505610MB003G100ZU	5,0mm Battery Female right angle SMT	5
Suyin	952-12-032-1-00	Stiftleiste 1 Reihig, 32 pol, RM 2,54mm , Roundcontact 0,5mm, gedrehte Kontakte	514

Suyin	DGKP0009	UNC 4-40 Screw 4.75 x 7.8	3264
Tamura Corporation	L03S200D15	Hall Effect Current Sensor Open-Loop-Type 200A \pm 15V - Aperture - Panel mount	20
Tamura Corporation	L06P800S05	Hall Effect Current Sensor Open-Loop-Type 800A +5V - Horizontal mounting	2
Tamura Corporation	L08P050D15	Hall Effect Current Sensor Open-Loop-Type 50A \pm 15V - Aperture - PCB mount	3
Tamura Corporation	L08P100D15	Hall Effect Current Sensor Open-Loop-Type 100A \pm 15V - Aperture - PCB mount	9
Tamura Corporation	L08P200D15	Hall Effect Current Sensor Open-Loop-Type 200A \pm 15V - Aperture - PCB mount	10
Tamura Corporation	L18P003D15	Hall Effect Current Sensor Open-Loop-Type 3A \pm 15V - Integrated Primary - PCB mount	5
Tamura Corporation	L18P003S05	Hall Effect Current Sensor Open-Loop-Type 3A +5V - Integrated Primary PCB mount	2
Tamura Corporation	L18P005D15	Hall Effect Current Sensor Open-Loop-Type 5A \pm 15V - Integrated Primary - PCB mount	5
Tamura Corporation	L18P005S05	Hall Effect Current Sensor Open-Loop-Type 5A +5V - Integrated Primary PCB mount	2
Tamura Corporation	L18P010D15	Hall Effect Current Sensor Open-Loop-Type 10A \pm 15V - Integrated Primary - PCB mount	2
Tamura Corporation	L18P020D15	Hall Effect Current Sensor Open-Loop-Type 20A \pm 15V - Integrated Primary - PCB mount	5
Tamura Corporation	L18P030D15	Hall Effect Current Sensor Open-Loop-Type 30A \pm 15V - Integrated Primary - PCB mount	5
Tamura Corporation	L18P040D15	Hall Effect Current Sensor Open-Loop-Type 40A \pm 15V - Integrated Primary - PCB mount	5
Tamura Corporation	L18P060D15	Hall Effect Current Sensor Open-Loop-Type 60A \pm 15V - Integrated Primary - PCB mount	5
Tamura Corporation	S22P006S05	Hall Effect Current Sensor Closed-Loop-Type 6A +5V - Integrated Primary - PCB mount	4516

Tamura Corporation	S22P015S05	Hall Effect Current Sensor Closed-Loop-Type 15A +5V - Integrated Primary - PCB mount	8374
Tamura Corporation	S22P025S05	Hall Effect Current Sensor Closed-Loop-Type 25A +5V - Integrated Primary - PCB mount	7536
Tamura Corporation	S23P50/100D15	Hall Effect Current Sensor Closed-Loop-Type 50/100A ±15V - Integrated Primary - PCB	3909
Tamura Corporation	S25P050D15X	Hall Effect Current Sensor Closed-Loop-Type 50A ±15V - Aperture - PCB mount	102
Tamura Corporation	S25P100D15Y	Hall Effect Current Sensor Closed-Loop-Type 100A ±15V - Aperture - PCB mount	10
Tamura Corporation	S26P200D15Y	Hall Effect Current Sensor Closed-Loop-Type 200A ±15V - Aperture - PCB mount	64
Temple Star Inc.	ADAPTER CABLE FME 20	HF-Adapter FME male bulkhead crimp with 200mm RG174 cable	217
Temple Star Inc.	ADAPTER CABLE SMA	HF-Adapter SMA female bulkhead crimp with 100mm RG174 cable	119
Temple Star Inc.	ADAPTER MMCX/SMA	Adapter cable MMCX male/ SMA female, l=127mm	30
Temple Star Inc.	ADAPTER SMA/FME	Adapter SMA-Stecker/ FME-Stecker	138
Temple Star Inc.	ADAPTER UFL/FME 15	Adapter cable UFL/FME for Wavecom Q26 Series with 150mm cable length	38
Temple Star Inc.	SMA107-900a	SMA straight jack edge mount connector	279
Temple Star Inc.	SMA111-400a	SMA right angel PCP mount recepracle jack connector	121
Temple Star Inc.	U.FL-R-SMT-1	Hirose U.FL-R-SMT-1 connector	90
Textool	2-119-08310-000-019-002	BGA 119 Test+Burnin Socket	1
Token	FA1A223ZF		3

Tokin	FC0H104ZFTBR24	Supercap 5.5V 0.1F SMD RoHS conform	2000
Tokin	FC0H474ZFTBR32	Supercap 5.5V 0.47F SMD RoHS	1000
Tokin	FC0V224ZFTBR24	Supercap 3,5V/-,22F SMD, RoHS	1000
Tokin	FG0H105ZF	Supercap 5,5V 1.0F	130
Tokin	FS0H105ZF	Supercap condenser 1,0F	300
Tokin	FS0H474ZF	supercap 5.5V 0.47F RoHS	450
Tokin	FT0H474ZF	SUPERCAP 5,5V 0,47F -40/+85C	200
Tokyo Elitec	HQPACK032SA	MCU Cover 32-Pin, 0.8mm-pitch LQFP	2
Tokyo Elitec	HQPACK044SA	Socket QFP44-10X10-0.8	1
Tokyo Elitec	HQPACK048SD	MCU cover 48-pin,0.5 mm-pitch LQFP	5
Tokyo Elitec	HQPACK052SB	Socket cap for 52pin 0,65 mm pitch	2
Tokyo Elitec	HQPACK064SB140	Socketdeckel QFP64(MB9056XPFM)	1
Tokyo Elitec	HQPACK064SD	Socketdeckel	3
Tokyo Elitec	HQPACK080SD	Socketdecke f.NQPACK080SD	5
Tokyo Elitec	HQPACK100SD	Socketdecke f.NQPACK100SD	4
Tokyo Elitec	HQ-PACK208SD306	Socket f. NQPACK208SD	1

Tokyo Elitec	HSPACK20BG	SOCKELDECKEL FÜR NSPACK20BG 20Pin 0,65mm pitch	5
Tokyo Elitec	NQPACK032SA	Target connector 32 pin QFP, 0.8mm pitch	6
Tokyo Elitec	NQPACK064SD	Socket QFP64, 0,5mm pitch	1
Tokyo Elitec	NQPACK080SD-ND	Socket 80pin QFP 0,5 mm pitch	1
Tokyo Elitec	NSPACK20BG	LÖTTEIL FÜR 20-PINSSOP-GEH. ZUR EMU CHIP-AUFNAHME	1
Tokyo Elitec	YQPACK044SA	Socket QFP44-10X10-0.8	5
Tokyo Elitec	YQPACK100RB	Socketverlängerung(M16C-xxFP)	8
Tokyo Elitec	YQPACK100SD	Emulationsocket (QFP100) 0,5mm pitch	1
Tokyo Elitec	YQSOCKET100RB-F	Socketverlängerung(M16C-xxFP)	8
Toshiba	2SA1721-O(TE85L,F)	TO236MOD -300V -0,1A PNP BIP Lead-Free	50
Toshiba	2SA1837(F,M)/ZK	TO220IS -230V -1A PNP BIP Lead-Free	1000
Toshiba	2SA1943-O(Q)/ZK	TO3PL -230V -15A PNP BIP Lead-Free finish	94
Toshiba	2SC4793(F,M)	TO220IS 230V 1A NPN BIP Lead-free	500
Toshiba	2SJ668(TE16L1,NQ)	MOSFET single P-CH -60V -5A 0,17□ New PW-Mold(SM)	4000
Toshiba	2SK1529-Y(F)	MOSFET single N-CH 180V 10A 0,83□ TO-3P(N)	96
Toshiba	2SK2613(F)	MOSFET single N-CH 1000V 8A 1,7□ TO-3P(N)	256

Toshiba	2SK2615(TE12L,F)	MOSFET single N-CH 60V 2A 0,3□ PW-Mini	10000
Toshiba	2SK2699(F)	MOSFET single N-CH 600V 12A 0,65□ TO-3P(N)	2
Toshiba	2SK2837(Q)	MOSFET single N-CH 500V 20A 0,27□ TO-3P(N)	139
Toshiba	2SK2866(F)	MOSFET single N-CH 600V 10A 0,75□ TO-220AB	6850
Toshiba	2SK2866(STA4,F)	MOSFET single N-CH 600V 10A 0,75□ TO-220AB	7498
Toshiba	2SK2917(F)	MOSFET single N-CH 500V 18A 0,27□ TO-3P(N)IS	639
Toshiba	2SK2963(TE12L,F)	MOSFET single N-CH 100V 1A 0,7□ PW-Mini	5
Toshiba	2SK3373(TE16R1,NQ)	MOSFET single N-CH 500V 2A 3,2□ New PW-Mold(SM)	51998
Toshiba	2SK3561(STA4,Q)	MOSFET single N-CH 500V 8A 0,85□ TO-220SIS	98498
Toshiba	2SK3562(STA4,Q)	MOSFET single N-CH 600V 6A 1,25□ TO-220SIS	20
Toshiba	2SK3563(STA4,Q)	MOSFET single N-CH 500V 5A 1,5□ TO-220SIS	21498
Toshiba	2SK3565(STA4,Q)	MOSFET single N-CH 900V 5A 2,5□ TO-220SIS	2
Toshiba	2SK3762(M)	MOSFET single N-CH 900V 2,5A 6,4□ TO-220AB	7
Toshiba	2SK3934(STA4,Q)	MOSFET single N-CH 500V 15A 0,3□ TO-220SIS	9
Toshiba	2SK3934(STA4,Q,M)	MOSFET single N-CH 500V 15A 0,3□ TO-220SIS	181138
Toshiba	2SK4017(Q)	MOSFET single N-CH 60V 5A 0,1□ New PW-Mold2	1200

Toshiba	2SK4033(TE16L1,NQ)	MOSFET single N-CH 60V 5A 0,1□ New PW-Mold(SM)	2000
Toshiba	2SK4103(TE16R1,NQ)	MOSFET single N-CH 500V 5A 1,5□ New PW-Mold(SM)	1785998
Toshiba	BM1040R0A	Emu Contr Model 15	1
Toshiba	BMSKTOPASA900(DCE)	TMPA900CMXBG ARM9 Starterkit	1
Toshiba	BMSKTOPASA910EDT57DEMO	TMPA910CRAXBG ARM9 Starterkit conact with EDT VGA 5.7 TFT	1
Toshiba	BMSKTOPASM370(HI)	Vector Motor Control Evaluation Kit TMPM370	5
Toshiba	CRH01(TE85L,Q,M)	Si-Epitaxial-Diode 200V/1A -Ultrafast (trr=30ns) Package:S-Flat	146
Toshiba	GT10J321(Q)	IGBT 600V 10Ax1 TO220NIS FWD 50kHz	6
Toshiba	GT25Q102(Q)	IGBT 1200V 25Ax1 TO3PL Lead-Free finish	90
Toshiba	GT50J325(Q)	IGBT 600V 50Ax1 TO-3P(LH) FWD Lead-Free finish	6
Toshiba	MG100M2CK1/ZK	BIP 1000V 100Ax2 GEH. 12	5
Toshiba	MG100Q2YS9(AC)/ZK	IGBT 1200V 100Ax2 Pkg.35	144
Toshiba	MG150Q1JS9(AC)/ZK	IGBT 1200V 150Ax1 GEH.35	141
Toshiba	MG150Q2YK1/ZK	BIP 1200V 150Ax2	3
Toshiba	MG150Q2YS71(AC)	IGBT 1200V 150Ax2 GEH.36 IGBT-7	1
Toshiba	MG150Q2YS91(AC)	IGBT 1200V 150Ax2 GEH.35 Low-sat-version	6

Toshiba	MG25Q6ES50	IGBT 1200V 25Ax6 GEH.41 SHORT Equivalent to BSM25GD120DN2E3224	43
Toshiba	MG25Q6ES50A/ZK	IGBT 1200V 25Ax6 GEH.41A LONG	31
Toshiba	MG300Q1US1(AC,F)	IGBT 1200V 300Ax1 Pkg.21	1
Toshiba	MG300Q1US51(AC,G)	IGBT 1200V 300Ax1 GEH.40	25
Toshiba	MP6622(Q)	MOS N-CH 500V 5Ax6 1R8 Lead-Free Finis h	6
Toshiba	MP6631(Q)	MOS N-CH 600V 5Ax6 1R5 Lead-Free Finish	186
Toshiba	TA8435HQ(5)	Stepping Motor Driver HZIP25 Lead-Free Finish	3152
Toshiba	TB62209FG(EL)	Stepping Motor Driver HSOP36-P-450 Lead Free	806
Toshiba	TB6549FG	BDC Motordriver 30V/3,5A. HSOP-20	30
Toshiba	TB6551FG(O,EL,DRY)	3-Phase Full-Wave Sine-Wave PWM Brushless Motor Contr.	1500
Toshiba	TB6552FLG(O,EL)	Dual-Bridge Drv. IC for DCMot. 15V/1A QON24	55
Toshiba	TB6556FG(EL,DRY)	3-Phase Full-Wave Sine-Wave PWM Brushl. Mot. Contr.	468
Toshiba	TB6560AFG(O)	Stepping Motor Driver 1.5A HQFP64-Pkg.	248
Toshiba	TB6560AHQ(O)	Stepping Motor Driver 3A/40V 1/16 step mixed decay HZIP25-Pkg.	379
Toshiba	TB6560FG	Stepping Motor Driver 1.5A HQFP64-Pkg.	9
Toshiba	TB6560HQ	Stepping Motor Driver 3A HZIP25-Pkg.	88

Toshiba	TB6562ANG	Stepping Motor Driver SDIP24 Pb-free	26
Toshiba	TB6568KQ(O)	H-Bridge Driver 50V 3A HSIP7-P-2.54 Lead-Free	184
Toshiba	TB6569FG(O,EL)	Full-Bridge Brushed-DC Motor Driver IC 45V/ 4,5A peak HSOP16-P-300-1.00	1102
Toshiba	TB6571FG(O,EL)	3-Phase full-wave sine-wave PWM Brushl .motor contr.	7
Toshiba	TB6575FNG(O,EL)	PWM Sensorless Controller for 3- Phase Full-Wave BLDC	1341
Toshiba	TB6585FG(O,EL)	3 Ph. PWM Sine-Wave Driver for differential Hall-Sensors 42V/1,8A HSOP36-Package	454
Toshiba	TB6588FG(O,EL,JU)	PWM Sensorless Driver with int. 1.5A 3Ph Bridge - T+R	584
Toshiba	TB6608FNG(O,EL)	Stepping Motor Driver 0,8A, clock-in SSOP20	9
Toshiba	TB6608FNG(O,EL)/ZK	Stepping Motor Driver 0,8A, clock-in SSOP20	2000
Toshiba	TB6818FG(O,EL)	PFC Controller IC	3
Toshiba	TB6819FG(O,EL)	PFC Controller IC, Critical Conduction Mode (CRM), SOP8-P-225-1.27	3
Toshiba	TD62083AFNG(O,N,EL)	8 Channel High Current Driver SSOP18 Pb-free	10
Toshiba	TD62308BFG(O,EL)	4High Current Darlington T+R	10
Toshiba	TJ120F06J3(TE24L,Q	MOSFET single P-CH -60V -120A 0,008 TO-220SM(W) AEC-Q101 compliant	13
Toshiba	TK100F04K3(TE24L,Q	MOSFET single N-CH 40V 100A 0,003 TO-220SM(W)	11
Toshiba	TK100F06K3(TE24L,Q	MOSFET single N-CH 60V 100A 0,005 TO-220SM(W)	11

Toshiba	TK12A60U(Q)	MOSFET single N-CH 600V 12A 0,4 □ TO-220SIS	188
Toshiba	TK12A65D(STA4,Q)	MOSFET single N-CH 650V 12A TO-220SIS	20
Toshiba	TK12D60U(STA4,Q)	MOSFET single N-CH 600V 12A 0,4 □ TO-220(W)	4
Toshiba	TK13A50D(Q,M)	MOSFET single N-CH 500V 13A 0,4 □ TO-220SIS	9
Toshiba	TK13A65U(Q)	MOSFET single N-CH 650V 13A 0,32 □ TO-220SIS	50
Toshiba	TK15A60U(Q)	MOSFET single N-CH 600V 15A 0,3 □ TO-220SIS	200
Toshiba	TK20J50D(F)	MOSFET single N-CH 500V 20A 0,27 □ TO-3P(N)	10
Toshiba	TK50J60U(Q)	MOSFET single N-CH 600V 50A 0,065 □ TO-3P(N)	1088
Toshiba	TK5A50D(Q,M)	MOSFET single N-CH 500V 5A 1,5 □ TO-220SIS	50
Toshiba	TK5P50D(T6RSS-Q)	MOSFET single N-CH 500V 5A 1,5 □ DP(OS)	872000
Toshiba	TK5P53D(T6RSS-Q)	MOSFET single N-CH 525V 5A 1,5 □ DP(OS)	2000
Toshiba	TK70A06J1(Q)	MOSFET single N-CH 60V 70A 0,0064 □ TO-220SIS	10
Toshiba	TK70D06J1(Q)	MOSFET single N-CH 60V 70A 0,0064 □ TO-220(W)	10
Toshiba	TK7A50D5	MOSFET single N-CH 500V 7A 1,68 □ TO-220SIS	20
Toshiba	TK7P50D(T6RSS-Q)	MOSFET single N-CH 500V 7A 1,22 □ DP(OS)	277999
Toshiba	TL12W01-D(T30)	POWER SMD LED WHITE 30 lm 10.5x5.0x2.1 mm	50

Toshiba	TLGH1050(T20)	o 3,6mm lens top LED green (5.2x5.2x4.0)	80
Toshiba	TLP105(TPL,F)	PHOTO IC COUPLER SMD5 Buffer Logic Single Output LEAD-FREE	1
Toshiba	TLP109(E,O	Photo IC Coupler , SO6 package , 3750 Vrms(min)	53
Toshiba	TLP112A(TPL,F)/ZK	Photo IC Coupler SMD5 T+R Lead Free	12000
Toshiba	TLP115A(TPL,F)/ZK	Photo IC Coupler SMD5 T+R Lead Free	6000
Toshiba	TLP118(TPL,E)	Photo IC Coupler , SO6 package , T + R 3750 Vrms(min) , Inverter logic , open collector	183
Toshiba	TLP127(TPL,U,F)/ZK	Darlington Coupler SMD4 T+R Lead Free	12000
Toshiba	TLP181(BL-TPL,F,T)	Transistor Coupler SMD4 T+R CTR=200-60 0 Lead Free	30000
Toshiba	TLP181(GB-TPL,F)/ZK	Transistor Coupler SMD4 T+R Pb-free	54000
Toshiba	TLP181(GR-TPL,F,T)	Transistor Coupler SMD4 T+R Lead-Free	81000
Toshiba	TLP184(GB-TPL,F)	Transistor Coupler SMD4 T+R Lead Free	10
Toshiba	TLP2105(TP,F)	PHOTO IC COUPLER , SO8 , Dual Output , Buffer logic , Dual Output Type of TLP105	215
Toshiba	TLP2108(TP,F)	PHOTO IC COUPLER , SO8 , Dual Output , Inverter logic , Dual Output Type of TLP108	2
Toshiba	TLP2116(TP,F)	PHOTO IC COUPLER , SO8 , Dual Output , Inverter logic , Dual Output Type of TLP116	2515
Toshiba	TLP2118E(TP,F)		20
Toshiba	TLP260J(PF)	Triac Coupler 600V SMD4	1531

Toshiba	TLP280(GB-TP,F)/ZK	Transistor Coupler SMD4 T+R Half Pitch Lead Free	50000
Toshiba	TLP504A-2(GB,F)	Transistor Coupler Quad DIP16 Lead Free	15850
Toshiba	TLP621(D4-GB,F,T)/ZK	Transistor Coupler DIP4 VDE0884 Lead Free	4000
Toshiba	TLP627-2(F,T)	Darlington Coupler DIP8 Lead Free	14000
Toshiba	TLP701(TP,F)	Photo IC Coupler SDIP6 T+R IGBT/MOSFET Drive, Lead-Free	144
Toshiba	TLP715(D4-TP,F)	Photo IC Coupler VDE SDIP6 IPM Drive Buffer Logic	5
Toshiba	TLP715F(TP,F)	Photo IC Coupler SDIP6 IPM Drive Buffer Logic	20
Toshiba	TLP718(TP,F)	Photo IC Coupler SDIP6 IPM Drive Inverter Logic	19
Toshiba	TLP718F(TP,F)	Photo IC Coupler SDIP6 IPM Drive Inverter Logic	5
Toshiba	TLP719(F)	Photo IC Coupler SDIP6 High CMR	10
Toshiba	TLP781(D4-GB,F)	Transistor Coupler DIP4 Lead-Free VDE0884	13
Toshiba	TLSH1050(T20)	o 3,6mm lens top LED red (5.2x5.2x4.0)	80
Toshiba	TLSK1100C(T11)	SMD LED 2.8x3,2mm RED Flat-Top	45
Toshiba	TMP68HC000N-16/ZK	16B.uProzessor DIP68/1,78 -30/+70°C Mhz TMP 68P Family	670
Toshiba	TMP86C947XB(EY)	Emulation Chip	1
Toshiba	TMP86C989XB	Emulation Chip	1

Toshiba	TMP86FM29UG	8B.uC 32K Flash 1,5KB Ram QFP 42/0,5 -20/+85°C 16 Mhz TLCS-870/C Family	18
Toshiba	TMP86FM48UG	8B.uC 32K Flash 2KB Ram QFP 64/0,65 -20/+85°C 16 Mhz TLCS-870/C Family	80
Toshiba	TMP86FS23UG(ES,JZ)	8B.uC 60K Flash 2KB Ram LQFP 64/0,5 -20/+85°C 16 Mhz TLCS-870/C Family	20
Toshiba	TMP86FS27FG	8B.uC 60K Flash 1KB Ram QFP 80/0,65 -20/+85°C 16 Mhz TLCS-870/C Family	20
Toshiba	TMP87PH47LU	8B.uC 16K OTP 512B Ram OFP 44/0,8 -20/+85°C 8 Mhz TLCS-870/C Family	64
Toshiba	TMP87PH47UG	8B.uC 16K OTP 512B Ram OFP 44/0,8 -20/+85°C 8 Mhz TLCS-870/C Family	10
Toshiba	TMP92CF29AFG-7770	32B.uC romless 144KB Ram QFP 176 -0/+70°C 80 Mhz TLCS-900 Series	10
Toshiba	TMP92CZ26AXBG	32B.uC romless 288KB Ram FBGA 228 -0/+70°C 80 Mhz TLCS-900 Series	2
Toshiba	TMP92FD28AFG(JZ)	32B.uC 512KB Flash 32KB Ram LQFP 100 -40/+85°C 20 Mhz TLCS-900 Series	10
Toshiba	TMP92FD28FG(JZ)	32B.uC 512KB Flash 32KB Ram LQFP 100 -40/+85°C 20 Mhz TLCS-900 Series	8
Toshiba	TMPA900CMXBG	32B.uC romless 32K Ram BGA289/0,8 -20/+85°C 150 Mhz USB HOST LCD ARM9	38
Toshiba	TMPA910CRXBG	32B.uC romless 56K Ram BGA361/0,8 -0/+70°C 200 Mhz USB HOST LCD ARM9	18
Toshiba	TMPM370FYDFG(ES)	32B.uC 256B Fl. 10KB Ram QFP 100/0,65 -20/+85°C 40 Mhz Cortex M3	42
Toshiba	TMPM370FYFG	32B.uC 256B Fl. 10KB Ram LQFP 100/0,5 -20/+85°C 40 Mhz Cortex M3	49
Toshiba	TMPZ84C015BFG-6(ZC)	8B.uC romless N/A KB Ram OFP 100/0,65 -40/+70°C 10 Mhz TLCS Z80 Series	30
Toshiba	TMPZ84C20AP-6(Z)/ZK	8B.uC romless N/A KB Ram DIP 40 -10/+70°C 8 Mhz TLCS Z80 Series	100

Toshiba	TMPZ84C20AP-8/ZK	8B.uC romless N/A KB Ram DIP 40 -10/+70°C 8 Mhz TLCS Z80 Series	1538
Toshiba	TODX2950(F)	Toslink Transceiver Modul DC to 10 Mb/s, -40 to 85 °C	23
Toshiba	TODX2960(F)	Toslink Transceiver Modul DC to 10 Mb/s, -40 to 85 °C	10
Toshiba	TODX297A(F)	Toslink Transceiver Modul	5
Toshiba	TORX1950(F)	Toslink Receiver, DC to 10 Mb/s, -40 to 85 °C	208
Toshiba	TORX1952(6M,F)	Toslink Receiver, DC to 6 Mb/s, -20 to 70 °C	185
Toshiba	TOTX1950(F)	Toslink Transmitter, DC to 10 Mb/s, 50m, -40 to 85 °C, 650nm	305
Toshiba	TOTX1952(6M,F)	Toslink Transmitter, DC to 6 Mb/s, 10m, -20 to 70 °C, 650nm	125
Toshiba	TPC8114(TE12L,Q)	MOSFET single P-CH -30V -18A 0,0045□ SOP-8	5
Toshiba	TPC8209(TE12L)	MOSFET dual N-CH 30V 5A 0,04□ SOP-8	6
Toshiba	TPC8213-H(TE12L,Q)	MOSFET dual N-CH 60V 5A 0,05Ohm SOP-8	61
Toshiba	TPC8405(TE12L,Q,M)	MOSFET complement. N/P-CH +30V/-30V +6A/-4,5A 0,026□/0,033□ SOP-8	9
Toshiba	TPCA8120,LQ(J)	MOSFET single P-CH -30V -45A 0,003□ SOP-8Advance	3000
Toshiba	TPD1045F(TE12L,Q)		64
Toshiba	TPD2007F(EL,F)	Low-side Power Switch Array IPD - 8 Channel SSOP24-P-300-1.00	500
Toshiba	TPD4103AK(LB2)	DC Brushless Motor Driver 1Ax6 IGBT-Output HZIP23-P-1.27H	1289

Toshiba	TPD4103AK(LBF)	DC Brushless Motor Driver 1Ax6 IGBT-Output HZIP23-P-1.27G	42
Toshiba	TPD4104K(LB2,Q)	DC Brushless Motor Driver 2Ax6 IGBT-Output HZIP23-P-1.27H	2
Toshiba	TPD4105AK	DC Brushless Motor Driver 3Ax6 IGBT-Output HZIP23-P-1.27	1
Toshiba	TPD4110AK(LB2,Q)	BLDC Motor Driver 3A Open Emitter IGBT Outputs HZIP23-P-1.27H	18
Toshiba	TPD4113AK(LB2,Q)	DC Brushless Motor Driver 1A IGBT-Outputs HZIP23-P-1.27H	10
Toshiba	TPD4120AK(Q)	IPD 500V 2Ax6 NEW DIP HDIP26-Pkg.	17
Toshiba	TPD4122K(Q)	BLDC-Motordriver 500V/1A NEW DIP HDIP26-Pkg.	67
Toshiba	TPD4123AK(Q)	IPD 500V 1Ax6 NEW DIP HDIP26-Pkg.	7
Toshiba	TPD4123K(Q)	IPD 500V 1Ax6 NEW DIP HDIP26-Pkg.	6
Toshiba	ULN2003AFWG(SC,ELM	7 CHANNEL HIGH END DRIVER SOL16-P-150	265
Trident Micro	AVF4910B-XK-A1-T	Audio/Video Front-End Solution, PQFN64-1	200
Trident Micro	DRX3923K-XK-A3-T	Multi Demodulator (Tray) AnalogTV, DVB-T, DVB-C PQFN64-1	10
Trident Micro	DRX3926K-XK-A3-T	Multi Demodulator (Tray) AnalogTV, DVB-T, DVB-C PQFN64-1	2255
Trident Micro	DRX3975D-QI-A2-T	4.COFDM Demodulator (Tray) DVB-T PMQFP 64-2	1434
Trident Micro	DRX3975D-QI-B1-T	4.COFDM Demodulator (Tray) DVB-T PMQFP 64-2, new version B1,	17
Trident Micro	MAP4401M-QB-C2-000-T	Micronas Audio Processor, tray no license necessary! DC: 10/2007	250

Trident Micro	MSP3407G-QG-B8-V3-T	Multistandard Sound Processor PMQFP44- 1, all Audio Standards (DC 2007)	8
Trident Micro	MSP3410G-PO-B8-V3	Multistandard Sound Processor PSDIP52-2, NICAM, IFIN, AFOUT	18
Trident Micro	MSP3410G-QA-B8-V3	Multistandard Sound Processor PMQFP80- 11,NICAM,IFIN,AFOUT, DC 02/06	790
Trident Micro	MSP3415G-QI-B8V3-T	Audio Processor IC PMQFP64-2 (10X10X2M M) PACKAGE	3
Trident Micro	MSP3417G-QG-B8-V3-T	Multistandard Sound Processor PMQFP44- 1, all Audio Standards (DC 2008)	4
Trident Micro	MSP3455G-QG-B8-V3-T	Multi Sound Processor (Tray) PMQFP44-1 , NICAM, IFin/AFout	682
Trident Micro	MSP4410K-QA-D7-000-T	Multistandard Sound Processor PMQFP-80-11,virt.Dolby Surround	660
Trident Micro	MSP4450G-QI-C13-000T	Multistandard Sound Processor PMQFP64- 2, without licence	13
Trident Micro	MSP4458G-QA-C4-T	Multistandard Sound Processor PMQFP80- 11, without licence, Tray	107
Trident Micro	SAA7114H/V2,557	Analog to Digital Video Decoder, QFP100, tray	350
Trident Micro	SAA7129AH-V1-T	Digital to Analog Video Encoder, QFP44, tray	37
Trident Micro	TDA10024HN/C1	Single Chip DVB-C/MCNS Channel Receiver, HVQFN56, tray	600
Trident Micro	UAC3553B-QG-G6-T	USB Audio Codec IC (Tray), PMQFP44-1,U SB->DAC.I2C,I2S	612
Trident Micro	UAC3554B-QI-G7-T	USB Headset Codec (Tray), PMQFP64	1670
Trident Micro	UAC3554B-XK-G7-T	USB Headset Codec (Tray), PQFN64-1,	19
Trident Micro	UAC3556B-QI-G7-T	Programmable USB Codec(Tray), PMQFP64- 2, 8 KB download	48

Trident Micro	UAC3556B-XK-G10-T	Programmable USB Codec (tray) PQFN64-1 , 8KB download	1749
Trident Micro	UAC3576B-QI-H7-T	Programmable USB Code (Tray), PMQFP64- 2, 8K download RAM	288
Trident Micro	UAC3576B-XK-H10-T	Programmable USB Code (Tray), PQFN64-1, 8K download RAM	2280
Trident Micro	UACBSTANDARDAPBV1.05	Evaluatin Board UAC355x-Family with UA C3556B (PMQFP64-2)	1
Trident Micro	UACBSTANDARDAPBV1.06	Evaluation Board UAC357x-Fam. with UAC 3576B (PMQFP64-2)	2
Truly	OEL9M0020-Y-E	2" PM-OLED 128x32 dot matrix yellow	2
Truly	OEL9M0026-W-E	OLED, 256x64 PM 2.7" white with Flex Foil	1
Tyco	E20 Stecker	Receptacle, Vertical, 38Way	18
Wave-Tech Co.	CFD01-50AAA2B	50pol 1.27p female through-hole dual row, h=3.4mm	15
Wave-Tech Co.	CFS06-50ABA	50pin 1.27mm female SMD dual row H=3.6mm	27
Wave-Tech Co.	CFS06-60ABA	60pol 1.27pitch female SMD dual row H=3.6mm	212
Weitronic	349-36-1-60	Buchsenleiste RM 2,54 mm gerade, 2 -reihig BH 7,3mm,	431
Wekang	CONN-TH2000/1-16/230	Connector cable LTP2000 230mm cross co nected (Pin1-Pin16)	2469
Wekang	DRB-09S	9pol DSUB, female, 4-40unc10.2	806
Wekang	M1203A RS232-CABLE	RS232-Cable f. Fastrack Modem	1006
Wekang	SC-3445/CT	Serial Cable DPU3445	49

Wekang	UM24-05211E121-R	5pol Mini USB B female right angel, SMD sel.Gold flash	1992
Wekang	UM94-05271C100-R	5pol Mini USB B female right angel, through hole, sel.Gold flash 3μ"	1424
Welcon	6520162211-001	16pol SOP T/B Socket open top, 1.27pit	5
Winslow	W30516TTRC	16 Pin DIL Socket	84
Winslow	W30540TTRC	DIP40 Socket	3
Winslow	W3128TRC	DIP28 Stamped Prod. use Socket	4
Winslow	WPLCC044-1GRC	PLCC44 Through Hole P/U Socket gold pl ating contacts	8
Winslow	WPLCC052-1GRC	PLCC52 Through Hole P/U Socket gold pl ating contacts	10
Xilinx	XC2S50-5FGG256C	SPARTAN-II FPGA 256-FBGA	30
Yamaichi	AJ332-5-SMT	SMT Earphone Jacks 3,5mm diameter	20
Yamaichi	CF050P1S-003-00-DS0	Compact FlashCardReader Slim Type I w/ o Ejector	210
Yamaichi	CF050P2-003-10-DS1	CompactFlashCardReader Type 1+2 with Ejector	10
Yamaichi	CF050P2-013-10-DS	Compact Flash Card Reader reversed Typ e with Ejector	4
Yamaichi	CF050P2-103-00-DS	Compact Flash Card Reader w/o Ejector 2.2mm Stand-off	100
Yamaichi	CF050P2-103-00-DS1	Compact Flash Card Reader w/o Ejector but with cap	4
Yamaichi	CF050P2-103-10-DS1	Compact Flash Card Reader with Ejector ,cap and 2,2mm standoff	1

Yamaichi	CF050P2-LT REV.3.0	Locking Mechanism for CF050P2 series	85
Yamaichi	CF050P2-PINPROTECT	Compact Flash Card Reader with Pin Protection	2
Yamaichi	CN026ST-022-333-FS	SATA 7+15 Socket stand off 7.5 mm ,	10
Yamaichi	CNS-DTP-E-43A	PCMCIA II Slot Double Deck (need Rear Socket)	5
Yamaichi	FAP-1401-1104-2-OAF	Latch Head Plug 2,54mm 180 °	40
Yamaichi	FAP-2001-1204-2-OAF	20PIN Flat Cable Connector	12
Yamaichi	FMA006-3700-0	Removable Tray for Reader FMS006-3710-0	4
Yamaichi	FMS006-2620-0	SIM Card Reader push/push low profile, w/o switch	10
Yamaichi	FMS006-3000-1	SIM Card connector with Tray for GSM, w/o switch	2
Yamaichi	FMS006-3710-0	SIM Card connector with removable Tray low profile H=1,65mm Top Mount	2
Yamaichi	FMS006-5100-0	SIM Card Reader manuel 6 pin, super low profile 1,4mm	11
Yamaichi	FMS006Z-2000-0	SIM Push/Push for GSM without Switch	25
Yamaichi	FMS006Z-2001-1	Sim Card Reader Push/Push with switch	395
Yamaichi	FPC-96212-0401	ZIF4 1.0mm SMT vertical	3
Yamaichi	FPC-96212-0421	ZIF4 1.0mm SMT Bottom Contact	77
Yamaichi	FPC-96212-0611	ZIF 06 1.0mm SMT Top Contact	5

Yamaichi	FPC-96212-0811-T+R	ZIF 08 1.0mm SMT Top Contact	2
Yamaichi	FPC-96212-3201	ZIF 32 1,0 SMT 180° SMT Connector	5
Yamaichi	FPC-96212-3221	ZIF32 1.0mm SMT Bottom Contact	3
Yamaichi	FPC-98210-1011	ZIF 10 pitch 0.5 SMT 90C Top Contact	4
Yamaichi	FPC-98210-1821	ZIF 18 0.5 SMT 90 grad Bottem Contact	9
Yamaichi	FPC-98210-3321	ZIF 33 0.5 SMT 90C Bottom Contact	1
Yamaichi	FPC-98210-3621	ZIF for FPC 36pins 0.5mm SMT bottom contact	7
Yamaichi	FPC-98210-4011	ZIF 40 0.5 SMT Top Contact	61
Yamaichi	FPS009-2903-0	SD Card and MMC Reader push/push H=2,4 with EMI prevention w 4 grounding terminals	2
Yamaichi	FPS009-2960-0	SD- Card+MMC Reader Push/Push (Reversed)	3
Yamaichi	FPS009-3202-BL	SD Card Connector SMT manual Type	100
Yamaichi	FPS009Z-2300-0	SD/MMC Card Reader Push/Push Low Size, Hard Lock	97
Yamaichi	FUS006-8500-0	MicroSIM 6pin,Pull eject type Top mount super low profile 1,34mm	14
Yamaichi	HF601-10-02	high speed connector, for FFC 10 pin 90°pitch 0.5mm	5
Yamaichi	HF601-20-02	high speed connector, for FFC 20 pin 90°pitch 0.5 mm	5
Yamaichi	HF601-40-02	high speed connector, for FFC 40 pin 90°pitch 0.5 mm	7

Yamaichi	HF601-F5-40-92-A0-F-V	FFC for HF601 40 pin connector	3
Yamaichi	IC120-0324-209	PLCC32 Test+Burnin Socket open Top, Dead bug loading Version	4
Yamaichi	IC149-044-049-B5	QFP44 SMT Prod. use Socket	61
Yamaichi	IC149-064-075-S5	QFP64 0.5 SMT PROD.USE SOCKET IC-Body 10.4 x 10.4mm	1
Yamaichi	IC149-064-101-S5	QFP64 1.0 SMT Prod.use Socket	58
Yamaichi	IC149-080-117-B5	QFP80 0,65 SMT Prod.use Socket	1
Yamaichi	IC149-144KS11453-0B	QFP144 0,65 SMT Prod.useSocket without Positioning Guide Pins	2
Yamaichi	IC149-144KS11453-0S	QFP144 SMT 0,65 Prod.useSocket	1
Yamaichi	IC149-144KS11453-1B	QFP144 0,65 SMT Prod.useSocket, with positioning guide pin	1
Yamaichi	IC149-160-150-S5	QFP160 0,5 SMT Prod.use Socket	6
Yamaichi	IC160-0324-2411	PLCC 32 SMT Prod.use Socket with position pins	4884
Yamaichi	IC160-0444-201	PLCC44 SMT Prod. use Socket	460
Yamaichi	IC160-0444-400	PLCC44 Through Hole P/U Socket	44
Yamaichi	IC160-0524-240	PLCC52 SMT PROD. USE SOCKET	2
Yamaichi	IC179Z-44600-500	SOP44 SMT Prod.use Socket	1773
Yamaichi	IC234-1444-016N	QFP144 TEST+BURNIN SOCKET	10

Yamaichi	IC51-0082-1024	SOP8 Test+Burnin Socket	2
Yamaichi	IC51-0282-334-1	SOP28 Test+Burnin Socket	2
Yamaichi	IC51-0442-1536	SOP44 Test+Burnin Socket	7
Yamaichi	IC51-0644-807	QFP64 Test+Burnin Socket	3
Yamaichi	IC51-0644-820-4	QFP64 Test+Burnin Socket	1
Yamaichi	ICP-080-3	ICE-BLOCK f. IC149 Socket	1
Yamaichi	LPH-34S1GN2	2.54mm box hesder, dual row 180degree, SMT, black	1000
Yamaichi	LPH-34SSNR	2.54mm box hesder dual row 180degree, TH	1000
Yamaichi	MDIN04SP	4Pol MiniDin Female Connector 5A Type	5
Yamaichi	MDIN06SSV-BC	6pol Mini Din Female Connector back closed	10
Yamaichi	MDIN07SSV-BC	7pol Mini Din Female Connector back cl osed	440
Yamaichi	MDIN08SS	8PIN Female Board Connector	31
Yamaichi	NFP-40A-0314 BF	40PIN Nanoflex Connector	100
Yamaichi	NMS011-2000-2	Mini SD Card Reader-Push/Push w/o Positioning Pin	1
Yamaichi	NMS011-2101-1	Mini SD Connector push/push reversed type	5
Yamaichi	NMS-011-2600-1	Mini SD Connector push/push top mount ype	5

Yamaichi	PJS008-2003-1	micro SD push/push reversed type, with positioning pins	6
Yamaichi	PJS008-2300-0	microSD push/push top mount w/o position pins	2
Yamaichi	PJS008U-3000-0	MicroSD push/push vertikal Type 180°	211
Yamaichi	PVP0402-202-0202-000	Y-SOL F.A.T (free assembly type) MALE for 4.0/6.0 mm ² for cable 5.8-7.0mm	1540
Yamaichi	PVP0402-SPANNER/SCHLÜSSEL	Spanner/Schlüssel for mounting Y-SOL 4 Connector,	148
Yamaichi	PVS0402-202-0202-000	Y-SOL F.A.T (free assembly type) FEMALE for 4.0/6.0 mm ² for cable 5.8-7.0mm	1540
Yamaichi	RDP040-015-005-FL	0,5mm male header 40pin SMT H=1,5mm	5
Yamaichi	RDS040-040-005-FL	0,5mm female header 40pin SMT H=4,0mm	5
Yamaichi	SATAD-22SNR2R	SATA Host Connector HDD, 15+7 female, DIP Standard Type	10
Yamaichi	SATAS1-22SNR2R	SATA Host Connector HDD 15 +7 female, SMT Type Reverse	10
Yamaichi	TS2K44	4 pos Modular Jack	123
Yamaichi	TS3004ST-661SMT	6 pol Modular Jack SMT	1
Yamaichi	TS3010SF-88AR	RJ45 ModularJack 8/8 pol shielded 90° with Ferrite (Magnatics)	1
Yamaichi	TS3014S-881-LED-GELB-GR	RJ45 ModularJack 8pol abgesch.	3
Yamaichi	USB-3.0-A9-T9-FL-R	USB 3.0. A Type THT Female	10
Yamaichi	USB-3.0-A-S9-FL-R	USB 3.0. A Type SMT Female,	10

Yamaichi	USB-3.0-A-T9-DPS-4-FL-T	USB 3.0. A Type THT Female Dual port stacked, w EMI guide, w EMI shrapnel	10
Yamaichi	USB-A-002A	USB Type A Recept. Dual Port	80
Yamaichi	USB-B-001	USB Type B Receptacle	446
Yamaichi	USB-B-004	USB Connector Type B TH 180 degrees AU flash over NI	30
Yamaichi	Y-CONAS-11	IP20 strain relief	99
Yamaichi	Y-CONAS-12	IP20 protective transport cap f	11
Yamaichi	Y-CONASSEMBLY-149	Y-Con cable assembly IP20/IP20 w/power plugs length 0,6m green jacket, 1:1 wiring	1
Yamaichi	Y-CONCABLE-2Y	100Mbit dig. signal cable w/o power, not for cable chain	160
Yamaichi	Y-CONCOVER-10	For Y-ConPlug-.. with fixing clips and flange seal blue	20
Yamaichi	Y-CONFLANGE-10	Universal mounting flange IP67 protected f use Y-ConCover-10	12
Yamaichi	Y-CONIP20LOCK-10	IP20 strain relief with locking clips, black	17
Yamaichi	Y-CONIP20LOCK-102	USB-A/A 2.0 moulded cable assembly, lock on both sides	2
Yamaichi	Y-CONJACK-15	RJ45, 8/8, PCB, coupler w/o 2 power contacts	108
Yamaichi	Y-CONJACK-21	90C RJ45, 8 data contacts+2 power contacts 8(8)+2	5
Yamaichi	Y-CONJACK-21PP	90C RJ45, 8 data contacts+2 power contacts 8(8)+2 and position pins	5
Yamaichi	Y-CONJACK-25	RJ45, 8/8+2, PCB, coupler with 2 power contacts	254

Yamaichi	Y-CONKIT-10	IP20 field kit 8/4 without 2 power con tacts	53
Yamaichi	Y-CONKIT-30(B)	IP67 Flange field kit with screws	13
Yamaichi	Y-CONPLUG-12	RJ45, 8/4, Ethernet w/o 2 power contacs	103
Yamaichi	Y-CONPLUG-31	RJ45 with 6 data contacts + 2 power contacts	2
Yamaichi	Y-CONPLUG-41	RJ45 cable Plug, 8(8) w/o Power Contacts, PBT UL94V-0	50
Yamaichi	Y-Consample ASSY-01	Y-Con SAMPLE cable assembly IP67/IP20 with power Ethernet wiring L=300mm	4
Yamaichi	Y-CONTOOL-11	1 Step Crimp Tool	1
Yamaichi	Y-CONTOOL-20	Cable stripping tool	3
Yamaichi	Y-CONTOOL-30	Assembly Tool	1
Yamaichi	Y-CONUSB-ASSY-201	Y-CON USB-B to USB-A IP20 to IP20 incl. 2.0m cable	1
Yamaichi	Y-LPF-C1-12_S1-LL-R	Y-Look for FFC W/pullforce locking mechanis 12 pin 1,0mm,180° SMT	3
Yamaichi	Y-LPF-C1-12-S9-LL-R	Y-Look for FFC W/pullforce locking mechanis 12 pin 1,0mm,90° SMT	4
Yamaichi	Y-LPF-C5-30-S1-BF-R	Y-Look for FFC w//pullforce locking mechanis 30 pin 0,50mm,180°	9
Yamaichi	Y-LPF-F1-12-150-B2-L-V	FFC 12pin,1.0mm pitch,156mm total length, Conduct. 0,05x0.65 UL 20861	3
Yamaichi	Y-LPF-F5-30-134-A0-B-V	FFC 30pin,0.5mm pitch,140mm total length, Conduct. 0,03x0.3 UL 20861	2
Yamaichi	Y-LPF-F5-30-64-A2-B-V	FFC 30pin,0.5mm pitch,70mm total length, Conduct. 0,05x0.3 UL 20861	8

Yamaichi	Y-SOLCABLE-4.OUL-068-001	Cable for Y-SOL 4 , LS schwarz, UL 4703 PVWire 4qmm,6.8 AD, SOLARBETAFLAM125	500
Yamato Material	DIP-26-2.0-03Q	Socket for Toshiba NEW DIP TPD412xx	3
Zentrum f. Mikroelektronik Dresden	U62256ADK-07LL-G1	SRAM 32Kx8 600 mil DIP 70nS LL -40 to + 85 Grad	1

First-Class PREMIUM Support